



Flavonoids & Coumarins Catalog

INDOFINE CHEMICAL COMPANY, INC

121 Stryker Lane
Hillsborough, NJ 08844
Phone: 1-908-359-6778
Fax: 1 908-359-1179

GENERAL INFORMATION

How to order:

To place an order, please write, fax or e-mail to:



INDOFINE Chemical Company, Inc.
121 Stryker Lane
Hillsborough, NJ 08844 U.S.A.

Telephone: (908) 359-6778
Toll Free: 1-888-463-6346 (1-888-INDOFINE)

Fax: (908) 359-1179
e-mail: chemical@indofinechemical.com

Specify the chemical name, the catalog number, the quantity and your purchase order number.

Terms and conditions of sale:

Terms are F.O.B. Hillsborough, New Jersey. Net 10 days. Prices shown are in U.S. dollars and are subject to change. All orders are insured at the buyers' expense. Applicable taxes and shipping charges will be added to the invoice.

Chemicals marked "with HPLC" or "with GC" are supplied with an actual analysis as determined by high-pressure liquid chromatography or gas chromatography, respectively. These compounds have catalog numbers with suffix letter S.

Discounting information:

Please inquire for substantial savings on bulk quantities or standing annual requirements.

Liability:

Some of the chemicals listed may be toxic or otherwise hazardous, and they should be handled by qualified individuals trained in laboratory procedures. The information and data given in this catalog are correct to the best of our knowledge, but their accuracy is not guaranteed. INDOFINE CHEMICAL COMPANY, INC., will not be responsible for any loss or damage involving the use of our chemicals or products beyond the purchase price.

No returns are accepted without prior written authorization, unless we made an error in shipment.

The listing of any products in our catalog does not imply the absence of patents, and does not constitute license under any existing or pending patent. We are not responsible for any patent infringement resulting from the use of our products.

Use of our chemicals:

All compounds listed in this catalog are for research and development purposes only. They may not be used as drugs, food additives, cosmetics, household chemicals, or for any other non-laboratory purpose.

Delivery:

Period of delivery will be given upon receipt of an inquiry or order.

Visit our World Wide Web site: <http://www.indofinechemical.com>

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

Contents

Chalcones	2
Chromones	11
Coumarins	13
Flavanones	34
Flavones	38
Isoflavones	57



INDOFINE Chemical Company, Inc.
Phone: (908) 359-6777 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

Chalcones

CAT #	Product	QTY	Price
19-677	2',2,3,6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₅ MW: 328.37 MP: 111.5-113°C	250 mg	\$68.00
19-573	2,2',4',6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₅ MW: 328.37 MP: 109-112°C	250 mg	\$64.00
T-502	2,2',4'-TRIHIDROXYCHALCONE [26962-50-5] C ₁₅ H ₁₂ O ₄ MW: 256.26 MP: 186-188°C	250 mg	\$30.00
22-338	2,2',5'-TRIHIDROXYCHALCONE C ₁₅ H ₁₂ O ₄ MW: 256.26 MP: 198-200°C	100 mg	\$32.00
22-310	2,2'-DIHYDROXY-3-METHOXYCHALCONE C ₁₆ H ₁₄ O ₄ MW: 270.29 MP: 182-183°C	250 mg	\$78.00
19-535	2,2'-DIHYDROXY-4',6'-DIMETHOXYCHALCONE C ₁₇ H ₁₆ O ₅ MW: 300.32 MP: 172.3-173.2°C	250 mg	\$64.00
D-501	2,2'-DIHYDROXYCHALCONE [15131-80-3] C ₁₅ H ₁₂ O ₃ MW: 240.25 MP: 161-163°C	250 mg	\$25.00
19-676	2',3,4,5,6'-PENTAMETHOXYCHALCONE C ₂₀ H ₂₂ O ₆ MW: 358.39 MP: 146.5-148°C	250 mg	\$68.00
T-501	2',3',4'-TRIHIDROXYCHALCONE [1482-74-2] C ₁₅ H ₁₂ O ₄ MW: 256.26 MP: 169-170°C	250 mg	\$30.00
22-209	2,3-DIMETHOXY-2'-HYDROXYCHALCONE [42220-80-4] C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 101-102.8°C	1 gm	\$90.00
19-506	2',4,4',6'-TETRAMETHOXYCHALCONE [94103-36-3] C ₁₉ H ₂₀ O ₅ MW: 328.37 MP: 118-120°C	250 mg	\$64.00
19-507	2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₄ MW: 298.34 MP: 80-82°C	250 mg	\$66.00
19-678	2',4,6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₄ MW: 298.34 MP: 100-102°C	250 mg	\$60.00
19-467	2',4'-DICHLORO-3,4-DIMETHOXY-5'-FLUOROCHALCONE C ₁₇ H ₁₃ Cl ₂ FO ₃ MW: 355.20 MP: 137-138.5°C	250 mg	\$70.00
19-468	2',4'-DICHLORO-5'-FLUORO-4-METHOXYCHALCONE C ₁₆ H ₁₁ Cl ₂ FO ₂ MW: 325.17 MP: 105-106.7°C	250 mg	\$60.00
22-207	2',4'-DIHYDROXY-2,3-DIMETHOXYCHALCONE C ₁₇ H ₁₆ O ₅ MW: 300.32 MP: 188-189°C	100 mg	\$32.00
D-505	2',4'-DIHYDROXY-2-METHOXYCHALCONE C ₁₆ H ₁₄ O ₄ MW: 270.29 MP: 183.8-187°C	250 mg	\$78.00
22-208	2',4'-DIHYDROXY-3,4-DIMETHOXYCHALCONE C ₁₇ H ₁₆ O ₅ MW: 300.32 MP: 208-210°C	100 mg	\$36.00
021042	2',4-DIHYDROXY-4',6'-DIMETHOXYCHALCONE [56798-34-6] (Flavokawain C) C ₁₇ H ₁₆ O ₅ MW: 300.32 MP: 194-195°C	10 mg	\$55.00
D-507	2',4'-DIHYDROXY-4-METHOXYCHALCONE [13351-10-5] C ₁₆ H ₁₄ O ₄ MW: 270.29 MP: 180.3-182°C	250 mg	\$25.00
D-504	2',4'-DIHYDROXYCHALCONE [1776-30-3] C ₁₅ H ₁₂ O ₃ MW: 240.25 MP: 150-151°C	250 mg	\$70.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

22-302	2,4-DIMETHOXY-2'-HYDROXY-5'-METHYLCHALCONE C ₁₈ H ₁₈ O ₄ MW: 298.34 MP: 131-133°C	250 mg	\$48.00
22-311	2,4'-DIMETHOXY-2'-HYDROXYCHALCONE (2'-Hydroxy-2,4'-dimethoxychalcone) C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 92-93°C	250 mg	\$76.00
021264	2,4-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 104-105°C	1 gm	\$96.00
26-3390	2,4-DIMETHOXY-4'-FLUOROCHALCONE MW: 286.31	-	INQUIRE
22-300	2',4'-DIMETHOXYCHALCONE C ₁₇ H ₁₆ O ₃ MW: 268.32 MP: 77-78°C	250 mg	\$44.00
22-347	2',5'-DIHYDROXY-4-METHOXYCHALCONE C ₁₆ H ₁₄ O ₄ MW: 270.29 MP: 178-180°C	250 mg	\$76.00
D-601	2',5'-DIHYDROXYCHALCONE [19312-13-1] C ₁₅ H ₁₂ O ₃ MW: 240.25 MP: 172-174°C	50 mg	\$45.00
19-814	2,5-DIMETHOXY-2'-HYDROXY-5'-METHYLCHALCONE C ₁₈ H ₁₈ O ₄ MW: 298.34 MP: 101-103°C	100 mg	\$54.00
22-348	2,5'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 99-100°C	250 mg	\$72.00
19-813	2,5-DIMETHOXY-2'-HYDROXYCHALCONE [32272-23-4] C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 96-98°C	100 mg	\$54.00
19-812	2,5-DIMETHOXY-5'-FLUORO-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ FO ₄ MW: 302.31 MP: 167.5-169.5°C	100 mg	\$54.00
19-376	2,6-DICHLORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₀ Cl ₂ O ₂ MW: 293.15 MP: 101-102.5°C	250 mg	\$68.00
021080	2',6'-DIHYDROXY-4,4'-DIMETHOXYCHALCONE [20621-49-2] (Gymnogrammene) C ₁₇ H ₁₆ O ₅ MW: 300.32 MP: 165°C	5 mg	\$255.00
22-366	2,6'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 97-98°C	250 mg	\$72.00
19-669	2',6'-DIMETHOXY-4-FLUOROCHALCONE C ₁₇ H ₁₅ FO ₃ MW: 286.31 MP: 101-103°C	250 mg	\$60.00
19-668	2',6'-DIMETHOXYCHALCONE C ₁₇ H ₁₆ O ₃ MW: 268.32 MP: 124.5-126°C	250 mg	\$64.00
19-489	2-CHLORO-2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ ClO ₄ MW: 332.79 MP: 127-129°C	250 mg	\$68.00
19-487	2-CHLORO-4',6'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ ClO ₄ MW: 318.76 MP: 133-135°C	250 mg	\$64.00
19-696	2'-HYDROXY-2,3,4',6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 125-126.6°C	250 mg	\$64.00
22-214	2'-HYDROXY-2,3,4'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 127.5-128.8°C	100 mg	\$38.00
22-212	2'-HYDROXY-2,3,5'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 102-103°C	100 mg	\$32.00
22-372	2'-HYDROXY-2,3,6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 112-114°C	250 mg	\$66.00
22-377	2'-HYDROXY-2,4,4',5-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 157-160°C	50 mg	\$72.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

22-350	2'-HYDROXY-2,4,4',6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 151-152°C	250 mg	\$76.00
22-213	2'-HYDROXY-2,4,4'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 156-157°C	100 mg	\$34.00
H-509	2'-HYDROXY-2,4,5,4',6'-PENTAMETHOXYCHALCONE [73694-15-2] (Rubone) C ₂₀ H ₂₂ O ₇ MW: 374.39 MP: 180-183°C	50 mg	\$45.00
22-378	2'-HYDROXY-2,4,5,5'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 168-169°C	50 mg	\$87.00
19-835	2'-HYDROXY-2,4',5,6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 173.7-175°C	100 mg	\$64.00
22-370	2'-HYDROXY-2,4,5,6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 134-136°C	250 mg	\$70.00
19-817	2'-HYDROXY-2,4',5-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 106-107.7°C	100 mg	\$54.00
22-203	2'-HYDROXY-2,4,5'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 117-118°C	100 mg	\$38.00
22-380	2'-HYDROXY-2,4,5-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 136-138°C	50 mg	\$79.00
19-502	2'-HYDROXY-2,4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 106-109°C	250 mg	\$64.00
22-373	2'-HYDROXY-2,4,6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 121-122°C	250 mg	\$68.00
19-500	2-HYDROXY-2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 187-189°C	250 mg	\$68.00
19-818	2'-HYDROXY-2,5,6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 127.8-128.8°C	100 mg	\$54.00
H-503	2'-HYDROXY-2-METHOXYCHALCONE [42220-77-9] C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 112-113°C	1 gm	\$90.00
22-389	2'-HYDROXY-3,3',4'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 124-125°C	50 mg	\$55.00
19-435	2'-HYDROXY-3,4,4',5'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 133.7-135.1°C	250 mg	\$76.00
19-438	2'-HYDROXY-3,4,4',6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 155.4-157°C	100 mg	\$36.00
22-397	2'-HYDROXY-3',4',4-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 131-132°C	50 mg	\$72.00
19-455	2'-HYDROXY-3,4,4'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 160.7-162.1°C	250 mg	\$68.00
22-371	2'-HYDROXY-3,4,5,6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 134-136°C	250 mg	\$78.00
19-523	2'-HYDROXY-3',4,5'-TRICHLOROCHALCONE C ₁₅ H ₉ Cl ₃ O ₂ MW: 327.60 MP: 196-197.8°C	250 mg	\$66.00
22-223	2'-HYDROXY-3,4,5'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 135-136°C	100 mg	\$35.00
22-307	2'-HYDROXY-3,4,5-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 156-158°C	250 mg	\$44.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

22-374	2'-HYDROXY-3,4,6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 122-124°C	250 mg	\$66.00
22-401	2'-HYDROXY-3',4'-BENZOCHALCONE MW: 274.32 MP: 132-134°C	100 mg	\$90.00
H-504	2'-HYDROXY-3-METHOXYCHALCONE [7146-86-3] C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 94-95°C	250 mg	\$25.00
19-672	2-HYDROXY-3-METHOXYCHALCONE C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 108.7-110.7°C	250 mg	\$60.00
021043	2'-HYDROXY-4,4',6'-TRIMETHOXYCHALCONE [3420-72-2] (Flavokawain A) C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 112-114°C	100 mg	\$90.00
22-305	2'-HYDROXY-4-METHOXY-5'-METHYLCHALCONE C ₁₇ H ₁₆ O ₃ MW: 268.32 MP: 96-97.5°C	250 mg	\$52.00
H-506	2'-HYDROXY-4'-METHOXYCHALCONE [39273-61-5] C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 107.5-109.4°C	1 gm	\$78.00
H-505	2'-HYDROXY-4-METHOXYCHALCONE [3327-24-0] C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 82-83°C	1 gm	\$84.00
H-507	2'-HYDROXY-4-METHYLCHALCONE C ₁₆ H ₁₄ O ₂ MW: 238.29 MP: 118.8-120.4°C	1 gm	\$87.00
22-312	2'-HYDROXY-5'-METHYL-2-METHOXYCHALCONE C ₁₇ H ₁₆ O ₃ MW: 268.32 MP: 101-103°C	250 mg	\$80.00
22-408	2'-HYDROXY-5'-METHYL-3,4-METHYLENEDIOXYCHALCONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 115-116°C	50 mg	\$90.00
H-508	2'-HYDROXY-5'-METHYLCHALCONE C ₁₆ H ₁₄ O ₂ MW: 238.29 MP: 109-110°C	1 gm	\$90.00
19-673	2'-HYDROXY-6'-METHOXYCHALCONE [42079-68-5] C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 63-65°C	250 mg	\$64.00
22-376	2'-HYDROXY-6'-METHYL-3,4-METHYLENEDIOXYCHALCONE C ₁₇ H ₁₂ O ₄ MW: 282.30 MP: 114-115°C	50 mg	\$90.00
H-014	2'-HYDROXYCHALCONE [1214-47-7] C ₁₅ H ₁₂ O ₂ MW: 224.26 MP: 88-89°C	5 gm	\$161.00
021270	2-HYDROXYCHALCONE [644-78-0] (2-Hydroxybenzylidene acetophenone) C ₁₅ H ₁₂ O ₂ MW: 224.26 MP: 150-153°C	5 gm	\$60.00
19-536	3,2'-DIHYDROXY-4,4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₆ MW: 330.34 MP: 200-201°C	250 mg	\$76.00
D-502	3,2'-DIHYDROXYCHALCONE C ₁₅ H ₁₂ O ₃ MW: 240.25 MP: 161-162°C	250 mg	\$30.00
021282S	3,4,2',4',6'-PENTAHYDROXYCHALCONE with HPLC [14917-41-0] (Eriodictyolchalcone) C ₁₅ H ₁₂ O ₆ MW: 288.26	5 mg	\$310.00
19-439	3,4,2',4',6'-PENTAMETHOXYCHALCONE C ₂₀ H ₂₂ O ₆ MW: 358.39 MP: 106-108°C	100 mg	\$40.00
22-313	3,4,2',5'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₅ MW: 328.37 MP: 91-92°C	250 mg	\$68.00
22-303	3,4-DIMETHOXY-2'-HYDROXY-5'-METHYLCHALCONE C ₁₈ H ₁₈ O ₄ MW: 298.34 MP: 143-145°C	250 mg	\$56.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

H-502	3',4'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 96-98°C	250 mg	\$26.00
22-325	3,4'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 80-81°C	250 mg	\$60.00
19-670	3,4'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 142.2-144°C	250 mg	\$64.00
H-501	3,4-DIMETHOXY-2'-HYDROXYCHALCONE [19152-36-4] C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 114-115°C	1 gm	\$84.00
26-3391	3,4-DIMETHOXY-4'-FLUOROCHALCONE [28081-14-3] C ₁₇ H ₁₅ FO ₃ MW: 286.31 MP: 92-94°C	5 gm	\$23.00
021294	3,4-DIMETHOXYCHALCONE [5416-71-7] C ₁₇ H ₁₆ O ₃ MW: 268.32 MP: 88°C	1 gm	\$102.00
19-832	3',5'-DICHLORO-2,5-DIMETHOXY-4'-HYDROXYCHALCONE C ₁₇ H ₁₄ Cl ₂ O ₄ MW: 353.20 MP: 186.5-188.5°C	100 mg	\$61.00
19-449	3',5'-DICHLORO-2'-HYDROXY-3,4,5-TRIMETHOXYCHALCONE C ₁₈ H ₁₆ Cl ₂ O ₅ MW: 383.23 MP: 168.5-170°C	250 mg	\$72.00
19-433	3',5'-DICHLORO-2'-HYDROXY-4-METHOXYCHALCONE C ₁₆ H ₁₂ Cl ₂ O ₃ MW: 323.18 MP: 160.3-163.3°C	250 mg	\$72.00
22-367	3,6'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 84-86°C	250 mg	\$70.00
19-556	3-BROMO-2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ BrO ₄ MW: 377.24 MP: 92-96°C	250 mg	\$80.00
19-485	3-BROMO-4',6'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ BrO ₄ MW: 363.21 MP: 108-110°C	250 mg	\$66.00
19-426	3'-BROMO-5'-CHLORO-2'-HYDROXY-3,4,5-TRIMETHOXYCHALCONE C ₁₈ H ₁₆ BrClO ₅ MW: 427.68 MP: 171.2-172.7°C	250 mg	\$70.00
19-425	3'-BROMO-5'-CHLORO-2'-HYDROXY-4-METHOXYCHALCONE C ₁₆ H ₁₂ BrClO ₃ MW: 367.63 MP: 167-170°C	250 mg	\$64.00
19-440	3'-BROMO-5'-CHLORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₀ BrClO ₂ MW: 337.60 MP: 144-146.2°C	250 mg	\$68.00
19-375	3'-CHLORO-2'-HYDROXY-4-METHOXYCHALCONE C ₁₆ H ₁₃ ClO ₃ MW: 288.73 MP: 139-140°C	250 mg	\$64.00
19-395	3'-CHLORO-2'-HYDROXY-4-METHYLCHALCONE C ₁₆ H ₁₃ ClO ₂ MW: 272.73 MP: 135.4-136.6°C	1 gm	\$120.00
19-394	3'-CHLORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₁ ClO ₂ MW: 258.71 MP: 119.5-120.4°C	1 gm	\$126.00
19-632	3'-CHLORO-4-FLUORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₀ ClFO ₂ MW: 276.70 MP: 159.6-161.5°C	100 mg	\$50.00
19-564	3-HYDROXY-2',4,4',6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 148-150°C	250 mg	\$60.00
22-343	3-METHOXY-4,2',5'-TRIHYDROXYCHALCONE C ₁₆ H ₁₄ O ₅ MW: 284.27 MP: 174-176°C	250 mg	\$96.00
19-505	3-NITRO-2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ NO ₆ MW: 343.34 MP: 148-151°C	250 mg	\$68.00
T-503	4,2',4'-TRIHYDROXYCHALCONE [961-29-5] (Isoliquiritigenin) C ₁₅ H ₁₂ O ₄ MW: 256.26 MP: 188-195°C	1 gm	\$90.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

22-314	4,2',5'-TRIHIDROXYCHALCONE C ₁₅ H ₁₂ O ₄ MW: 256.26 MP: 231-232°C	250 mg	\$70.00
22-315	4,2',5'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₄ MW: 298.34 MP: 96-97°C	250 mg	\$74.00
19-491	4,2'-DIHYDROXY-3,4',6'-TRIMETHOXYCHALCONE [69616-74-6] C ₁₈ H ₁₈ O ₆ MW: 330.34 MP: 178-180°C	250 mg	\$62.00
19-451	4,2'-DIHYDROXY-3-METHOXY-5'-METHYLCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.31 MP: 152.5-154.4°C	250 mg	\$68.00
22-337	4,2'-DIHYDROXY-3-METHOXYCHALCONE [220430-82-0] C ₁₆ H ₁₄ O ₄ MW: 270.29 MP: 129-131°C	100 mg	\$80.00
D-503	4,2'-DIHYDROXYCHALCONE [13323-66-5] C ₁₅ H ₁₂ O ₃ MW: 240.25 MP: 161-162°C	250 mg	\$28.00
22-221	4,4'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 112-114°C	250 mg	\$68.00
021295	4,4'-DIMETHOXYCHALCONE [2373-89-9] C ₁₇ H ₁₆ O ₃ MW: 268.32 MP: 100.6-102.2°C	1 gm	\$99.00
19-522	4,5'-DICHLORO-2'-HYDROXY-4'-METHYLCHALCONE C ₁₆ H ₁₂ Cl ₂ O ₂ MW: 307.18 MP: 188.7-190.7°C	250 mg	\$60.00
19-521	4,5'-DICHLORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₀ Cl ₂ O ₂ MW: 293.15 MP: 190.8-192.8°C	250 mg	\$68.00
19-496	4',6'-DIMETHOXY-2'-HYDROXY-3-NITROCHALCONE C ₁₇ H ₁₅ NO ₆ MW: 329.31 MP: 153-155°C	250 mg	\$76.00
19-495	4',6'-DIMETHOXY-2'-HYDROXY-4-METHYLCHALCONE C ₁₈ H ₁₈ O ₄ MW: 298.34 MP: 127-129°C	250 mg	\$64.00
021266	4',6'-DIMETHOXY-2'-HYDROXYCHALCONE [1775-97-9] (Flavokawain B) C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 85-87°C	10 mg	\$95.00
22-368	4,6'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₆ O ₄ MW: 284.32 MP: 117-119°C	250 mg	\$76.00
19-492	4',6'-DIMETHOXY-4-DIMETHYLAMINO-2'-HYDROXYCHALCONE C ₁₉ H ₂₁ NO ₄ MW: 327.38 MP: 200-204°C	250 mg	\$64.00
19-493	4',6'-DIMETHOXY-4-FLUORO-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ FO ₄ MW: 302.31 MP: 145-147°C	250 mg	\$64.00
19-483	4-BENZYLOXY-2',3,4',6'-TETRAMETHOXYCHALCONE C ₂₆ H ₂₆ O ₆ MW: 434.49 MP: 153-155°C	250 mg	\$68.00
19-482	4-BENZYLOXY-2'-HYDROXY-3,4',6'-TRIMETHOXYCHALCONE C ₂₅ H ₂₄ O ₆ MW: 420.47 MP: 129-131°C	250 mg	\$64.00
19-519	4-CHLORO-2',3',4'-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ ClO ₄ MW: 332.79 MP: 101.7-103°C	250 mg	\$70.00
19-490	4-CHLORO-2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ ClO ₄ MW: 332.79 MP: 128-130°C	250 mg	\$72.00
19-807	4'-CHLORO-2,5-DIMETHOXYCHALCONE C ₁₇ H ₁₅ ClO ₃ MW: 302.76 MP: 75-77°C	100 mg	\$60.00
19-513	4-CHLORO-2',5'-DIMETHOXYCHALCONE C ₁₇ H ₁₅ ClO ₃ MW: 302.76 MP: 83.5-85°C	250 mg	\$64.00
19-693	4-CHLORO-2',6'-DIMETHOXYCHALCONE C ₁₇ H ₁₅ ClO ₃ MW: 302.76 MP: 88.5-90.5°C	250 mg	\$60.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-666	4'-CHLORO-2-HYDROXY-3-METHOXYCHALCONE C ₁₆ H ₁₃ ClO ₃ MW: 288.73 MP: 140-142°C	250 mg	\$64.00
19-517	4-CHLORO-2'-HYDROXY-5'-METHYLCHALCONE C ₁₆ H ₁₃ ClO ₂ MW: 272.73 MP: 153.8-155.7°C	250 mg	\$70.00
19-516	4-CHLORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₁ ClO ₂ MW: 258.71 MP: 150-151.6°C	250 mg	\$66.00
19-520	4'-CHLORO-3,4,5-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ ClO ₄ MW: 332.79 MP: 121.5-123.1°C	250 mg	\$64.00
19-514	4'-CHLORO-3,4-DIMETHOXYCHALCONE C ₁₇ H ₁₅ ClO ₃ MW: 302.76 MP: 106.4-107.7°C	250 mg	\$68.00
19-488	4-CHLORO-4',6'-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ ClO ₄ MW: 318.76 MP: 167-168°C	250 mg	\$70.00
26-2813	4-CHLORO-4'-FLUOROCHALCONE C ₁₅ H ₁₀ ClFO MW: 260.70 MP: 136-137°C	1 gm	\$175.00
19-518	4'-CHLORO-4-METHOXYCHALCONE [6552-63-2] C ₁₆ H ₁₃ ClO ₂ MW: 272.73 MP: 122.3-124°C	250 mg	\$60.00
19-515	4-CHLORO-5'-FLUORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₀ ClFO ₂ MW: 276.70 MP: 177-178.7°C	250 mg	\$60.00
23-003	4'-CHLOROCHALCONE [956-02-5] C ₁₅ H ₁₁ ClO MW: 242.71 MP: 97-98°C	5 gm	\$26.00
23-002	4-CHLOROCHALCONE [956-04-7] C ₁₅ H ₁₁ ClO MW: 242.71 MP: 114-115.6°C	5 gm	\$29.00
19-497	4-DIMETHYLAMINO-2',4',6'-TRIMETHOXYCHALCONE C ₂₁ H ₂₃ NO ₄ MW: 341.41 MP: 153-155°C	250 mg	\$64.00
19-498	4-FLUORO-2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ FO ₄ MW: 316.33 MP: 118-120°C	250 mg	\$66.00
19-565	4-HYDROXY-2',3,4',6'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 132-136°C	250 mg	\$64.00
19-836	4'-HYDROXY-2,3',5,5'-TETRAMETHOXYCHALCONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 134.2-137°C	100 mg	\$58.00
19-566	4-HYDROXY-2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 196-198°C	250 mg	\$60.00
19-454	4'-HYDROXY-2'-METHYL-3,4,5-TRIMETHOXYCHALCONE C ₁₉ H ₂₀ O ₅ MW: 328.37 MP: 176.4-177.6°C	250 mg	\$76.00
19-453	4'-HYDROXY-4-METHOXY-2'-METHYLCHALCONE C ₁₇ H ₁₆ O ₃ MW: 268.32 MP: 150.6-152.2°C	250 mg	\$72.00
021273	4'-HYDROXYCHALCONE [2657-25-2] C ₁₅ H ₁₂ O ₂ MW: 224.26 MP: 177-179°C	5 gm	\$68.00
021272	4-HYDROXYCHALCONE [20426-12-4] (4-Hydroxybenzylidene acetophenone) C ₁₅ H ₁₂ O ₂ MW: 224.26 MP: 184-186°C	5 gm	\$62.00
021274	4-ISOPROPYL-4'-METHYLCHALCONE C ₁₉ H ₂₀ O MW: 264.37 MP: 71.7-73.5°C	100 mg	\$106.00
19-436	4-METHOXY-4'-(METHYLTHIO)CHALCONE C ₁₇ H ₁₆ O ₂ S MW: 284.38 MP: 132.6-134°C	250 mg	\$72.00
021217	4'-METHOXYCHALCONE [959-23-9] C ₁₆ H ₁₄ O ₂ MW: 238.29 MP: 105.2-106.7°C	10 gm	\$131.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

021216	4-METHOXYCHALCONE [959-33-1] C ₁₆ H ₁₄ O ₂ MW: 238.29 MP: 74.6-76°C	1 gm	\$146.00
19-504	4-METHYL-2',4',6'-TRIMETHOXYCHALCONE C ₁₉ H ₂₀ O ₄ MW: 312.37 MP: 122-124°C	250 mg	\$64.00
19-437	4'-METHYL-3,4,5-TRIMETHOXYCHALCONE C ₁₉ H ₂₀ O ₄ MW: 312.37 MP: 106-108°C	250 mg	\$78.00
19-484	5-BROMO-2,2'-DIHYDROXY-4',6'-DIMETHOXYCHALCONE C ₁₇ H ₁₅ BrO ₅ MW: 379.21 MP: 170-173°C	250 mg	\$72.00
19-830	5'-BROMO-2,5-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ BrO ₄ MW: 363.21 MP: 127-128.2°C	100 mg	\$54.00
19-486	5-BROMO-2-HYDROXY-2',4',6'-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ BrO ₅ MW: 393.24 MP: 207-209°C	250 mg	\$70.00
19-427	5'-BROMO-2'-HYDROXY-3,4,5-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ BrO ₅ MW: 393.24 MP: 169.3-171.6°C	250 mg	\$72.00
19-445	5'-BROMO-2'-HYDROXY-4-METHOXYCHALCONE C ₁₆ H ₁₃ BrO ₃ MW: 333.18 MP: 118-120°C	250 mg	\$68.00
19-389	5'-BROMO-3,4-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ BrO ₄ MW: 363.21 MP: 173.1-174.6°C	250 mg	\$64.00
19-806	5'-BROMO-3'-CHLORO-2,5-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₄ BrClO ₄ MW: 397.66 MP: 160-161.6°C	100 mg	\$54.00
19-443	5'-BROMO-3'-CHLORO-2'-HYDROXY-3,4,5-TRIMETHOXYCHALCONE C ₁₈ H ₁₆ BrClO ₅ MW: 427.68 MP: 173.5-175°C	250 mg	\$80.00
19-442	5'-BROMO-3'-CHLORO-2'-HYDROXY-4-METHOXYCHALCONE C ₁₆ H ₁₂ BrClO ₃ MW: 367.63 MP: 155.4-157.2°C	250 mg	\$76.00
19-441	5'-BROMO-3'-CHLORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₀ BrClO ₂ MW: 337.60 MP: 148-149.6°C	250 mg	\$72.00
19-444	5'-BROMO-4,2'-DIHYDROXY-3-METHOXYCHALCONE C ₁₆ H ₁₃ BrO ₄ MW: 349.18 MP: 172-173.3°C	250 mg	\$68.00
19-512	5'-BROMO-4-CHLORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₀ BrClO ₂ MW: 337.60 MP: 186.6-188.1°C	250 mg	\$70.00
19-809	5'-CHLORO-2,5-DIMETHOXY-2'-HYDROXY-4-METHYLCHALCONE C ₁₈ H ₁₇ ClO ₄ MW: 332.79 MP: 153.4-154.4°C	100 mg	\$54.00
19-808	5'-CHLORO-2,5-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ ClO ₄ MW: 318.76 MP: 133.5-135°C	100 mg	\$58.00
19-432	5'-CHLORO-2'-HYDROXY-3,4,5-TRIMETHOXYCHALCONE C ₁₈ H ₁₇ ClO ₅ MW: 348.79 MP: 173.8-176.1°C	250 mg	\$62.00
19-430	5'-CHLORO-2'-HYDROXY-4-METHOXY-4'-METHYLCHALCONE C ₁₇ H ₁₅ ClO ₃ MW: 302.76 MP: 180.3-183°C	250 mg	\$78.00
19-429	5'-CHLORO-2'-HYDROXY-4'-METHOXYCHALCONE C ₁₆ H ₁₃ ClO ₃ MW: 288.73 MP: 109.4-110.7°C	250 mg	\$76.00
19-448	5'-CHLORO-2'-HYDROXY-4'-METHYL-3,4,5-TRIMETHOXYCHALCONE C ₁₉ H ₁₉ ClO ₅ MW: 362.81 MP: 147.2-149°C	250 mg	\$76.00
19-431	5'-CHLORO-2'-HYDROXY-4'-METHYLCHALCONE C ₁₆ H ₁₃ ClO ₂ MW: 272.73 MP: 142.3-143.8°C	250 mg	\$80.00
19-396	5'-CHLORO-2'-HYDROXY-4-METHYLCHALCONE C ₁₆ H ₁₃ ClO ₂ MW: 272.73 MP: 130.8-132.4°C	1 gm	\$114.00
22-384	5'-CHLORO-2'-HYDROXYCHALCONE C ₁₅ H ₁₁ ClO ₂ MW: 258.71 MP: 109-110°C	100 mg	\$76.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-393	5'-CHLORO-3,4-DIMETHOXY-2'-HYDROXYCHALCONE C ₁₇ H ₁₅ ClO ₄ MW: 318.76 MP: 174.6-175.6°C	250 mg	\$64.00
19-462	5'-CHLORO-4,2'-DIHYDROXY-3-METHOXY-4'-METHYLCHALCONE C ₁₇ H ₁₅ ClO ₄ MW: 318.76 MP: 202.5-204.8°C	250 mg	\$66.00
19-447	5'-CHLORO-4,2'-DIHYDROXY-3-METHOXYCHALCONE C ₁₆ H ₁₃ ClO ₄ MW: 304.73 MP: 169.5-170.8°C	250 mg	\$68.00
19-434	5'-FLUORO-2'-HYDROXY-4-METHOXYCHALCONE C ₁₆ H ₁₃ FO ₃ MW: 272.28 MP: 125.6-127.4°C	250 mg	\$70.00
26-3619	5'-FLUORO-2'-HYDROXY-4-METHYLCHALCONE C ₁₆ H ₁₃ FO ₂ MW: 256.28 MP: 147-149°C	250 mg	\$90.00
021103S	BUTEIN with HPLC [487-52-5] (3,4,2',4'-Tetrahydroxychalcone) C ₁₅ H ₁₂ O ₅ MW: 272.26 MP: 215-216°C	10 mg	\$165.00
021041	CHALCONE [94-41-7] (Benzylideneacetophenone, 1,3-Diphenyl-2-propen-1-one) C ₁₅ H ₁₂ O MW: 208.26 MP: 59.5-61°C	10 gm	\$50.00
021421S	ERIODICTYOL DIHYDROCHALCONE [57765-66-9] (3-Hydroxyphloretin) C ₁₅ H ₁₄ O ₆ MW: 290.27	10 mg	\$445.00
021422S	HESPERETIN CHALCONE [75679-30-0] (4-Methoxy-2',3,4',6'-tetrahydroxychalcone) C ₁₆ H ₁₄ O ₆ MW: 302.28	10 mg	\$441.00
021117S	HOMOBUTEIN with HPLC [34000-39-0] (2',4,4'-Trihydroxy-3-methoxychalcone) C ₁₆ H ₁₄ O ₅ MW: 286.29 MP: 207-212°C	10 mg	\$255.00
021429S	HOMOERIODICTYOL CHALCONE [52218-19-6] (3-Methoxy-2',4,4',6'-tetrahydroxychalcone) C ₁₆ H ₁₄ O ₆ MW: 302.28	10 mg	\$441.00
021423S	HOMOERIODICTYOL DIHYDROCHALCONE (3-Methoxyphloretin; 2',4,4',6'-Tetrahydroxy-3-methoxydihydrochalcone) C ₁₆ H ₁₆ O ₆ MW: 304.30	10 mg	\$436.00
020059S	MAREIN with HPLC [535-96-6] (Okanin-4'-O-glucoside; 2',3,3',4,4'-Pentahydroxy-4'-glucosylchalcone) C ₂₁ H ₂₂ O ₁₁ MW: 450.39 MP: 197-202°C	5 mg	\$315.00
06-021	NARINGIN DIHYDROCHALCONE [18916-17-1] C ₂₇ H ₃₄ O ₁₄ MW: 582.56 MP: 152-154°C	100 gm	\$90.00
021231	NEOHESPERIDIN DIHYDROCHALCONE [20702-77-6] C ₂₈ H ₃₆ O ₁₅ MW: 612.57 MP: 107°C (d)	10 gm	\$83.00
021044	PHLORETIN [60-82-2] (4,2',4',6'-Tetrahydroxydihydrochalcone) C ₁₅ H ₁₄ O ₅ MW: 274.26 MP: 257-261°C	250 mg	\$195.00
021046	PHLORIDZIN with HPLC [60-81-1] (Phloretin-2'-O-glucoside) C ₂₁ H ₂₄ O ₁₀ MW: 436.41 MP: 110-120°C	20 mg	\$125.00
021427S	PINOCEMBRIN DIHYDROCHALCONE [1088-08-0] (2',4',6'-Trihydroxydihydrochalcone) C ₁₅ H ₁₄ O ₄ MW: 258.27	10 mg	\$438.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

Chromones

CAT #	Product	QTY	Price
19-144	3,6-DIBROMOCHROMONE C ₉ H ₄ Br ₂ O ₂ MW: 303.94 MP: 142-144°C	1 gm	\$38.00
19-542	3,6-DIMETHYLCHROMONE C ₁₁ H ₁₀ O ₂ MW: 174.20 MP: 59.8-61.2°C	1 gm	\$96.00
19-142	3-BROMO-6,8-DICHLOROCHROMONE C ₉ H ₃ BrCl ₂ O ₂ MW: 293.93 MP: 146-147°C	1 gm	\$84.00
19-141	3-BROMO-6-CHLORO-7-METHYLCHROMONE C ₁₀ H ₆ BrClO ₂ MW: 273.51 MP: 171-173°C	1 gm	\$84.00
17-213	3-BROMO-6-CHLOROCHROMONE C ₉ H ₄ BrClO ₂ MW: 259.48 MP: 129-130°C	250 mg	\$30.00
19-400	3-BROMO-6-FLUOROCHROMONE [179111-05-8] C ₉ H ₄ BrFO ₂ MW: 243.03 MP: 131.3-133°C	250 mg	\$56.00
17-212	3-BROMOCHROMONE [49619-82-1] C ₉ H ₅ BrO ₂ MW: 225.05 MP: 94-96°C	250 mg	\$20.00
26-3059	3-CYANO-6-FLUOROCHROMONE [227202-21-3] C ₁₀ H ₄ FNO ₂ MW: 189.15	1 gm	\$25.00
17-089	3-CYANO-6-METHYLCHROMONE [50743-18-5] C ₁₁ H ₇ NO ₂ MW: 185.18 MP: 151-153°C	1 gm	\$32.00
17-079	3-CYANOCHROMONE [50743-17-4] (Chromone-3-carbonitrile) C ₁₀ H ₅ NO ₂ MW: 171.16 MP: 174-176°C	1 gm	\$28.00
19-712	3-FORMYL-5-METHOXYCHROMONE (5-Methoxy-3-formylchromone) C ₁₁ H ₈ O ₄ MW: 204.18 MP: 137.5-139.1°C	250 mg	\$80.00
17-159	3-FORMYL-6-ISOPROPYLCHROMONE [49619-58-1] C ₁₃ H ₁₂ O ₃ MW: 216.23 MP: 98-100°C	5 gm	\$120.00
19-177	3-FORMYL-6-METHOXYCHROMONE [42059-79-0] (6-Methoxy-3-formylchromone) C ₁₁ H ₈ O ₂ MW: 204.18 MP: 163.5-166°C	1 gm	\$60.00
17-130	3-FORMYL-6-METHYLCHROMONE [42059-81-4] C ₁₁ H ₈ O ₃ MW: 188.18 MP: 172-173°C	1 gm	\$22.00
19-723	3-FORMYL-7-METHOXYCHROMONE [42059-56-3] (7-Methoxy-3-formylchromone) C ₁₁ H ₈ O ₄ MW: 204.18 MP: 189-191.5°C	100 mg	\$120.00
19-745	3-FORMYL-8-METHOXYCHROMONE C ₁₁ H ₈ O ₄ MW: 204.18 MP: 174.8-177.2°C	100 mg	\$105.00
17-128	3-FORMYLCHROMONE [17422-74-1] (Chromone-3-carboxaldehyde) C ₁₀ H ₆ O ₃ MW: 174.16 MP: 151-152.3°C	1 gm	\$24.00
17-076	4-CHROMANONE [491-37-2] C ₉ H ₈ O ₂ MW: 148.16 MP: 38-40°C	25 gm	\$88.00
19-309	6,7-DIMETHOXY-3-ISOCHROMANONE C ₁₁ H ₁₂ O ₄ MW: 208.21 MP: 105-106.5°C	250 mg	\$60.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

17-093	6,8-DIBROMO-3-FORMYLCHROMONE [76743-82-3] C ₁₀ H ₄ Br ₂ O ₃ MW: 331.96 MP: 174-176°C	5 gm	\$85.00
17-107	6,8-DICHLORO-3-FORMYLCHROMONE [64481-10-3] C ₁₀ H ₄ Cl ₂ O ₃ MW: 243.05 MP: 170.4-172.5°C	1 gm	\$32.00
19-145	6,8-DICHLOROCHROMONE C ₉ H ₄ Cl ₂ O ₂ MW: 215.04 MP: 126-128°C	1 gm	\$84.00
17-025	6-BROMO-3-FORMYLCHROMONE [52817-12-6] (6-Bromo-4-oxo-4H-1-benzopyran-3-carboxaldehyde, 6-Bromo-4-oxo-4H-chromene-3-carbaldehyde) C ₁₀ H ₅ BrO ₃ MW: 253.05 MP: 190-191.5°C	250 mg	\$22.00
17-020	6-BROMOCHROMONE [51483-92-2] C ₉ H ₅ BrO ₂ MW: 225.05 MP: 135-139°C	250 mg	\$22.00
17-021	6-BROMOCHROMONE-2-CARBOXYLIC ACID [51484-06-1] C ₁₀ H ₅ BrO ₄ MW: 269.05 MP: 270-271°C (d)	250 mg	\$24.00
19-187	6-CHLORO-3,8-DIBROMOCHROMONE C ₉ H ₃ Br ₂ ClO ₂ MW: 338.38 MP: 151-152°C	1 gm	\$108.00
17-047	6-CHLORO-3-CYANO-7-METHYLCHROMONE C ₁₁ H ₆ ClNO ₂ MW: 219.63 MP: 229-231°C	250 mg	\$22.00
19-089	6-CHLORO-3-FORMYL-7-METHYLCHROMONE [64481-12-5] C ₁₁ H ₇ ClO ₃ MW: 222.63 MP: 181.4-183.3°C	1 gm	\$90.00
17-051	6-CHLORO-3-FORMYLCHROMONE [42248-31-7] C ₁₀ H ₅ ClO ₃ MW: 208.60 MP: 166-168°C	250 mg	\$18.00
17-037	6-CHLORO-4-CHROMANONE [37674-72-9] C ₉ H ₇ ClO ₂ MW: 182.61 MP: 102-105°C	5 gm	\$105.00
19-463	6-CHLORO-5-METHYLCHROMANONE C ₁₀ H ₉ ClO ₂ MW: 196.64 MP: 77.6-79.7°C	250 mg	\$52.00
17-067	6-CHLORO-7-METHYLCHROMANONE C ₁₀ H ₉ ClO ₂ MW: 196.64 MP: 95.7-97°C	5 gm	\$128.00
17-185	6-CHLORO-7-METHYLCHROMONE [67029-84-9] C ₁₀ H ₇ ClO ₂ MW: 194.62 MP: 170-171°C	1 gm	\$28.00
17-068	6-CHLORO-7-METHYLCHROMONE-2-CARBOXYLIC ACID C ₁₁ H ₇ ClO ₄ MW: 238.63 MP: 241-244°C	1 gm	\$32.00
17-039	6-CHLOROCHROMONE [33533-99-2] C ₉ H ₅ ClO ₂ MW: 180.59 MP: 136-138°C	1 gm	\$18.00
19-655	6-CHLOROTHIOCHROMANONE C ₉ H ₇ ClOS MW: 198.67 MP: 66-68°C	250 mg	\$64.00
19-743	6-ETHYL-3-FORMYLCHROMONE [42059-78-9] C ₁₂ H ₁₀ O ₃ MW: 202.21 MP: 107.8-110.2°C	1 gm	\$30.00
19-406	6-FLUORO-3-FORMYLCHROMONE C ₁₀ H ₅ FO ₃ MW: 192.15 MP: 157-158°C	1 gm	\$96.00
19-405	6-FLUOROCHROMONE [105300-38-7] C ₉ H ₅ FO ₂ MW: 164.14 MP: 166.5-168.5°C	1 gm	\$90.00
19-532	6-METHOXYCHROMANONE [5802-17-5] (6-Methoxy-4-chromanone) C ₁₀ H ₁₀ O ₃ MW: 178.19 MP: 48-49°C	1 gm	\$126.00
19-533	6-METHOXYCHROMONE C ₁₀ H ₈ O ₃ MW: 176.17 MP: 93-94.6°C	1 gm	\$120.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

17-209	6-METHYLCHROMANONE C ₁₀ H ₁₀ O ₂ MW: 162.19 MP: 34-36°C	5 gm	\$98.00
19-147	6-METHYLCHROMONE C ₁₀ H ₈ O ₂ MW: 160.17 MP: 88-89°C	1 gm	\$24.00
17-148	6-METHYLCHROMONE-2-CARBOXYLIC ACID [5006-44-0] C ₁₁ H ₈ O ₄ MW: 204.19 MP: 266-267°C (d)	1 gm	\$28.00
19-658	6-METHYLTHIOCHROMANONE C ₁₀ H ₁₀ OS MW: 178.25 MP: 40-42°C	250 mg	\$64.00
19-480	6-NITROCHROMANONE [68043-53-8] (6-Nitrochroman-4-one) C ₉ H ₇ NO ₄ MW: 193.16 MP: 175-177°C	5 gm	\$42.00
19-738	7-ACETOXY-3-FORMYLCHROMONE [42059-49-4] C ₁₂ H ₈ O ₅ MW: 232.19 MP: 156-158°C	250 mg	\$64.00
19-867	7-BROMO-4-CHROMANONE [18442-22-3] C ₉ H ₇ BrO ₂ MW: 227.06 MP: 100-101°C	250 mg	\$70.00
19-339	7-CHLORO-3-FORMYLCHROMONE C ₁₀ H ₅ ClO ₃ MW: 208.60 MP: 188.6-190.5°C	250 mg	\$50.00
19-420	7-CHLOROCHROMONE-3-SULFONYLCHLORIDE C ₉ H ₄ Cl ₂ O ₄ S MW: 279.10 MP: 176.8-178.4°C	25 mg	\$98.00
19-869	7-HYDROXYCHROMANONE [5631-67-4] (7-Hydroxy-3,4-dihydro-2H-1-benzopyran-2-one) C ₉ H ₈ O ₃ MW: 164.16 MP: 143-145°C	250 mg	\$90.00
19-870	7-METHOXYCHROMANONE C ₁₀ H ₁₀ O ₃ MW: 178.19 MP: 55-58°C	250 mg	\$84.00
19-181	8-BROMO-6-CHLORO-3-FORMYLCHROMONE C ₁₀ H ₄ BrClO ₃ MW: 287.49 MP: 170.5-171.5°C	1 gm	\$105.00
19-178	8-BROMO-6-CHLOROCHROMONE C ₉ H ₄ BrClO ₂ MW: 259.48 MP: 153.6-154.5°C	1 gm	\$108.00
17-077	CHROMONE [491-38-3] C ₉ H ₆ O ₂ MW: 146.15 MP: 55-58°C	1 gm	\$18.00
17-078	CHROMONE-2-CARBOXYLIC ACID [4940-39-0] C ₁₀ H ₆ O ₄ MW: 190.15 MP: 260°C (d)	1 gm	\$16.00
23-001	CHROMONE-3-CARBOXYLIC ACID [39079-62-4] C ₁₀ H ₆ O ₄ MW: 190.15 MP: 200-202°C	1 gm	\$88.00

Coumarins

CAT #	Product	QTY	Price
19-849	(7-METHOXYCOUMARIN-4-YL)-ACETIC ACID [62935-72-2] (MV+CA-OH) C ₁₂ H ₁₀ O ₅ MW: 234.21 MP: 193-194°C	1 gm	\$96.00
19-093	3(2',4'-DICHLOROPHENYL)-4,6-DIMETHYLCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₂ MW: 319.19 MP: 211-212°C	1 gm	\$96.00
19-202	3(2',4'-DICHLOROPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₂ MW: 319.19 MP: 174.5-176°C	1 gm	\$117.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-099	3(2',4'-DICHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 132-133°C	1 gm	\$96.00
19-369	3(2',4'-DICHLOROPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₂ Cl ₂ O ₂ MW: 367.23 MP: 233.6-236°C	250 mg	\$68.00
19-094	3(2',4'-DICHOROPHENYL)-6-ETHOXY-4-METHYLCOUMARIN C ₁₈ H ₁₄ Cl ₂ O ₃ MW: 349.22 MP: 192-193°C	1 gm	\$90.00
19-096	3(2',4'-DICHOROPHENYL)-6-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₀ Cl ₂ O ₃ MW: 321.17 MP: 246-247°C	1 gm	\$102.00
19-098	3(2',4'-DICHOROPHENYL)-6-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₃ MW: 335.19 MP: 161-162°C	1 gm	\$90.00
19-469	3(2',4'-DICHOROPHENYL)-7-DIETHYLAMINOCOUMARIN C ₁₉ H ₁₇ Cl ₂ NO ₂ MW: 362.26 MP: 117.6-119.3°C	250 mg	\$68.00
19-135	3(2',4'-DICHOROPHENYL)-7-ETHOXY-4-METHYLCOUMARIN C ₁₈ H ₁₄ Cl ₂ O ₃ MW: 349.22 MP: 189-191°C	1 gm	\$90.00
19-136	3(2',4'-DICHOROPHENYL)-7-ETHOXY-4-PHENYLCOUMARIN C ₂₈ H ₁₆ Cl ₂ O ₃ MW: 411.29 MP: 164-167°C	1 gm	\$96.00
19-134	3(2',4'-DICHOROPHENYL)-7-ETHOXYCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₃ MW: 335.19 MP: 154-155°C	1 gm	\$102.00
19-137	3(2',4'-DICHOROPHENYL)-7-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₀ Cl ₂ O ₃ MW: 321.17 MP: 238-240°C	1 gm	\$93.00
19-097	3(2',4'-DICHOROPHENYL)-7-HYDROXY-4-PHENYLCOUMARIN C ₂₁ H ₁₂ Cl ₂ O ₃ MW: 383.23 MP: 263-265°C	1 gm	\$96.00
19-095	3(2',4'-DICHOROPHENYL)-7-HYDROXYCOUMARIN C ₁₅ H ₈ Cl ₂ O ₃ MW: 307.14 MP: 256-258°C	1 gm	\$108.00
19-139	3(2',4'-DICHOROPHENYL)-7-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₃ MW: 335.19 MP: 159-161°C	1 gm	\$96.00
19-140	3(2',4'-DICHOROPHENYL)-7-METHOXY-4-PHENYLCOUMARIN C ₂₂ H ₁₄ Cl ₂ O ₃ MW: 397.26 MP: 175-177°C	1 gm	\$102.00
19-138	3(2',4'-DICHOROPHENYL)-7-METHOXYCOUMARIN C ₁₆ H ₁₀ Cl ₂ O ₃ MW: 321.17 MP: 160-161°C	1 gm	\$90.00
19-092	3(2',4'-DICHOROPHENYL)COUMARIN C ₁₅ H ₈ Cl ₂ O ₂ MW: 291.14 MP: 185-187°C	1 gm	\$84.00
19-026	3-(-2-BENZOTHAZOLYL)-6-METHOXYCOUMARIN C ₁₇ H ₁₁ NO ₃ S MW: 309.36 MP: 219-220°C	1 gm	\$96.00
19-025	3-(-2-BENZOTHAZOLYL)COUMARIN C ₁₆ H ₉ N O ₂ S MW: 279.33 MP: 216-217°C	1 gm	\$90.00
19-123	3(2'-CHLOROPHENYL)-4,6-DIMETHYLCOUMARIN C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 161-164°C	1 gm	\$90.00
19-133	3(2'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₂ MW: 270.72 MP: 108-111°C	1 gm	\$96.00
19-121	3(2'-CHLOROPHENYL)-6,8-DICHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ Cl ₃ O ₂ MW: 339.61 MP: 175-178°C	1 gm	\$84.00
19-464	3(2'-CHLOROPHENYL)-7-DIETHYLAMINOCOUMARIN C ₁₉ H ₁₈ ClNO ₂ MW: 327.81 MP: 118.6-120.2°C	250 mg	\$68.00
19-125	3(2'-CHLOROPHENYL)-7-ETHOXY-4-METHYLCOUMARIN C ₁₈ H ₁₅ ClO ₃ MW: 314.77 MP: 141-143°C	1 gm	\$90.00
19-126	3(2'-CHLOROPHENYL)-7-ETHOXY-4-PHENYLCOUMARIN C ₂₃ H ₁₇ ClO ₃ MW: 376.83 MP: 166-167°C	1 gm	\$96.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-124	3(2'-CHLOROPHENYL)-7-ETHOXYCOUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 131-133°C	1 gm	\$96.00
19-128	3(2'-CHLOROPHENYL)-7-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 242-245°C	1 gm	\$96.00
19-129	3(2'-CHLOROPHENYL)-7-HYDROXY-4-PHENYLCOUMARIN C ₂₁ H ₁₃ ClO ₃ MW: 348.78 MP: 274-277°C	1 gm	\$102.00
19-127	3(2'-CHLOROPHENYL)-7-HYDROXYCOUMARIN C ₁₅ H ₉ ClO ₃ MW: 272.69 MP: 240-243°C	1 gm	\$90.00
19-131	3(2'-CHLOROPHENYL)-7-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 136-137°C	1 gm	\$102.00
19-132	3(2'-CHLOROPHENYL)-7-METHOXY-4-PHENYLCOUMARIN C ₂₂ H ₁₅ ClO ₃ MW: 362.81 MP: 155-157°C	1 gm	\$102.00
19-130	3(2'-CHLOROPHENYL)-7-METHOXYCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 140-142°C	1 gm	\$96.00
19-120	3(2'-CHLOROPHENYL)COUMARIN C ₁₅ H ₉ ClO ₂ MW: 256.69 MP: 138-140°C	1 gm	\$66.00
19-271	3(3',4'-DIMETHOXYPHENYL)-4,6-DIMETHYLCOUMARIN C ₁₉ H ₁₈ O ₄ MW: 310.35 MP: 191.5-192.5°C	250 mg	\$84.00
19-272	3(3',4'-DIMETHOXYPHENYL)-4-7-DIMETHYLCOUMARIN C ₁₉ H ₁₈ O ₄ MW: 310.35 MP: 152.5-153.8°C	250 mg	\$80.00
19-276	3(3',4'-DIMETHOXYPHENYL)-4-METHYLCOUMARIN C ₁₈ H ₁₆ O ₄ MW: 296.33 MP: 163.8-165°C	250 mg	\$78.00
19-273	3(3',4'-DIMETHOXYPHENYL)-6-ETHOXY-4-METHYLCOUMARIN C ₂₀ H ₂₀ O ₅ MW: 340.38 MP: 172.8-174.1°C	250 mg	\$90.00
19-285	3(3',4'-DIMETHOXYPHENYL)-6-HYDROXY-4-METHYLCOUMARIN C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 245.8-247.8°C	250 mg	\$64.00
19-288	3(3',4'-DIMETHOXYPHENYL)-6-METHOXY-4-METHYLCOUMARIN C ₁₉ H ₁₈ O ₅ MW: 326.35 MP: 156.5-157.9°C	250 mg	\$60.00
19-291	3(3',4'-DIMETHOXYPHENYL)-6-METHYL-4-PHENYLCOUMARIN C ₂₄ H ₂₀ O ₄ MW: 372.42 MP: 158-159.1°C	250 mg	\$72.00
19-286	3(3',4'-DIMETHOXYPHENYL)-7-HYDROXY-4-METHYLCOUMARIN C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 270.6-273°C	250 mg	\$68.00
19-287	3(3',4'-DIMETHOXYPHENYL)-7-HYDROXY-4-PHENYLCOUMARIN C ₂₃ H ₁₈ O ₅ MW: 374.40 MP: 238.7-240.4°C	250 mg	\$64.00
19-274	3(3',4'-DIMETHOXYPHENYL)-7-HYDROXYCOUMARIN C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 224.8-226.3°C	250 mg	\$76.00
19-289	3(3',4'-DIMETHOXYPHENYL)-7-METHOXY-4-METHYLCOUMARIN C ₁₉ H ₁₈ O ₅ MW: 326.35 MP: 180.5-181.8°C	250 mg	\$80.00
19-290	3(3',4'-DIMETHOXYPHENYL)-7-METHOXY-4-PHENYLCOUMARIN C ₂₄ H ₂₀ O ₅ MW: 388.42 MP: 147.2-148.4°C	250 mg	\$76.00
19-275	3(3',4'-DIMETHOXYPHENYL)-7-METHOXYCOUMARIN C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 168.3-169.7°C	250 mg	\$80.00
19-292	3(3',4'-DIMETHOXYPHENYL)-7-METHYL-4-PHENYLCOUMARIN C ₂₄ H ₂₀ O ₄ MW: 372.42 MP: 154.4-156°C	250 mg	\$80.00
19-284	3(3',4'-DIMETHOXYPHENYL)COUMARIN C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 129.6-130.8°C	250 mg	\$60.00
19-361	3(3'-BROMOPHENYL)-4,6-DIMETHYLCOUMARIN C ₁₇ H ₁₃ BrO ₂ MW: 329.20 MP: 161.6-163.1°C	250 mg	\$50.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-338	3(3'-BROMOPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₁ BrO ₂ MW: 315.17 MP: 158.3-160°C	250 mg	\$48.00
19-368	3(3'-BROMOPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₃ BrO ₂ MW: 377.24 MP: 208-215°C	250 mg	\$68.00
19-360	3(3'-BROMOPHENYL)-6,8-DICHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ BrCl ₂ O ₂ MW: 384.06 MP: 180.3-181.9°C	250 mg	\$60.00
19-321	3(3'-BROMOPHENYL)-6-CHLORO-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₂ BrClO ₂ MW: 363.64 MP: 189-190°C	250 mg	\$60.00
19-336	3(3'-BROMOPHENYL)-6-CHLORO-4-METHYLCOUMARIN C ₁₆ H ₁₀ BrClO ₂ MW: 349.61 MP: 182.6-184.1°C	250 mg	\$50.00
19-366	3(3'-BROMOPHENYL)-6-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₅ BrO ₂ MW: 391.27 MP: 204-205.8°C	250 mg	\$60.00
19-460	3(3'-BROMOPHENYL)-7-DIETHYLAMINOCUMARIN C ₁₉ H ₁₈ BrNO ₂ MW: 372.26 MP: 137.8-139.8°C	250 mg	\$60.00
19-363	3(3'-BROMOPHENYL)-7-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₁ BrO ₃ MW: 331.17 MP: 272-274°C	250 mg	\$56.00
19-362	3(3'-BROMOPHENYL)-7-HYDROXYCOUMARIN C ₁₅ H ₉ BrO ₃ MW: 317.14 MP: 232.3-234°C	250 mg	\$50.00
19-365	3(3'-BROMOPHENYL)-7-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₃ BrO ₃ MW: 345.20 MP: 149.2-150.8°C	250 mg	\$52.00
19-364	3(3'-BROMOPHENYL)-7-METHOXYCOUMARIN C ₁₆ H ₁₁ BrO ₃ MW: 331.17 MP: 162.5-163.6°C	250 mg	\$50.00
19-367	3(3'-BROMOPHENYL)-7-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₅ BrO ₂ MW: 391.27 MP: 204.3-206.8°C	250 mg	\$64.00
19-337	3(3'-BROMOPHENYL)COUMARIN C ₁₅ H ₉ BrO ₂ MW: 301.14 MP: 180.5-181.6°C	250 mg	\$52.00
19-173	3(3'-CHLOROPHENYL)-4,6-DIMETHYLCOUMARIN C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 160-161°C	1 gm	\$66.00
19-174	3(3'-CHLOROPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 134-135°C	1 gm	\$84.00
19-175	3(3'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₂ MW: 270.72 MP: 146-148°C	1 gm	\$78.00
19-172	3(3'-CHLOROPHENYL)-6,8-DICHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ Cl ₃ O ₂ MW: 339.61 MP: 163-164°C	1 gm	\$72.00
19-189	3(3'-CHLOROPHENYL)-6-ETHOXY-4-METHYLCOUMARIN C ₁₈ H ₁₅ ClO ₃ MW: 314.77 MP: 175-176°C	1 gm	\$99.00
19-192	3(3'-CHLOROPHENYL)-6-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 289-292°C	1 gm	\$120.00
19-196	3(3'-CHLOROPHENYL)-6-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 183.5-184.4°C	1 gm	\$102.00
19-199	3(3'-CHLOROPHENYL)-6-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₅ ClO ₂ MW: 346.81 MP: 200.3-201.5°C	1 gm	\$93.00
19-465	3(3'-CHLOROPHENYL)-7-DIETHYLAMINOCUMARIN C ₁₉ H ₁₈ ClNO ₂ MW: 327.81 MP: 141.5-143.1°C	250 mg	\$64.00
19-190	3(3'-CHLOROPHENYL)-7-ETHOXY-4-METHYLCOUMARIN C ₁₈ H ₁₅ ClO ₃ MW: 314.77 MP: 153-154.2°C	1 gm	\$111.00
19-188	3(3'-CHLOROPHENYL)-7-ETHOXYCOUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 169-170°C	1 gm	\$117.00



INDOFINE Chemical Company, Inc.

Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-193	3(3'-CHLOROPHENYL)-7-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 264-265.5°C	1 gm	\$105.00
19-194	3(3'-CHLOROPHENYL)-7-HYDROXY-4-PHENYLCOUMARIN C ₂₁ H ₁₃ ClO ₃ MW: 348.78 MP: 308-309.5°C	1 gm	\$90.00
19-191	3(3'-CHLOROPHENYL)-7-HYDROXYCOUMARIN C ₁₅ H ₉ ClO ₃ MW: 272.69 MP: 257-258°C	1 gm	\$93.00
19-197	3(3'-CHLOROPHENYL)-7-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 162.5-163.5°C	1 gm	\$117.00
19-198	3(3'-CHLOROPHENYL)-7-METHOXY-4-PHENYLCOUMARIN C ₂₂ H ₁₅ ClO ₃ MW: 362.81 MP: 167-168°C	1 gm	\$108.00
19-195	3(3'-CHLOROPHENYL)-7-METHOXYCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 157.5-159°C	1 gm	\$90.00
19-200	3(3'-CHLOROPHENYL)-7-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₅ ClO ₂ MW: 346.81 MP: 208.5-219.5°C	1 gm	\$120.00
19-171	3(3'-CHLOROPHENYL)COUMARIN C ₁₅ H ₉ ClO ₂ MW: 256.69 MP: 179-180°C	1 gm	\$66.00
19-218	3(4'-BROMOPHENYL)-4,6-DIMETHYLCOUMARIN C ₁₇ H ₁₃ BrO ₂ MW: 329.19 MP: 155-157°C	1 gm	\$126.00
19-219	3(4'-BROMOPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₃ BrO ₂ MW: 329.19 MP: 186-188°C	1 gm	\$120.00
19-222	3(4'-BROMOPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₁ BrO ₂ MW: 315.17 MP: 158-160°C	1 gm	\$126.00
19-006	3(4'-BROMOPHENYL)-6,8-DICHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ BrCl ₂ O ₂ MW: 384.06 MP: 232-233°C	1 gm	\$84.00
19-390	3(4'-BROMOPHENYL)-6-CHLORO-4,5,7-TRIMETHYLCOUMARIN C ₁₈ H ₁₄ BrClO ₂ MW: 377.67 MP: 167.4-169.1°C	250 mg	\$70.00
19-004	3(4'-BROMOPHENYL)-6-CHLORO-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₂ BrClO ₂ MW: 363.63 MP: 192-193°C	1 gm	\$90.00
19-005	3(4'-BROMOPHENYL)-6-CHLORO-4-METHYLCOUMARIN C ₁₆ H ₁₀ BrClO ₂ MW: 349.61 MP: 185-186°C	1 gm	\$90.00
19-217	3(4'-BROMOPHENYL)-6-CHLORO-4-PHENYLCOUMARIN C ₂₁ H ₁₂ BrClO ₂ MW: 411.67 MP: 204-206°C	1 gm	\$108.00
19-216	3(4'-BROMOPHENYL)-6-CHLORO-7-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₄ BrClO ₂ MW: 425.70 MP: 211-213°C	1 gm	\$120.00
19-241	3(4'-BROMOPHENYL)-6-ETHOXY-4-METHYLCOUMARIN C ₁₈ H ₁₅ BrO ₃ MW: 359.22 MP: 161-162.5°C	250 mg	\$164.00
19-245	3(4'-BROMOPHENYL)-6-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₁ BrO ₃ MW: 331.17 MP: 268.5-270°C	250 mg	\$128.00
19-247	3(4'-BROMOPHENYL)-6-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₃ BrO ₃ MW: 345.19 MP: 180-182°C	250 mg	\$120.00
19-008	3(4'-BROMOPHENYL)-6-METHOXYCOUMARIN C ₁₆ H ₁₁ BrO ₃ MW: 331.17 MP: 196-198°C	1 gm	\$96.00
19-248	3(4'-BROMOPHENYL)-6-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₅ BrO ₂ MW: 391.27 MP: 210-212°C	250 mg	\$132.00
19-461	3(4'-BROMOPHENYL)-7-DIETHYLAMINOCUMARIN C ₁₉ H ₁₈ BrNO ₂ MW: 372.26 MP: 157.7-159.7°C	250 mg	\$64.00
19-242	3(4'-BROMOPHENYL)-7-ETHOXY-4-METHYLCOUMARIN C ₁₈ H ₁₅ BrO ₃ MW: 359.22 MP: 157-159°C	250 mg	\$156.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-243	3(4'-BROMOPHENYL)-7-ETHOXY-4-PHENYLCOUMARIN C ₂₃ H ₁₇ BrO ₃ MW: 421.28 MP: 182.5-184.3°C	250 mg	\$140.00
19-220	3(4'-BROMOPHENYL)-7-ETHOXYCOUMARIN C ₁₇ H ₁₃ BrO ₃ MW: 345.19 MP: 197-198.5°C	1 gm	\$114.00
19-007	3(4'-BROMOPHENYL)-7-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₁ BrO ₃ MW: 331.17 MP: 260-262°C	1 gm	\$84.00
19-246	3(4'-BROMOPHENYL)-7-HYDROXY-4-PHENYLCOUMARIN C ₂₁ H ₁₃ BrO ₃ MW: 393.23 MP: 300-302°C	250 mg	\$144.00
19-244	3(4'-BROMOPHENYL)-7-HYDROXYCOUMARIN C ₁₅ H ₉ BrO ₃ MW: 317.14 MP: 265.7-266.7°C	250 mg	\$124.00
19-009	3(4'-BROMOPHENYL)-7-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₃ BrO ₃ MW: 345.19 MP: 173-175°C	1 gm	\$90.00
19-010	3(4'-BROMOPHENYL)-7-METHOXY-4-PHENYLCOUMARIN C ₂₂ H ₁₅ BrO ₃ MW: 407.26 MP: 202-203°C	1 gm	\$84.00
19-221	3(4'-BROMOPHENYL)-7-METHOXYCOUMARIN C ₁₆ H ₁₁ BrO ₃ MW: 331.17 MP: 182-183.5°C	1 gm	\$108.00
19-223	3(4'-BROMOPHENYL)-7-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₅ BrO ₂ MW: 391.27 MP: 232-233.4°C	1 gm	\$114.00
19-003	3(4'-BROMOPHENYL)COUMARIN C ₁₅ H ₉ BrO ₂ MW: 301.14 MP: 193.5-194.5°C	1 gm	\$72.00
19-303	3(4'-CHLOROPHENYL)-4,6-DIMETHYLCOUMARIN C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 170.6-172.5°C	250 mg	\$56.00
19-304	3(4'-CHLOROPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 167.7-169°C	250 mg	\$52.00
19-066	3(4'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₂ MW: 270.72 MP: 165-166°C	1 gm	\$90.00
19-013	3(4'-CHLOROPHENYL)-6,8-DICHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ Cl ₃ O ₂ MW: 339.61 MP: 215-217°C	1 gm	\$96.00
19-305	3(4'-CHLOROPHENYL)-6-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 264.4-266.9°C	250 mg	\$60.00
19-018	3(4'-CHLOROPHENYL)-6-METHOXYCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 182-185°C	1 gm	\$90.00
19-466	3(4'-CHLOROPHENYL)-7-DIETHYLAMINOCOUMARIN C ₁₉ H ₁₈ ClNO ₂ MW: 327.81 MP: 145.6-147.3°C	250 mg	\$68.00
19-030	3(4'-CHLOROPHENYL)-7-ETHOXYCOUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 191-192°C	1 gm	\$75.00
19-014	3(4'-CHLOROPHENYL)-7-HYDROXY-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 246-249°C	1 gm	\$90.00
19-015	3(4'-CHLOROPHENYL)-7-HYDROXY-4-PHENYLCOUMARIN C ₂₁ H ₁₃ ClO ₃ MW: 348.78 MP: 287-291°C	1 gm	\$96.00
19-031	3(4'-CHLOROPHENYL)-7-HYDROXYCOUMARIN C ₁₅ H ₉ ClO ₃ MW: 272.69 MP: 286-288°C	1 gm	\$84.00
19-016	3(4'-CHLOROPHENYL)-7-METHOXY-4-METHYLCOUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 156-158°C	1 gm	\$90.00
19-017	3(4'-CHLOROPHENYL)-7-METHOXY-4-PHENYLCOUMARIN C ₂₂ H ₁₅ ClO ₃ MW: 362.81 MP: 199-202°C	1 gm	\$96.00
19-032	3(4'-CHLOROPHENYL)-7-METHOXYCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 184-186°C	1 gm	\$84.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

17-073	3(4'-CHLOROPHENYL)COUMARIN C ₁₅ H ₉ ClO ₂ MW: 256.69 MP: 189-190.5°C	1 gm	\$72.00
19-476	3(4'-ETHOXYPHENYL)-6-FLUORO-4-METHYLCOUMARIN C ₁₈ H ₁₅ FO ₃ MW: 298.32 MP: 186-187.4°C	250 mg	\$80.00
19-081	3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 192-193°C	1 gm	\$90.00
19-046	3(4'-METHOXYPHENYL)COUMARIN C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 142-144°C	1 gm	\$84.00
19-082	3(4'-NITROPHENYL)COUMARIN C ₁₅ H ₉ NO ₄ MW: 267.25 MP: 267-268°C	1 gm	\$96.00
25-085	3-(PHENYLSULFONYL)ACETYLCOUMARIN C ₁₇ H ₁₂ O ₅ S MW: 328.35 MP: 154-156°C	250 mg	\$64.00
25-091	3-(p-TOLYLSULFONYL)ACETYLCOUMARIN C ₁₈ H ₁₄ O ₅ S MW: 342.37 MP: 160-162°C	250 mg	\$64.00
D-107	3,4-DIHYDROCOUMARIN [119-84-6] (Hydroxycoumarin) C ₉ H ₈ O ₂ MW: 148.16 MP: ~25°C	1 gm	\$49.00
19-075	3,4-DIPHENYL-6-METHYLCOUMARIN C ₂₂ H ₁₆ O ₂ MW: 312.37 MP: 210-212°C	1 gm	\$90.00
19-020	3,4-DIPHENYL-7-HYDROXYCOUMARIN C ₂₁ H ₁₄ O ₃ MW: 314.34 MP: 291-293°C	1 gm	\$90.00
19-021	3,4-DIPHENYL-7-METHOXYCOUMARIN C ₂₂ H ₁₆ O ₃ MW: 328.37 MP: 175-176°C	1 gm	\$84.00
19-370	3,4-DIPHENYLCOUMARIN C ₂₁ H ₁₄ O ₂ MW: 298.34 MP: 231-232.8°C	250 mg	\$64.00
19-543	3,6-DIMETHYL-4-HYDROXYCOUMARIN C ₁₁ H ₁₀ O ₃ MW: 190.20 MP: 252.7-255°C	250 mg	\$76.00
19-544	3,6-DIMETHYL-4-METHOXYCOUMARIN C ₁₂ H ₁₂ O ₃ MW: 204.23 MP: 92.8-95.2°C	250 mg	\$70.00
020596	3-ACETAMIDOCOUMARIN [779-30-6] C ₁₁ H ₉ NO ₃ MW: 203.19 MP: 204-209°C	100 mg	\$80.00
19-424	3-ACETYL-7-DIETHYLAMINOCOUMARIN C ₁₅ H ₁₇ NO ₃ MW: 259.31 MP: 152.4-153.8°C	250 mg	\$68.00
19-665	3-ACETYL-8-METHOXYCOUMARIN [5452-39-1] C ₁₂ H ₁₀ O ₄ MW: 218.21 MP: 169.7-171.5°C	250 mg	\$60.00
A-103	3-ACETYLCOUMARIN [3949-36-8] C ₁₁ H ₈ O ₃ MW: 188.18 MP: 120-123°C	5 gm	\$35.00
A-104	3-AMINOCOUMARIN [1635-31-0] C ₉ H ₇ NO ₂ MW: 161.16 MP: 133.5-135°C	250 mg	\$64.00
19-108	3-BENZAMIDOCOUMARIN [2549-08-8] (N-Benzoyl-3-amino coumarin) C ₁₆ H ₁₁ NO ₃ MW: 265.27 MP: 173°C	25 mg	\$34.00
23-004	3-CHLORO-7-HYDROXY-4-METHYLCOUMARIN [6174-86-3] C ₁₀ H ₇ ClO ₃ MW: 210.62 MP: 241.2-244°C	250 mg	\$22.00
17-083	3-CYANO-4,6-DIMETHYLCOUMARIN [56394-28-6] C ₁₂ H ₉ NO ₂ MW: 199.21 MP: 200-204°C	1 gm	\$84.00
19-251	3-CYANO-4,7-DIMETHYLCOUMARIN C ₁₂ H ₉ NO ₂ MW: 199.21 MP: 221.5-223.5°C	250 mg	\$104.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-540	3-CYANO-4-ETHYL-6-METHYLCOUMARIN C ₁₃ H ₁₁ NO ₂ MW: 213.24 MP: 197-200°C	250 mg	\$76.00
17-090	3-CYANO-4-METHYLCOUMARIN [24526-69-0] C ₁₁ H ₇ NO ₂ MW: 185.19 MP: 191-194°C	1 gm	\$90.00
17-081	3-CYANO-6,8-DIBROMO-4-METHYLCOUMARIN C ₁₁ H ₅ Br ₂ NO ₂ MW: 342.97 MP: 267-270°C (d)	1 gm	\$90.00
17-082	3-CYANO-6,8-DICHLORO-4-METHYLCOUMARIN C ₁₁ H ₅ Cl ₂ NO ₂ MW: 254.07 MP: 230-235°C	1 gm	\$90.00
19-019	3-CYANO-6-METHOXYCOUMARIN C ₁₁ H ₇ NO ₃ MW: 201.19 MP: 228-231°C	1 gm	\$84.00
19-402	3-CYANO-7-(DIETHYLAMINO)COUMARIN C ₁₄ H ₁₄ N ₂ O ₂ MW: 242.28 MP: 226.5-229.5°C	1 gm	\$135.00
19-033	3-CYANO-7-ETHOXYCOUMARIN [117620-77-6] C ₁₂ H ₉ NO ₃ MW: 215.21 MP: 210-212°C	1 gm	\$96.00
17-087	3-CYANO-7-HYDROXY-4-METHYLCOUMARIN [2829-46-1] C ₁₁ H ₇ NO ₃ MW: 201.19 MP: 297-299°C	1 gm	\$96.00
19-053	3-CYANO-7-HYDROXYCOUMARIN [19088-73-4] C ₁₀ H ₅ NO ₃ MW: 187.16 MP: 271-273°C	1 gm	\$90.00
19-035	3-CYANO-7-METHOXYCOUMARIN C ₁₁ H ₇ NO ₃ MW: 201.19 MP: 216-218°C	1 gm	\$90.00
19-667	3-CYANO-8-METHOXYCOUMARIN C ₁₁ H ₇ NO ₃ MW: 201.18 MP: 227.6-230°C	250 mg	\$60.00
17-080	3-CYANOCOUMARIN C ₁₀ H ₅ NO ₂ MW: 171.16 MP: 183-187°C	1 gm	\$96.00
020505	3-HYDROXYCOUMARIN [939-19-5] C ₉ H ₆ O ₃ MW: 162.14 MP: 173-176°C	100 mg	\$98.00
28-009	3-METHYL-6-NITROCOUMARIN C ₁₀ H ₇ NO ₄ MW: 205.17 MP: 220-222°C (d)	250 mg	\$50.00
17-152	3-PHENYLCOUMARIN C ₁₅ H ₁₀ O ₂ MW: 222.25 MP: 140-142°C	1 gm	\$66.00
19-281	4(2',4'-DICHLOROBENZYL)-7-METHOXY-3-PHENYLCOUMARIN C ₂₃ H ₁₆ Cl ₂ O ₃ MW: 411.29 MP: 164.5-165.8°C	250 mg	\$84.00
19-261	4(4'-CHLOROBENZYL)-7-HYDROXY-3-PHENYLCOUMARIN C ₂₂ H ₁₅ ClO ₃ MW: 362.81 MP: 267.7-269.7°C	250 mg	\$90.00
19-262	4(4'-CHLOROBENZYL)-7-METHOXY-3-PHENYLCOUMARIN C ₂₃ H ₁₇ ClO ₃ MW: 376.83 MP: 188.5-189.6°C	250 mg	\$82.00
19-122	4(4'-CHLOROPHENYL)-3-(2',4'-DICHLOROPHENYL)-6-METHYLCOUMARIN C ₂₂ H ₁₃ Cl ₃ O ₂ MW: 415.70 MP: 218-219°C	1 gm	\$75.00
19-052	4(4'-CHLOROPHENYL)-6,8-DICHLORO-3-PHENYLCOUMARIN C ₂₁ H ₁₁ Cl ₃ O ₂ MW: 401.68 MP: 182-183°C	1 gm	\$78.00
19-344	4,6-DICHLORO-7-METHYL-3-NITROCOUMARIN C ₁₀ H ₅ Cl ₂ NO ₄ MW: 274.06 MP: 157-158.4°C	250 mg	\$50.00
19-253	4,6-DIMETHYL-3(4'-HYDROXYPHENYL)COUMARIN C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 274.8-276.7°C	250 mg	\$112.00
19-100	4,6-DIMETHYL-3(4'-METHOXYPHENYL)COUMARIN C ₁₈ H ₁₆ O ₃ MW: 280.33 MP: 192-193°C	1 gm	\$96.00
17-116	4,6-DIMETHYL-3-PHENYLCOUMARIN C ₁₇ H ₁₄ O ₂ MW: 250.30 MP: 174-176°C	1 gm	\$66.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-205	4,7-DIMETHYL-3(4'-METHOXYPHENYL)COUMARIN C ₁₈ H ₁₆ O ₃ MW: 280.33 MP: 172-173°C	1 gm	\$111.00
19-206	4,7-DIMETHYL-3-PHENYLCOUMARIN C ₁₇ H ₁₄ O ₂ MW: 250.30 MP: 155.5-157°C	1 gm	\$96.00
19-294	4-ALLYLOXYCOUMARIN [31005-07-9] C ₁₂ H ₁₀ O ₃ MW: 202.21 MP: 114-115.5°C	250 mg	\$50.00
19-630	4-AMINO-9-METHOXYPORALEN C ₁₂ H ₉ NO ₄ MW: 231.21 MP: 237.5-239.5°C	100 mg	\$90.00
19-259	4-BENZYL-3(4'-CHLOROPHENYL)-7-HYDROXYCOUMARIN C ₂₂ H ₁₅ ClO ₃ MW: 362.81 MP: 214-216°C	250 mg	\$82.00
19-260	4-BENZYL-3(4'-CHLOROPHENYL)-7-METHOXYCOUMARIN C ₂₃ H ₁₇ ClO ₃ MW: 376.83 MP: 169.5-171°C	250 mg	\$86.00
19-256	4-BENZYL-6-CHLORO-3(4'-CHLOROPHENYL)-7-METHYLCOUMARIN C ₂₃ H ₁₆ Cl ₂ O ₂ MW: 395.29 MP: 221-223°C	250 mg	\$80.00
19-257	4-BENZYL-6-CHLORO-3(4'-METHOXYPHENYL)-7-METHYLCOUMARIN C ₂₄ H ₁₉ ClO ₃ MW: 390.86 MP: 273.6-276°C	250 mg	\$84.00
19-258	4-BENZYL-6-CHLORO-7-METHYL-3-PHENYLCOUMARIN C ₂₃ H ₁₇ ClO ₂ MW: 360.83 MP: 186.2-187.1°C	250 mg	\$88.00
19-228	4-BENZYL-7-HYDROXY-3-PHENYLCOUMARIN C ₂₂ H ₁₆ O ₃ MW: 328.37 MP: 241.3-243.7°C	250 mg	\$160.00
19-229	4-BENZYL-7-METHOXY-3-PHENYLCOUMARIN C ₂₃ H ₁₈ O ₃ MW: 342.39 MP: 153.5-154.7°C	250 mg	\$168.00
19-412	4-BROMOMETHYL-6,7-DIMETHOXYCOUMARIN [88404-25-5] C ₁₂ H ₁₁ BrO ₄ MW: 299.12 MP: 210.2-211.7°C	250 mg	\$60.00
19-860	4-BROMOMETHYL-7-METHOXYCOUMARIN [35231-44-8] C ₁₁ H ₉ O ₃ Br MW: 269.10 MP: 215-216°C	1 gm	\$209.00
19-143	4-CHLORO-3-NITROCOUMARIN [38464-20-9] C ₉ H ₄ ClNO ₄ MW: 225.59 MP: 161-163.5°C	1 gm	\$84.00
19-401	4-CHLORO-6-FLUORO-3-NITROCOUMARIN C ₉ H ₃ ClFNO ₄ MW: 243.58 MP: 149.8-151.8°C	1 gm	\$120.00
19-342	4-CHLORO-6-METHYL-3-NITROCOUMARIN C ₁₀ H ₆ ClNO ₄ MW: 239.62 MP: 159-160.5°C	250 mg	\$52.00
19-341	4-CHLORO-7-METHOXY-3-NITROCOUMARIN C ₁₀ H ₆ ClNO ₅ MW: 255.62 MP: 159.4-160.5°C	250 mg	\$50.00
19-343	4-CHLORO-7-METHYL-3-NITROCOUMARIN C ₁₀ H ₆ ClNO ₄ MW: 239.62 MP: 190.5-192.1°C	250 mg	\$52.00
19-404	4-ETHOXY-6-FLUOROCUMARIN [527751-30-0] C ₁₁ H ₉ FO ₃ MW: 208.19 MP: 173-175°C	1 gm	\$114.00
19-346	4-ETHOXY-6-METHOXYCOUMARIN C ₁₂ H ₁₂ O ₄ MW: 220.23 MP: 110.7-112°C	1 gm	\$60.00
19-332	4-ETHOXY-6-METHYLCOUMARIN C ₁₂ H ₁₂ O ₃ MW: 204.22 MP: 142-145°C	250 mg	\$40.00
19-331	4-ETHOXY-7-METHOXYCOUMARIN C ₁₂ H ₁₂ O ₄ MW: 220.23 MP: 168-170°C	250 mg	\$40.00
19-347	4-ETHOXY-7-METHYLCOUMARIN C ₁₂ H ₁₂ O ₃ MW: 204.22 MP: 144.8-145.9°C	1 gm	\$66.00
15-001	4-ETHOXYCOUMARIN [35817-27-7] C ₁₁ H ₁₀ O ₃ MW: 190.20 MP: 133-136°C	1 gm	\$18.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

15-005	4-HYDROXY-3-NITROCOUMARIN [20261-31-8] C ₉ H ₅ O ₃ N MW: 207.14 MP: 171-173°C	1 gm	\$30.00
19-371	4-HYDROXY-6-METHOXY-3-NITROCOUMARIN C ₁₀ H ₇ NO ₆ MW: 237.17 MP: 176.4-177.6°C	1 gm	\$75.00
19-348	4-HYDROXY-6-METHOXYCOUMARIN [13252-84-1] C ₁₀ H ₈ O ₄ MW: 192.17 MP: 268-270°C	1 gm	\$60.00
19-351	4-HYDROXY-6-METHYL-3-NITROCOUMARIN C ₁₀ H ₇ NO ₅ MW: 221.17 MP: 173-174.6°C	1 gm	\$75.00
020566	4-HYDROXY-6-METHYLCOUMARIN [13252-83-0] C ₁₀ H ₈ O ₃ MW: 176.17 MP: 262-264°C	5 gm	\$60.00
19-766	4-HYDROXY-7-METHOXY-3(4'-METHOXYPHENYL)COUMARIN C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 221.8-223.5°C	250 mg	\$60.00
19-349	4-HYDROXY-7-METHOXY-3-NITROCOUMARIN C ₁₀ H ₇ NO ₆ MW: 237.17 MP: 174.4-176.8°C	1 gm	\$60.00
19-768	4-HYDROXY-7-METHOXY-3-PHENYLCOUMARIN [2555-24-0] C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 204.3-206.5°C	250 mg	\$60.00
19-334	4-HYDROXY-7-METHOXYCOUMARIN [17575-15-4] C ₁₀ H ₈ O ₄ MW: 192.17 MP: 262.5-264.5°C	1 gm	\$60.00
19-352	4-HYDROXY-7-METHYL-3-NITROCOUMARIN C ₁₀ H ₇ NO ₅ MW: 221.17 MP: 196.6-198.8°C	1 gm	\$66.00
19-350	4-HYDROXY-7-METHYLCOUMARIN [18692-77-8] C ₁₀ H ₈ O ₃ MW: 176.17 MP: 224-225.8°C	1 gm	\$66.00
H-105	4-HYDROXYCOUMARIN [1076-38-6] C ₉ H ₆ O ₃ MW: 162.14 MP: 210-214°C	5 gm	\$20.00
020578	4-METHOXYCOUMARIN [20280-81-3] C ₁₀ H ₈ O ₃ MW: 176.17 MP: 125.5-127°C	250 mg	\$81.00
17-149	4-METHYL-3-PHENYLCOUMARIN [23028-23-1] C ₁₆ H ₁₂ O ₂ MW: 236.27 MP: 156-158°C	1 gm	\$66.00
D-120	5,7-DIHYDROXY-4-METHYLCOUMARIN [2107-76-8] C ₁₀ H ₈ O ₄ MW: 192.17 MP: >270°C	500 mg	\$68.00
19-474	5,7-DIHYDROXY-4-METHYLCOUMARIN-3-ACETIC ACID C ₁₂ H ₁₀ O ₆ MW: 250.21 MP: 288.6-290.4°C	100 mg	\$110.00
19-310	5,7-DIMETHOXY-4-METHYLCOUMARIN C ₁₂ H ₁₂ O ₄ MW: 220.22 MP: 170.5-171.8°C	1 gm	\$90.00
D-128	5,7-DIMETHOXYCOUMARIN [487-06-9] (Citropten; Limettin) C ₁₁ H ₁₀ O ₄ MW: 206.20 MP: 146-149°C	250 mg	\$45.00
020581S	5,7-DIMETHOXYCOUMARIN with HPLC [487-06-9] (Citropten; Limettin) C ₁₁ H ₁₀ O ₄ MW: 206.20 MP: 146-149°C	10 mg	\$209.00
19-255	5-ALLYLOXYPSORALEN (Bergaptol allylether) C ₁₄ H ₁₀ O ₄ MW: 242.23 MP: 134.8-137.5°C	250 mg	\$180.00
020560S	5-GERANOXY-7-METHOXYCOUMARIN with HPLC [7380-39-4] (5[(3,7-Dimethyl-2,6-octadienyl)oxy]-7-methoxycoumarin) C ₂₀ H ₂₄ O ₄ MW: 328.41 MP: 86-88°C	10 mg	\$310.00
19-409	5-METHOXY-4-METHYL-3-PHENYLCOUMARIN C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 164.5-167°C	1 gm	\$96.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-306	6,7-DIALLYLOXY-4-METHYLCOUMARIN C ₁₆ H ₁₆ O ₄ MW: 272.31 MP: 81.5-83°C	250 mg	\$64.00
19-224	6,7-DIETHOXY-4-METHYLCOUMARIN C ₁₄ H ₁₆ O ₄ MW: 248.28 MP: 100-101.4°C	1 gm	\$108.00
D-009	6,7-DIHYDROXY-4-METHYLCOUMARIN [529-84-0] (4-Methylesculetin) C ₁₀ H ₈ O ₄ MW: 192.17 MP: >280°C	500 mg	\$40.00
19-861	6,7-DIHYDROXY-4-PHENYLCOUMARIN [482-82-6] (Nordalbergin) C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 274-275°C	10 mg	\$184.00
19-418	6,7-DIHYDROXYCOUMARIN-4-ACETIC ACID [88404-14-2] C ₁₁ H ₈ O ₆ MW: 236.18 MP: 229°C (d)	250 mg	\$60.00
19-419	6,7-DIMETHOXY-4-ETHYLCOUMARIN C ₁₃ H ₁₄ O ₄ MW: 234.25 MP: 150-151°C	250 mg	\$64.00
020597	6,7-DIMETHOXY-4-METHYLCOUMARIN [4281-40-7] C ₁₂ H ₁₂ O ₄ MW: 220.22 MP: 136.6-139°C	100 mg	\$99.00
19-528	6,7-DIMETHYL-4-HYDROXYCOUMARIN HYDRATE C ₁₁ H ₁₀ O ₃ MW: 190.20 MP: 252-255°C	250 mg	\$90.00
020551	6,7-DIMETHYLESCULETIN [120-08-1] (Scoparone; Esculetin dimethylether, 6,7-Dimethoxycoumarin) C ₁₁ H ₁₀ O ₄ MW: 206.20 MP: 144-145.5°C	100 mg	\$80.00
020586S	6,7-DIMETHYLESCULETIN with HPLC [120-08-1] (Scoparone; Esculetin dimethylether) C ₁₁ H ₁₀ O ₄ MW: 206.20 MP: 144-146°C	10 mg	\$125.00
19-090	6,8-DICHLORO-3(2',4'-DICHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₈ Cl ₄ O ₂ MW: 374.05 MP: 202-204°C	1 gm	\$96.00
19-091	6,8-DICHLORO-3(2',4'-DICHLOROPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₀ Cl ₄ O ₂ MW: 436.12 MP: 262-264°C	1 gm	\$108.00
19-269	6,8-DICHLORO-3(3',4'-DIMETHOXYPHENYL)-4-METHYLCOUMARIN C ₁₈ H ₁₄ Cl ₂ O ₄ MW: 365.22 MP: 200.2-201.8°C	250 mg	\$88.00
19-036	6,8-DICHLORO-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₃ MW: 335.19 MP: 174-176°C	1 gm	\$105.00
19-070	6,8-DICHLORO-3(4'-METHOXYPHENYL)-4-PHENYLCOUMARIN C ₂₂ H ₁₄ Cl ₂ O ₃ MW: 397.26 MP: 185-188°C	1 gm	\$75.00
19-067	6,8-DICHLORO-3,4-DIPHENYLCOUMARIN C ₂₁ H ₁₂ Cl ₂ O ₂ MW: 367.23 MP: 153-154°C	1 gm	\$102.00
17-108	6,8-DICHLORO-4-HYDROXYCOUMARIN [36051-82-8] C ₉ H ₄ Cl ₂ O ₃ MW: 231.04 MP: 288-290.4°C	1 gm	\$72.00
17-112	6,8-DICHLORO-4-METHYL-3-PHENYLCOUMARIN [262590-97-6] C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 179-181°C	1 gm	\$90.00
19-764	6,8-DIMETHYL-4-HYDROXYCOUMARIN C ₁₁ H ₁₀ O ₃ MW: 190.20 MP: 269°C (d)	250 mg	\$60.00
19-296	6-ALLYLOXY-4-METHYLCOUMARIN C ₁₃ H ₁₂ O ₃ MW: 216.23 MP: 72.8-75°C	250 mg	\$50.00
19-084	6-BROMO-3(2',4'-DICHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₉ BrCl ₂ O ₂ MW: 384.06 MP: 192-194°C	1 gm	\$120.00
19-111	6-BROMO-3(2'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ BrClO ₂ MW: 349.61 MP: 203-207°C	1 gm	\$96.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-112	6-BROMO-3(2'-CHLOROPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₂ BrClO ₂ MW: 411.67 MP: 207-209°C	1 gm	\$102.00
19-278	6-BROMO-3(3',4'-DIMETHOXYPHENYL)-4-METHYLCOUMARIN C ₁₈ H ₁₅ BrO ₄ MW: 375.22 MP: 182-183.2°C	250 mg	\$84.00
19-279	6-BROMO-3(3',4'-DIMETHOXYPHENYL)-4-PHENYLCOUMARIN C ₂₃ H ₁₇ BrO ₄ MW: 437.29 MP: 176.9-178.5°C	250 mg	\$76.00
19-359	6-BROMO-3(3'-BROMOPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ Br ₂ O ₂ MW: 394.06 MP: 186.5-188°C	250 mg	\$50.00
19-357	6-BROMO-3(3'-BROMOPHENYL)-8-CHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ Br ₂ ClO ₂ MW: 428.51 MP: 199.4-201°C	250 mg	\$64.00
19-165	6-BROMO-3(3'-CHLOROPHENYL)-4(2'-CHLOROPHENYL)COUMARIN C ₂₁ H ₁₁ BrCl ₂ O ₂ MW: 446.13 MP: 150-151°C	1 gm	\$72.00
19-166	6-BROMO-3(3'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ BrClO ₂ MW: 349.61 MP: 172-173°C	1 gm	\$66.00
19-185	6-BROMO-3(3'-CHLOROPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₂ BrClO ₂ MW: 411.67 MP: 196.5-198.2°C	1 gm	\$96.00
19-001	6-BROMO-3(4'-BROMOPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ Br ₂ O ₂ MW: 394.07 MP: 192-194°C	1 gm	\$78.00
19-215	6-BROMO-3(4'-BROMOPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₂ Br ₂ O ₂ MW: 456.13 MP: 234-237°C	1 gm	\$108.00
19-214	6-BROMO-3(4'-BROMOPHENYL)-8-CHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ Br ₂ ClO ₂ MW: 428.51 MP: 257.2-259°C	1 gm	\$114.00
19-002	6-BROMO-3(4'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ BrClO ₂ MW: 349.61 MP: 217-219°C	1 gm	\$84.00
19-240	6-BROMO-3(4'-HYDROXYPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₁ BrO ₃ MW: 331.17 MP: 303-305°C	250 mg	\$148.00
19-056	6-BROMO-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₇ H ₁₃ BrO ₃ MW: 345.19 MP: 164-166°C	1 gm	\$126.00
19-048	6-BROMO-3,4-DI-(4'-CHLOROPHENYL)COUMARIN C ₂₁ H ₁₁ BrCl ₂ O ₂ MW: 446.13 MP: 218-221°C	1 gm	\$78.00
19-085	6-BROMO-3,4-DIPHENYLCOUMARIN C ₂₁ H ₁₃ BrO ₂ MW: 377.23 MP: 161-163°C	1 gm	\$114.00
17-023	6-BROMO-3-CYANO-4-METHYLCOUMARIN [56394-22-0] C ₁₁ H ₆ BrNO ₂ MW: 264.18 MP: 185-191°C	1 gm	\$96.00
19-110	6-BROMO-4(4'-CHLOROPHENYL)-3-(2',4'-DICHLOROPHENYL)COUMARIN C ₂₁ H ₁₀ BrCl ₃ O ₂ MW: 480.57 MP: 205-207°C	1 gm	\$90.00
19-047	6-BROMO-4(4'-CHLOROPHENYL)-3-PHENYLCOUMARIN C ₂₁ H ₁₂ BrClO ₂ MW: 411.67 MP: 200-202°C	1 gm	\$90.00
19-317	6-BROMO-4-ETHOXYCOUMARIN C ₁₁ H ₉ BrO ₃ MW: 269.10 MP: 183.8-185°C	250 mg	\$40.00
17-027	6-BROMO-4-HYDROXYCOUMARIN [4139-61-1] C ₉ H ₅ BrO ₃ MW: 241.05 MP: 283-285°C	1 gm	\$75.00
17-033	6-BROMO-4-METHYL-3-PHENYLCOUMARIN C ₁₆ H ₁₁ BrO ₂ MW: 315.17 MP: 186-188°C	1 gm	\$72.00
19-235	6-BROMO-8-CHLORO-3(2',4'-DICHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₈ NrCl ₃ O ₂ MW: 418.50 MP: 193.5-195.5°C	250 mg	\$152.00
19-232	6-BROMO-8-CHLORO-3(2'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₉ BrCl ₂ O ₂ MW: 384.06 MP: 180-181.4°C	250 mg	\$152.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-277	6-BROMO-8-CHLORO-3(3',4'-DIMETHOXYPHENYL)-4-METHYLCOUMARIN C ₁₈ H ₁₄ BrClO ₄ MW: 409.67 MP: 195.9-197.1°C	250 mg	\$80.00
19-237	6-BROMO-8-CHLORO-3(4'-HYDROXYPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ BrClO ₃ MW: 365.61 MP: 224.8-226.4°C	250 mg	\$156.00
19-182	6-BROMO-8-CHLORO-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₇ H ₁₂ BrClO ₃ MW: 379.63 MP: 167.2-169°C	1 gm	\$90.00
19-233	6-BROMO-8-CHLORO-3-CYANO-4-METHYLCOUMARIN C ₁₁ H ₅ BrClNO ₂ MW: 298.52 MP: 255.6-258°C	250 mg	\$140.00
19-739	6-BROMO-8-CHLORO-4-HYDROXYCOUMARIN C ₉ H ₄ BrClO ₃ MW: 275.49 MP: 295°C (d)	250 mg	\$60.00
19-239	6-BROMO-8-CHLORO-4-METHYL-3-PHENYLCOUMARIN C ₁₆ H ₁₀ BrClO ₂ MW: 349.61 MP: 146.5-148.5°C	250 mg	\$144.00
19-086	6-CHLORO-3(2',4'-DICHLOROPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₁ Cl ₃ O ₂ MW: 353.64 MP: 227-229°C	1 gm	\$108.00
19-119	6-CHLORO-3(2',4'-DICHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₉ Cl ₃ O ₂ MW: 339.61 MP: 205-207°C	1 gm	\$96.00
19-088	6-CHLORO-3(2',4'-DICHLOROPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₁ Cl ₃ O ₂ MW: 401.68 MP: 229-230°C	1 gm	\$96.00
19-087	6-CHLORO-3(2',4'-DICHLOROPHENYL)-7-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₃ Cl ₃ O ₂ MW: 415.70 MP: 253-254°C	1 gm	\$90.00
19-391	6-CHLORO-3(2'-CHLOROPHENYL)-4,5,7-TRIMETHYLCOUMARIN C ₁₈ H ₁₄ Cl ₂ O ₂ MW: 333.22 MP: 202.8-204.8°C	250 mg	\$60.00
19-115	6-CHLORO-3(2'-CHLOROPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₂ MW: 319.19 MP: 197-200°C	1 gm	\$102.00
19-116	6-CHLORO-3(2'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 206-208°C	1 gm	\$96.00
19-118	6-CHLORO-3(2'-CHLOROPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₂ Cl ₂ O ₂ MW: 367.23 MP: 208-210°C	1 gm	\$78.00
19-117	6-CHLORO-3(2'-CHLOROPHENYL)-7-METHYL-4-PHENYLCOUMARIN C ₂₂ H ₁₄ Cl ₂ O ₂ MW: 381.26 MP: 186-190°C	1 gm	\$84.00
19-263	6-CHLORO-3(3',4'-DIMETHOXYPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₉ H ₁₇ ClO ₄ MW: 344.79 MP: 200.8-202.4°C	250 mg	\$86.00
19-264	6-CHLORO-3(3',4'-DIMETHOXYPHENYL)-4-METHYLCOUMARIN C ₁₈ H ₁₅ ClO ₄ MW: 330.77 MP: 181-182.5°C	250 mg	\$80.00
19-280	6-CHLORO-3(3',4'-DIMETHOXYPHENYL)-4-PHENYLCOUMARIN C ₂₃ H ₁₇ ClO ₄ MW: 392.84 MP: 168.3-169.8°C	250 mg	\$80.00
19-414	6-CHLORO-3(3',4'-DIMETHOXYPHENYL)-7-HYDROXY-4-METHYLCOUMARIN C ₁₈ H ₁₅ ClO ₅ MW: 346.77 MP: 245.4-247°C	250 mg	\$56.00
19-392	6-CHLORO-3(3'-CHLOROPHENYL)-4,5,7-TRIMETHYLCOUMARIN C ₁₈ H ₁₄ Cl ₂ O ₂ MW: 333.22 MP: 192.3-194.1°C	250 mg	\$56.00
19-168	6-CHLORO-3(3'-CHLOROPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₂ MW: 319.19 MP: 183-184°C	1 gm	\$78.00
19-169	6-CHLORO-3(3'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 175°C	1 gm	\$84.00
19-186	6-CHLORO-3(3'-CHLOROPHENYL)-4-PHENYLCOUMARIN C ₂₁ H ₁₂ Cl ₂ O ₂ MW: 367.23 MP: 188-189.5°C	1 gm	\$108.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-011	6-CHLORO-3(4'-CHLOROPHENYL)-4,7-DIMETHYLCOUMARIN C ₁₇ H ₁₂ Cl ₂ O ₂ MW: 319.19 MP: 171-172°C	1 gm	\$75.00
19-012	6-CHLORO-3(4'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 219-221°C	1 gm	\$84.00
19-250	6-CHLORO-3(4'-HYDROXYPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: >300°C	250 mg	\$116.00
19-397	6-CHLORO-3(4'-METHOXYPHENYL)-4,5,7-TRIMETHYLCOUMARIN C ₂₂ H ₁₅ ClO ₃ MW: 328.80 MP: 167.8-169.2°C	250 mg	\$60.00
19-029	6-CHLORO-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 190-194°C	1 gm	\$105.00
19-064	6-CHLORO-3(4'-METHOXYPHENYL)-4-PHENYLCOUMARIN C ₂₂ H ₁₅ ClO ₃ MW: 362.81 MP: 194-196°C	1 gm	\$84.00
19-063	6-CHLORO-3(4'-METHOXYPHENYL)-7-METHYL-4-PHENYLCOUMARIN C ₂₃ H ₁₇ ClO ₃ MW: 376.83 MP: 193-195°C	1 gm	\$96.00
19-051	6-CHLORO-3,4-DI(4'-CHLOROPHENYL)-7-METHYLCOUMARIN C ₂₂ H ₁₃ Cl ₃ O ₂ MW: 415.70 MP: 205-208°C	1 gm	\$75.00
19-027	6-CHLORO-3,4-DI(4'-CHLOROPHENYL)COUMARIN C ₂₁ H ₁₁ Cl ₃ O ₂ MW: 401.68 MP: 221-223°C	1 gm	\$75.00
19-060	6-CHLORO-3,4-DIPHENYL-7-METHYLCOUMARIN C ₂₂ H ₁₅ ClO ₂ MW: 346.81 MP: 178-180°C	1 gm	\$108.00
19-059	6-CHLORO-3,4-DIPHENYLCOUMARIN C ₂₁ H ₁₃ ClO ₂ MW: 332.78 MP: 165-167°C	1 gm	\$108.00
17-046	6-CHLORO-3-CYANO-4,7-DIMETHYLCOUMARIN C ₁₂ H ₈ ClNO ₂ MW: 233.65 MP: 230-235°C	1 gm	\$90.00
17-048	6-CHLORO-3-CYANO-4-METHYLCOUMARIN C ₁₁ H ₆ ClNO ₂ MW: 219.63 MP: 184-190°C	1 gm	\$96.00
19-114	6-CHLORO-4(4'-CHLOROPHENYL)-3(2',4'-DICHLOROPHENYL)-7-METHYLCOUMARIN C ₂₂ H ₁₂ Cl ₄ O ₂ MW: 450.14 MP: 193-195°C	1 gm	\$96.00
19-113	6-CHLORO-4(4'-CHLOROPHENYL)-3(2',4'-DICHLOROPHENYL)COUMARIN C ₂₁ H ₁₀ Cl ₄ O ₂ MW: 436.12 MP: 223-224°C	1 gm	\$90.00
19-058	6-CHLORO-4(4'-CHLOROPHENYL)-3(4'-METHOXYPHENYL)-7-METHYLCOUMARIN C ₂₃ H ₁₆ Cl ₂ O ₃ MW: 411.29 MP: 197-198°C	1 gm	\$126.00
19-057	6-CHLORO-4(4'-CHLOROPHENYL)-3(4'-METHOXYPHENYL)COUMARIN C ₂₂ H ₁₄ Cl ₂ O ₃ MW: 397.26 MP: 176-178°C	1 gm	\$90.00
19-050	6-CHLORO-4(4'-CHLOROPHENYL)-3-PHENYLCOUMARIN C ₂₁ H ₁₂ Cl ₂ O ₂ MW: 367.23 MP: 182-183°C	1 gm	\$78.00
19-049	6-CHLORO-4(4'-CHLOROPHENYL)-7-METHYL-3-PHENYLCOUMARIN C ₂₂ H ₁₄ Cl ₂ O ₂ MW: 381.26 MP: 212-214°C	1 gm	\$96.00
19-249	6-CHLORO-4,7-DIMETHYL-3(4'-HYDROXYPHENYL)COUMARIN C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 239-241.2°C	250 mg	\$124.00
19-028	6-CHLORO-4,7-DIMETHYL-3(4'-METHOXYPHENYL)COUMARIN C ₁₈ H ₁₅ ClO ₃ MW: 314.77 MP: 184-186°C	1 gm	\$90.00
17-050	6-CHLORO-4,7-DIMETHYL-3-PHENYLCOUMARIN C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 184.5-185.5°C	1 gm	\$90.00
19-325	6-CHLORO-4-ETHOXY-7-METHYLCOUMARIN C ₁₂ H ₁₁ ClO ₃ MW: 238.67 MP: 198.6-200.3°C	250 mg	\$50.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-324	6-CHLORO-4-ETHOXYCOUMARIN C ₁₁ H ₉ ClO ₃ MW: 224.65 MP: 178.1-180°C	250 mg	\$40.00
19-760	6-CHLORO-4-HYDROXY-7-METHOXY-3(4'-METHOXYPHENYL)COUMARIN C ₁₇ H ₁₃ ClO ₅ MW: 332.74 MP: 285-287.5°C	50 mg	\$95.00
19-741	6-CHLORO-4-HYDROXY-7-METHOXYCOUMARIN [64729-38-0] C ₁₀ H ₇ ClO ₄ MW: 226.62 MP: 302°C (d)	250 mg	\$60.00
19-340	6-CHLORO-4-HYDROXY-7-METHYL-3-NITROCOUMARIN C ₁₀ H ₆ ClNO ₅ MW: 255.62 MP: 180.8-182.6°C	250 mg	\$60.00
19-722	6-CHLORO-4-HYDROXY-7-METHYLCOUMARIN C ₁₀ H ₇ ClO ₃ MW: 210.62 MP: 266-268.8°C	250 mg	\$70.00
17-054	6-CHLORO-4-HYDROXYCOUMARIN [19484-57-2] (6-Chloro-4-hydroxy-2H-1-benzopyran-2-one) C ₉ H ₅ ClO ₃ MW: 196.59 MP: 287-288°C	1 gm	\$66.00
19-065	6-CHLORO-4-METHYL-3-(4'-NITROPHENYL)COUMARIN C ₁₆ H ₁₀ ClNO ₄ MW: 315.72 MP: 256-257°C	1 gm	\$108.00
17-070	6-CHLORO-4-METHYL-3-PHENYLCOUMARIN [112030-31-6] C ₁₆ H ₁₁ ClO ₂ MW: 270.71 MP: 195-196°C	1 gm	\$75.00
19-417	6-CHLORO-7-HYDROXY-4-METHYL-3-PHENYLCOUMARIN C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: 291.2-293.3°C	250 mg	\$56.00
19-416	6-CHLORO-7-HYDROXY-4-METHYLCOUMARIN [19492-02-5] C ₁₀ H ₇ ClO ₃ MW: 210.62 MP: 287.5-290°C	250 mg	\$50.00
19-415	6-CHLORO-7-HYDROXYCOUMARIN [87893-58-1] C ₉ H ₅ ClO ₃ MW: 196.59 MP: 275-277.3°C	250 mg	\$60.00
19-254	6-ETHOXY-3(4'-HYDROXYPHENYL)-4-METHYLCOUMARIN C ₁₈ H ₁₆ O ₄ MW: 296.33 MP: 239-242°C	250 mg	\$118.00
19-101	6-ETHOXY-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₉ H ₁₈ O ₄ MW: 310.35 MP: 174-176°C	1 gm	\$108.00
19-102	6-ETHOXY-4-METHYL-3-PHENYLCOUMARIN C ₁₈ H ₁₆ O ₃ MW: 280.33 MP: 136-138°C	1 gm	\$96.00
19-038	6-ETHOXY-4-METHYLCOUMARIN C ₁₂ H ₁₂ O ₃ MW: 204.22 MP: 114-115°C	1 gm	\$60.00
19-744	6-ETHYL-4-HYDROXYCOUMARIN [55005-28-2] C ₁₁ H ₁₀ O ₃ MW: 190.20 MP: 219-221°C	250 mg	\$68.00
19-408	6-FLUORO-4-HYDROXYCOUMARIN [1994-13-4] C ₉ H ₅ FO ₃ MW: 180.14 MP: 252.7-253.9°C	1 gm	\$90.00
19-103	6-HYDROXY-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 231.5-233.5°C	1 gm	\$96.00
19-104	6-HYDROXY-4-METHYL-3-PHENYLCOUMARIN C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 250-251°C	1 gm	\$90.00
15-004	6-HYDROXY-4-METHYLCOUMARIN [2373-31-1] C ₁₀ H ₈ O ₃ MW: 176.17 MP: 244.5-246.5°C	1 gm	\$22.00
19-865	6-HYDROXY-7-METHOXY-4-PHENYLCOUMARIN [482-83-7] (Dalbergin) C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 211-214°C	25 mg	\$95.00
020520	6-HYDROXY-7-METHOXYCOUMARIN [776-86-3] (Isoscopletin) C ₁₀ H ₈ O ₄ MW: 192.17 MP: 186-187.7°C	25 mg	\$120.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

020526	6-HYDROXYCOUMARIN [6093-68-1] C ₉ H ₆ O ₃ MW: 162.15	500 mg	\$35.00
19-105	6-METHOXY-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₈ H ₁₆ O ₄ MW: 296.33 MP: 181.5-183.5°C	1 gm	\$108.00
19-041	6-METHOXY-3(4'-METHOXYPHENYL)COUMARIN [263364-71-2] C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 149-150°C	1 gm	\$96.00
19-080	6-METHOXY-3(4'-NITROPHENYL)COUMARIN C ₁₆ H ₁₁ NO ₅ MW: 297.28 MP: 269-271°C	1 gm	\$96.00
19-024	6-METHOXY-3-PHENYLCOUMARIN [6468-48-0] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 157-159°C	1 gm	\$84.00
19-106	6-METHOXY-4-METHYL-3-PHENYLCOUMARIN C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 149-152°C	1 gm	\$96.00
19-045	6-METHOXY-4-METHYLCOUMARIN [6295-35-8] C ₁₁ H ₁₀ O ₃ MW: 190.20 MP: 164-165°C	1 gm	\$75.00
19-107	6-METHYL-3(4'-METHOXYPHENYL)-4-PHENYLCOUMARIN C ₂₃ H ₁₈ O ₃ MW: 342.39 MP: 200-202°C	1 gm	\$96.00
020531	6-METHYLCOUMARIN [92-48-8] (Toncarine) C ₁₀ H ₈ O ₂ MW: 160.17 MP: 75-77°C	5 gm	\$95.00
19-307	7,8-DIALLOY-4-METHYLCOUMARIN C ₁₆ H ₁₆ O ₄ MW: 272.31 MP: 51.3-52.5°C	250 mg	\$64.00
D-121	7,8-DIHYDROXY-4-METHYLCOUMARIN [2107-77-9] (4-Methylaphnetin) C ₁₀ H ₈ O ₄ MW: 192.17 MP: 238.3-240.7°C	500 mg	\$64.00
19-475	7,8-DIHYDROXY-4-METHYLCOUMARIN-3-ACETIC ACID C ₁₂ H ₁₀ O ₆ MW: 250.21 MP: 276.5-278.6°C	100 mg	\$120.00
D-109	7,8-DIHYDROXYCOUMARIN [486-35-1] (Daphnetin) C ₉ H ₆ O ₄ MW: 178.15 MP: 257-261°C	100 mg	\$25.00
19-270	7,8-DIMETHOXY-4-METHYLCOUMARIN C ₁₂ H ₁₂ O ₄ MW: 220.22 MP: 130.2-131.5°C	250 mg	\$78.00
19-410	7,8-DIMETHOXYCOUMARIN C ₁₁ H ₁₀ O ₄ MW: 206.20 MP: 117-118.3°C	1 gm	\$220.00
A-102	7-ACETOXY-4-METHYLCOUMARIN [2747-05-9] (b-Methylumbelliferyl acetate) C ₁₂ H ₁₀ O ₄ MW: 218.21 MP: 150-151.3°C	250 mg	\$24.00
19-356	7-ALLYLOXY-3(3'-BROMOPHENYL)-4-PHENYL COUMARIN C ₂₄ H ₁₇ BrO ₃ MW: 433.31 MP: 116.2-117.7°C	250 mg	\$64.00
19-355	7-ALLYLOXY-3(3'-BROMOPHENYL)COUMARIN C ₁₈ H ₁₃ BrO ₃ MW: 357.21 MP: 136.2-137.5°C	250 mg	\$60.00
19-297	7-ALLYLOXY-4-METHYLCOUMARIN [3993-57-5] C ₁₃ H ₁₂ O ₃ MW: 216.23 MP: 104-105°C	250 mg	\$50.00
19-295	7-ALLYLOXYCOUMARIN C ₁₂ H ₁₀ O ₃ MW: 202.21 MP: 83.7-84.8°C	250 mg	\$50.00
020547	7-AMINO-4-METHYLCOUMARIN [26093-31-2] C ₁₀ H ₉ NO ₂ MW: 175.19 MP: 226.5-228.5°C	1 gm	\$90.00
19-470	7-DIETHYLAMINO-3(3',4'-DIMETHOXYPHENYL)COUMARIN C ₂₁ H ₂₃ NO ₄ MW: 353.42 MP: 117-118.7°C	250 mg	\$64.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-471	7-DIETHYLAMINO-3(4'-ETHOXYPHENYL)COUMARIN C ₂₁ H ₂₃ NO ₃ MW: 337.42 MP: 151.6-153.1°C	250 mg	\$68.00
19-472	7-DIETHYLAMINO-3(4'-METHOXYPHENYL)COUMARIN C ₂₀ H ₂₁ NO ₃ MW: 323.40 MP: 110.2-111.6°C	250 mg	\$70.00
19-421	7-DIETHYLAMINO-3-FORMYLCOUMARIN [57597-64-5] C ₁₄ H ₁₅ NO ₃ MW: 245.28 MP: 165.5-167°C	250 mg	\$74.00
19-423	7-DIETHYLAMINO-3-HYDROXY METHYLCOUMARIN (7-Diethylamino-3-methanolcoumarin) C ₁₄ H ₁₇ NO ₃ MW: 247.30 MP: 97-98.2°C	50 mg	\$75.00
19-403	7-DIETHYLAMINO-3-PHENYLCOUMARIN C ₁₉ H ₁₉ NO ₂ MW: 293.37 MP: 152.1-153.4°C	1 gm	\$120.00
CS-002	7-DIETHYLAMINO-4-HYDROXYMETHYLCOUMARIN (7-Diethylamino-4-methanolcoumarin) C ₁₄ H ₁₇ NO ₃ MW: 247.29 MP: 144-146°C	100 mg	\$90.00
19-450	7-DIETHYLAMINOCOUMARIN [20571-42-0] C ₁₃ H ₁₅ NO ₂ MW: 217.27 MP: 89-91.6°C	1 gm	\$144.00
19-225	7-DIMETHYLAMINO-4-METHYLCOUMARIN [87-01-4] C ₁₂ H ₁₃ NO ₂ MW: 203.24 MP: 144-146°C	5 gm	\$240.00
19-076	7-ETHOXY-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₉ H ₁₈ O ₄ MW: 310.35 MP: 141-142°C	1 gm	\$96.00
19-077	7-ETHOXY-3(4'-METHOXYPHENYL)-4-PHENYLCOUMARIN C ₂₄ H ₂₀ O ₄ MW: 372.42 MP: 178-180°C	1 gm	\$90.00
19-037	7-ETHOXY-3(4'-METHOXYPHENYL)COUMARIN [263364-70-1] C ₁₈ H ₁₆ O ₄ MW: 296.33 MP: 151-153°C	1 gm	\$90.00
E-107	7-ETHOXY-4-METHYLCOUMARIN [87-05-8] (4-Methyl-7-ethoxycoumarin: 7-Ethoxy-4-methyl-2H-chromen-2-one) C ₁₂ H ₁₂ O ₃ MW: 204.22 MP: 114-117°C	1 gm	\$40.00
020524S	7-ETHOXY-4-METHYLCOUMARIN with GC [87-05-8] (4-Methyl-7-ethoxycoumarin) C ₁₂ H ₁₂ O ₃ MW: 204.22	100 mg	\$135.00
E-105	7-ETHOXYCOUMARIN [31005-02-4] C ₁₁ H ₁₀ O ₃ MW: 190.20 MP: 89-92°C	1 gm	\$46.00
19-525	7-FORMYL-6-NITROCOUMARIN [1383919-99-0] C ₁₀ H ₅ NO ₅ MW: 219.16 MP: 212.5-215°C (d)	25 mg	\$45.00
19-660	7-HYDROXY-3(2'-METHOXYPHENYL)COUMARIN C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 204-206.7°C	250 mg	\$80.00
19-815	7-HYDROXY-3(4'-HYDROXYPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: above 300°C	100 mg	\$72.00
19-040	7-HYDROXY-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 232-234°C	1 gm	\$90.00
19-078	7-HYDROXY-3(4'-METHOXYPHENYL)-4-PHENYLCOUMARIN C ₂₂ H ₁₆ O ₄ MW: 344.37 MP: 256-257°C	1 gm	\$108.00
19-039	7-HYDROXY-3(4'-METHOXYPHENYL)COUMARIN [66267-82-1] C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 233-235°C	1 gm	\$84.00
19-054	7-HYDROXY-3-PHENYLCOUMARIN C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 182-183°C	1 gm	\$75.00
28-005	7-HYDROXY-4-(2-PYRIDYL)COUMARIN C ₁₄ H ₉ NO ₃ MW: 239.23 MP: >250°C (d)	250 mg	\$40.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

28-006	7-HYDROXY-4-(3-PYRIDYL)COUMARIN C ₁₄ H ₉ NO ₃ MW: 239.23 MP: >230°C (d)	250 mg	\$40.00
28-008	7-HYDROXY-4-(3-TRIFLUOROMETHYLPHENYL)COUMARIN C ₁₆ H ₉ F ₃ O ₃ MW: 306.23 MP: >200°C	250 mg	\$50.00
28-007	7-HYDROXY-4-(4-PYRIDYL)COUMARIN MONOHYDRATE C ₁₄ H ₉ NO ₃ H ₂ O MW: 257.24 MP: >300°C (d)	250 mg	\$40.00
15-003	7-HYDROXY-4-METHOXYMETHYLCOUMARIN C ₁₁ H ₁₀ O ₄ MW: 206.20 MP: 215-217°C	250 mg	\$28.00
19-816	7-HYDROXY-4-METHYL-3-(2-THIOPHENYL)COUMARIN C ₁₄ H ₁₀ O ₃ S MW: 258.30	100 mg	\$72.00
19-022	7-HYDROXY-4-METHYL-3-PHENYLCOUMARIN C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 229-232°C	1 gm	\$96.00
19-458	7-HYDROXY-4-METHYL-6-NITROCOUMARIN C ₁₀ H ₇ NO ₅ MW: 221.17 MP: 262-263°C	250 mg	\$80.00
H-037	7-HYDROXY-4-METHYLCOUMARIN [90-33-5] (4-Methylumbelliferone, Hymecromone) C ₁₀ H ₈ O ₃ MW: 176.17 MP: 185-187°C	100 gm	\$38.00
19-478	7-HYDROXY-4-METHYLCOUMARIN-3-ACETIC ACID C ₁₂ H ₁₀ O ₅ MW: 234.21 MP: 264-266.5°C	100 mg	\$150.00
15-006	7-HYDROXY-4-TRIFLUOROMETHYLCOUMARIN [575-03-1] C ₁₀ H ₅ O ₃ F ₃ MW: 230.14 MP: 178-180°C	250 mg	\$29.00
H-109	7-HYDROXY-6-METHOXYCOUMARIN [92-61-5] (Scopoletin) C ₁₀ H ₈ O ₄ MW: 192.17 MP: 203-207°C	1 gm	\$120.00
H-017	7-HYDROXYCOUMARIN [93-35-6] (Umbelliferone) C ₉ H ₆ O ₃ MW: 162.14 MP: 231-233°C (d)	5 gm	\$22.00
19-146	7-HYDROXYCOUMARIN-3-CARBOXYLIC ACID [779-27-1] (3-Carboxy-7-hydroxycoumarin) C ₁₀ H ₆ O ₅ MW: 206.16 MP: >270°C	1 gm	\$114.00
28-004	7-HYDROXYCOUMARIN-4-ACETIC ACID [6950-82-9] C ₁₁ H ₈ O ₅ MW: 220.18 MP: >195°C	250 mg	\$44.00
06-1386	7-MERCAPTO-4-METHYLCOUMARIN [137215-27-1] (4-Methyl-7-thioubelliferone) C ₁₀ H ₈ O ₂ S MW: 192.23	-	INQUIRE
020589S	7-METHOXY 4-METHYLCOUMARIN with GC [2555-28-4] C ₁₁ H ₁₀ O ₃ MW: 190.20	1 gm	\$202.00
19-043	7-METHOXY-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₈ H ₁₆ O ₄ MW: 296.33 MP: 143-145°C	1 gm	\$90.00
19-044	7-METHOXY-3(4'-METHOXYPHENYL)-4-PHENYLCOUMARIN C ₂₃ H ₁₈ O ₄ MW: 358.39 MP: 205-206°C	1 gm	\$96.00
19-042	7-METHOXY-3(4'-METHOXYPHENYL)COUMARIN [3173-00-0] C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 184-186°C	1 gm	\$84.00
19-055	7-METHOXY-3-PHENYLCOUMARIN [2555-22-8] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 122-123°C	1 gm	\$75.00
19-023	7-METHOXY-4-METHYL-3-PHENYLCOUMARIN C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 108-109°C	1 gm	\$90.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

M-107	7-METHOXY-4-METHYLCOUMARIN [2555-28-4] C ₁₁ H ₁₀ O ₃ MW: 190.20 MP: 159-160.5°C	1 gm	\$192.00
H-101	7-METHOXYCOUMARIN [531-59-9] (Herniarin) C ₁₀ H ₈ O ₃ MW: 176.17 MP: 116.2-118.2°C	1 gm	\$40.00
19-629	7-METHYL-6-NITROCOUMARIN [53666-75-4] C ₁₀ H ₇ NO ₄ MW: 205.17 MP: 225-227.8°C	5 gm	\$200.00
020521	7-METHYLCOUMARIN [2445-83-2] C ₁₀ H ₈ O ₂ MW: 160.17 MP: 125-127°C	100 mg	\$99.00
020582	8-ACETYL-6,7-DIMETHOXYCOUMARIN C ₁₃ H ₁₂ O ₅ MW: 248.23 MP: 95.5-97°C	25 mg	\$120.00
020584	8-ACETYL-6-HYDROXY-7-METHOXYCOUMARIN C ₁₂ H ₁₀ O ₅ MW: 234.21 MP: 196.7-199°C	25 mg	\$167.00
25-004	8-ACETYL-7-HYDROXY-4-METHYLCOUMARIN [2555-29-5] C ₁₂ H ₁₀ O ₄ MW: 218.21 MP: 170-172°C	1 gm	\$120.00
020583	8-ACETYL-7-HYDROXYCOUMARIN [6748-68-1] C ₁₁ H ₈ O ₄ MW: 204.18 MP: 168-170°C	25 mg	\$120.00
020585	8-ACETYL-7-METHOXYCOUMARIN [89019-07-8] C ₁₂ H ₁₀ O ₄ MW: 218.21 MP: 116.3-117.6°C	25 mg	\$120.00
19-227	8-ALLYLOXYPSORALEN C ₁₄ H ₁₀ O ₄ MW: 242.23 MP: 80.5-81.6°C	100 mg	\$154.00
19-358	8-BROMO-3(3'-BROMOPHENYL)-6-CHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ Br ₂ ClO ₂ MW: 428.51 MP: 170.8-173°C	250 mg	\$60.00
19-213	8-BROMO-3(4'-BROMOPHENYL)-6-CHLORO-4-METHYLCOUMARIN C ₁₆ H ₉ Br ₂ ClO ₂ MW: 428.51 MP: 258-260°C	1 gm	\$120.00
19-231	8-BROMO-3(4'-BROMOPHENYL)-6-CHLORO-4-PHENYLCOUMARIN C ₂₁ H ₁₁ Br ₂ ClO ₂ MW: 490.58 MP: 220.5-222.8°C	250 mg	\$156.00
19-179	8-BROMO-6-CHLORO-3(2',4'-DICHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₈ BrCl ₃ O ₂ MW: 418.50 MP: 210.5-213°C	1 gm	\$96.00
19-161	8-BROMO-6-CHLORO-3(3'-CHLOROPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₉ BrClO ₂ MW: 384.06 MP: 169-171°C	1 gm	\$78.00
19-238	8-BROMO-6-CHLORO-3(4'-HYDROXYPHENYL)-4-METHYLCOUMARIN C ₁₆ H ₁₀ BrClO ₃ MW: 365.61 MP: 231.5-232.8°C	250 mg	\$140.00
19-183	8-BROMO-6-CHLORO-3(4'-METHOXYPHENYL)-4-METHYLCOUMARIN C ₁₇ H ₁₂ BrClO ₃ MW: 379.63 MP: 184-185°C	1 gm	\$114.00
19-234	8-BROMO-6-CHLORO-3-CYANO-4-METHYLCOUMARIN C ₁₁ H ₅ BrClNO ₂ MW: 298.52 MP: 252-254.1°C	250 mg	\$144.00
19-740	8-BROMO-6-CHLORO-4-HYDROXYCOUMARIN C ₉ H ₄ BrClO ₃ MW: 275.49 MP: 300°C (d)	250 mg	\$64.00
19-184	8-BROMO-6-CHLORO-4-METHYL-3-PHENYLCOUMARIN C ₁₆ H ₁₀ BrClO ₂ MW: 349.61 MP: 155.2-156.5°C	1 gm	\$120.00
19-267	8-CHLORO-4-METHYL-3-PHENYLCOUMARIN C ₁₆ H ₁₁ ClO ₂ MW: 270.72 MP: 217.5-219°C	250 mg	\$84.00
19-627	8-HYDROXY-7-METHOXYCOUMARIN [19492-03-6] (Daphnetin-7-methylether) C ₁₀ H ₈ O ₄ MW: 192.17 MP: 174-176.2°C	25 mg	\$100.00
19-675	8-METHOXY-3(4'-METHOXYPHENYL)COUMARIN C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 145.5-147°C	250 mg	\$60.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-884	8-METHOXYCOUMARIN [2445-81-0] C ₁₀ H ₈ O ₃ MW: 176.17 MP: 88-89°C	250 mg	\$90.00
19-674	8-METHOXYCOUMARIN-3-CARBOXYLIC ACID C ₁₁ H ₈ O ₅ MW: 220.18 MP: 213.8-216°C	250 mg	\$68.00
19-335	BERGAMOTTIN [7380-40-7] (5-Geranyloxypsoralen) C ₂₁ H ₂₂ O ₄ MW: 338.40 MP: 53-54°C	25 mg	\$98.00
020550S	BERGAMOTTIN with HPLC [7380-40-7] (5-Geranyloxypsoralen) C ₂₁ H ₂₂ O ₄ MW: 338.40 MP: 59-61°C	25 mg	\$264.00
020503	BERGAPTEN [484-20-8] (5-Methoxypsoralen; Heraclin; Majudin; 5-MOP) C ₁₂ H ₈ O ₄ MW: 216.19 MP: 188°C	1 gm	\$204.00
020552S	BERGAPTEN with HPLC [484-20-8] (5-Methoxypsoralen; Heraclin; Majudin; 5-MOP) C ₁₂ H ₈ O ₄ MW: 216.19 MP: 188-191°C	20 mg	\$135.00
19-230	BERGAPTOL [486-60-2] (4-Hydroxypsoralen; 5-Hydroxypsoralen) C ₁₁ H ₆ O ₄ MW: 202.17 MP: 287-290°C	100 mg	\$180.00
020590S	BERGAPTOL with HPLC [486-60-2] (4-Hydroxypsoralen; 5-Hydroxypsoralen) C ₁₁ H ₆ O ₄ MW: 202.17 MP: 285-287°C	10 mg	\$301.00
C-106	COUMARIN [91-64-5] (1-Benzopyran-2-one) C ₉ H ₆ O ₂ MW: 146.15 MP: 68-70°C	5 gm	\$25.00
020507S	COUMARIN with GC [91-64-5] (1-Benzopyran-2-one) C ₉ H ₆ O ₂ MW: 146.15	25 mg	\$87.00
28-001	COUMARIN-6-CARBOXALDEHYDE C ₁₀ H ₆ O ₃ MW: 174.15 MP: 192-194°C	250 mg	\$40.00
28-002	COUMARIN-6-SULFONYL CHLORIDE C ₉ H ₅ ClO ₄ S MW: 244.66 MP: 110-113°C	250 mg	\$44.00
020535	COUMESTROL [479-13-0] (7,12-Dihydroxycoumestan) C ₁₅ H ₈ O ₅ MW: 268.23 MP: >380-385°C	10 mg	\$173.00
027600S	COUMESTROL DIMETHYLETHER [3172-99-4] (7,12-Dimethoxycoumestan) C ₁₇ H ₁₂ O ₅ MW: 296.28	10 mg	\$310.00
020509	DICUMAROL [66-76-2] (3,3'-Methylene-bis(4-hydroxycoumarin)) C ₁₉ H ₁₂ O ₆ MW: 336.30 MP: 286-289°C	5 gm	\$65.00
020565	DIMETHYLFRAXETIN [6035-49-0] C ₁₂ H ₁₂ O ₅ MW: 236.24 MP: 104-105°C	10 mg	\$176.00
D-108	ESCULETIN [305-01-1] (Cichorigenin, 6,7-Dihydroxycoumarin) C ₉ H ₆ O ₄ MW: 178.15 MP: 271-273°C	1 gm	\$45.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

020514	ESCULETIN DIBENZYLEETHER [909-84-2] (6,7-Dibenzylcoumarin) C ₂₃ H ₁₈ O ₄ MW: 358.37 MP: ~164-166°C	100 mg	\$216.00
06-014	ESCULIN [531-75-9] (6,7-Dihydroxycoumarin-6-O-glucoside; Esculetin-6-O-glucoside) C ₁₅ H ₁₆ O ₉ MW: 340.29 MP: 208-209°C	5 gm	\$25.00
06-042	ESCULIN SESQUIHYDRATE [66778-17-4] (6,7-Dihydroxycoumarin 6-glucoside, Aesculin, Aesculinum, Esculetin-6-beta-D-glucopyranoside) MP: 195-198°C	100 gm	\$445.00
19-671	ETHYL 8-METHOXYCOUMARIN-3-CARBOXYLATE C ₁₃ H ₁₂ O ₅ MW: 248.24 MP: 94-96°C	250 mg	\$68.00
28-003	ETHYL-7-HYDROXYCOUMARIN-4-CARBOXYLATE [1084-45-3] C ₁₂ H ₁₀ O ₅ MW: 234.21 MP: 149-151°C	250 mg	\$40.00
15-002	ETHYLCOUMARIN-3-CARBOXYLATE [1846-76-0] (Coumarin-3-carboxylic acid ethyl ester) C ₁₂ H ₁₀ O ₄ MW: 218.21 MP: 93-95°C	1 gm	\$28.00
020532	FRAXETIN [574-84-5] (7,8-Dihydroxy-6-methoxycoumarin; 7,8-Dihydroxy-6-methoxy-2H-chromen-2-one) C ₁₀ H ₈ O ₅ MW: 208.17 MP: ~228°C	100 mg	\$299.00
020525	FRAXIDIN [525-21-3] (8-Hydroxy-6,7-dimethoxycoumarin) C ₁₁ H ₁₀ O ₅ MW: 222.20 MP: 196-197°C	10 mg	\$310.00
020588S	FRAXIN with HPLC [524-30-1] (Fraxetin-8-O-glucoside) C ₁₆ H ₁₈ O ₁₀ MW: 370.31 MP: ~205°C	10 mg	\$175.00
19-226	IMPERATORIN [482-44-0] (Marmelosin; Ammidin; 8-Isoamlylenoxypsoralen) C ₁₆ H ₁₄ O ₄ MW: 270.29 MP: 95-99°C	25 mg	\$125.00
020519S	IMPERATORIN with HPLC [482-44-0] (Marmelosin; Ammidin; 8-Isoamlylenoxypsoralen) C ₁₆ H ₁₄ O ₄ MW: 270.28 MP: 99°C	5 mg	\$90.00
020538S	ISOBERGAPTEN with HPLC [482-48-4] (5-Hydroxyangelicin methylether) C ₁₂ H ₈ O ₄ MW: 216.19 MP: 222°C	10 mg	\$390.00
19-661	ISOPIMPINELLIN with HPLC [482-27-9] (4,9-Dimethoxypsoralen; 5,9-Dimethoxypsoralen) C ₁₃ H ₁₀ O ₅ MW: 246.22 MP: 149-151°C	25 mg	\$120.00
04-298	L-ARGININE-7-AMIDO-4-METHYLCOUMARIN HYDROCHLORIDE [69304-16-1] (H-Arg-AMC .HCl) C ₁₆ H ₂₁ N ₃ O ₃ HCl MW: 331.38	25 mg	\$99.00
19-852	METHYL 7-HYDROXYCOUMARIN-4-ACETATE C ₁₂ H ₁₀ O ₅ MW: 234.21 MP: 221-223°C	250 mg	\$70.00
19-853	METHYL 7-METHOXYCOUMARIN-4-ACETATE C ₁₃ H ₁₂ O ₅ MW: 248.24 MP: 121-122°C	250 mg	\$68.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-784	METHYL-6,7-DIHYDROXYCOUMARIN-4-ACETATE C ₁₂ H ₁₀ O ₆ MW: 250.21 MP: 253-255.6°C	250 mg	\$84.00
19-785	METHYL-6,7-DIMETHOXYCOUMARIN-4-ACETATE C ₁₄ H ₁₄ O ₆ MW: 278.26 MP: 183.8-185.8°C	250 mg	\$80.00
19-479	N-SUCCINIMIDYL-7-HYDROXY-4-METHYL-3-COUMARINNYL ACETATE [96735-88-5] C ₁₆ H ₁₃ NO ₇ MW: 331.28 MP: 225-227.5°C	50 mg	\$110.00
020504	PSORALEN [66-97-7] (Ficusin) C ₁₁ H ₆ O ₃ MW: 186.16 MP: 161-163°C	50 mg	\$195.00
020553S	PSORALEN with HPLC [66-97-7] (Ficusin) C ₁₁ H ₆ O ₃ MW: 186.16 MP: 162-164°C	10 mg	\$120.00
020580	TRIOXSALEN [3902-71-4] (2,5,9-Trimethylpsoralen) C ₁₄ H ₁₂ O ₃ MW: 228.24 MP: 234°C	1 gm	\$210.00
020530	XANTHOTOXIN [298-81-7] (Methoxsalen; 8-methoxypsoralen) C ₁₂ H ₈ O ₄ MW: 216.19 MP: ~146°C	250 mg	\$115.00
020534	XANTHOTOXOL [2009-24-7] (8-Hydroxypsoralen) C ₁₁ H ₆ O ₄ MW: 202.16 MP: 241-244°C	50 mg	\$201.00
19-353	XANTHOTOXOL GERANYL ETHER [7437-55-0] (8-Geranyloxypsoralen) C ₂₁ H ₂₂ O ₄ MW: 338.41 MP: 54-56°C	10 mg	\$340.00

Flavanones

CAT #	Product	QTY	Price
021283S	(-)-HOMOERIODICTYOL with HPLC [446-71-9] (Eriodictyonone; 5,7,4'-Trihydroxy-3'-methoxyflavanone) C ₁₆ H ₁₄ O ₆ MW: 302.29 MP: 226-229°C	5 mg	\$303.00
021150S	(-)-LIQUIRITIGENIN with HPLC [578-86-9] (-)-(2S)-7,4'-Dihydroxyflavanone) C ₁₅ H ₁₂ O ₄ MW: 256.26 MP: 206-208°C	20 mg	\$195.00
021359S	(+)-3,5,7,3',4'-PENTAHYDROXYFLAVANONE with HPLC [17654-26-1] (+)-Taxifolin, (2R,3R)-Dihydroquercetin) C ₁₅ H ₁₂ O ₇ MW: 304.26	20 mg	\$308.00
021408S	(+/-)-DIHYDROMYRICETIN C ₁₅ H ₁₂ O ₈ MW: 320.26	10 mg	\$255.00
22-220	2',3'-DIMETHOXYFLAVANONE C ₁₇ H ₁₅ O ₄ MW: 283.31 MP: 93°C	100 mg	\$42.00
H-021	2'-HYDROXYFLAVANONE [17348-76-4] C ₁₅ H ₁₂ O ₃ MW: 240.26 MP: 164-165°C	250 mg	\$50.00
22-316	3',4'-DIMETHOXYFLAVANONE C ₁₇ H ₁₅ O ₄ MW: 283.31 MP: 122-124°C	250 mg	\$76.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

P-101	3,5,7,3',4'-PENTAHYDROXYFLAVANONE [480-18-2] ($\pm$) Taxifolin $C_{15}H_{12}O_7$ MW: 304.26 MP: 230-233°C	25 mg	\$48.00
021339S	3,7,3',4'-TETRAHYDROXYFLAVANONE with HPLC [20725-03-5] (Fustin with HPLC) $C_{15}H_{12}O_6$ MW: 288.26 MP: 217-219°C	5 mg	\$598.00
H-408	3'-HYDROXYFLAVANONE [92496-65-6] $C_{15}H_{12}O_3$ MW: 240.26 MP: 134-137°C	250 mg	\$20.00
19-837	4',5,7-TRIMETHOXYFLAVANONE $C_{18}H_{18}O_5$ MW: 314.34 MP: 125-127°C	100 mg	\$54.00
22-342	4'-HYDROXY-3'-METHOXYFLAVANONE $C_{16}H_{14}O_4$ MW: 270.29 MP: 172-174°C	250 mg	\$90.00
H-022	4'-HYDROXYFLAVANONE [6515-37-3] $C_{15}H_{12}O_3$ MW: 240.26 MP: 185-185°C	250 mg	\$44.00
M-008	4'-METHOXYFLAVANONE [97005-76-0] $C_{16}H_{14}O_3$ MW: 254.29 MP: 92-94°C	1 gm	\$90.00
22-383	5,2',3'-TRIMETHOXYFLAVANONE $C_{18}H_{18}O_5$ MW: 314.34 MP: 137-138°C	50 mg	\$90.00
021247S	5,4'-DIHYDROXY-7-METHOXYFLAVANONE with HPLC [2957-21-3] (Sakuranetin with HPLC) $C_{16}H_{14}O_5$ MW: 286.29 MP: 153-154°C	10 mg	\$210.00
021039	5,7-DIHYDROXY-3',4',5'-TRIMETHOXYFLAVANONE [62252-10-2] $C_{18}H_{18}O_7$ MW: 346.34 MP: 227-230°C	10 mg	\$560.00
021162	5,7-DIHYDROXYFLAVANONE [68745-38-0] (Pinocembrin) $C_{15}H_{12}O_4$ MW: 256.26 MP: ~190°C	100 mg	\$162.00
H-107	5,7-DIMETHOXY-4'-HYDROXYFLAVANONE [26207-67-0] $C_{17}H_{16}O_5$ MW: 300.31 MP: 209-212°C	50 mg	\$96.00
D-202	5,7-DIMETHOXYFLAVANONE [1036-72-2] (Pinocembrin dimethylether) $C_{17}H_{16}O_4$ MW: 284.32 MP: 143-146°C	50 mg	\$32.00
021095	5-HYDROXY-7-METHOXYFLAVANONE [480-37-5] (Pinocembrin-7-methylether, Pinostrobin) $C_{16}H_{14}O_4$ MW: 270.29 MP: 99-100.6°C	25 mg	\$175.00
M-009	5-METHOXYFLAVANONE [55947-36-9] $C_{16}H_{14}O_3$ MW: 254.29 MP: 141-143°C	1 gm	\$96.00
22-202	6,2',3'-TRIMETHOXYFLAVANONE $C_{18}H_{18}O_5$ MW: 314.34 MP: 96-98°C	100 mg	\$40.00
22-321	6,2',4'-TRIMETHOXYFLAVANONE $C_{18}H_{18}O_5$ MW: 314.34 MP: 159-160°C	250 mg	\$52.00
22-339	6,2'-DIHYDROXYFLAVANONE $C_{15}H_{12}O_4$ MW: 256.26 MP: 175-176°C	250 mg	\$90.00
22-224	6,3',4'-TRIMETHOXYFLAVANONE $C_{18}H_{18}O_5$ MW: 314.34 MP: 175-176°C	100 mg	\$35.00
22-365	6,3'-DIMETHOXYFLAVANONE $C_{17}H_{16}O_4$ MW: 283.31 MP: 102-104°C	50 mg	\$60.00
19-383	6-CHLORO-3',4'-DIMETHOXYFLAVANONE $C_{17}H_{15}ClO_4$ MW: 318.76 MP: 132-134°C	250 mg	\$56.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-382	6-CHLORO-4'-METHYLFLAVANONE C ₁₆ H ₁₃ ClO ₂ MW: 272.73 MP: 100.7-101.8°C	250 mg	\$56.00
H-023	6-HYDROXYFLAVANONE [4250-77-5] C ₁₅ H ₁₂ O ₃ MW: 240.26 MP: 219-220°C	250 mg	\$24.00
M-010	6-METHOXYFLAVANONE [3034-04-6] C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 141-142°C	1 gm	\$72.00
22-218	7,2',3'-TRIMETHOXYFLAVANONE C ₁₈ H ₁₈ O ₅ MW: 314.34 MP: 94-95°C	100 mg	\$42.00
22-351	7,3',4',5'-TETRAMETHOXYFLAVANONE C ₁₉ H ₂₀ O ₆ MW: 344.37 MP: 147-149°C	100 mg	\$126.00
H-024	7-HYDROXYFLAVANONE [6515-36-2] C ₁₅ H ₁₂ O ₃ MW: 240.26 MP: 188-190°C	500 mg	\$45.00
M-011	7-METHOXYFLAVANONE [21785-09-1] (7-Hydroxyflavanone methylether) C ₁₆ H ₁₄ O ₃ MW: 254.29 MP: 89-90°C	1 gm	\$96.00
19-379	8-CHLORO-4'-FLUOROFLAVANONE C ₁₅ H ₁₀ ClFO ₂ MW: 276.70 MP: 98.6-100.6°C	250 mg	\$120.00
19-381	8-CHLORO-4'-METHYLFLAVANONE C ₁₆ H ₁₃ ClO ₂ MW: 272.73 MP: 74-75°C	250 mg	\$60.00
19-380	8-CHLOROFLAVANONE [66883-86-1] C ₁₅ H ₁₁ ClO ₂ MW: 258.71 MP: 59-60°C	250 mg	\$52.00
021237S	BAVACHININ with HPLC [19879-30-2] (4'-Hydroxy-7-methoxy-6-prenylflavanone) C ₂₁ H ₂₂ O ₄ MW: 338.41 MP: 139-145°C	20 mg	\$199.00
021166S	DIDYMIN [14259-47-3] (Neoponcirin, Isosakuranetin-7-O-rutinoside) C ₂₈ H ₃₄ O ₁₄ MW: 594.57	10 mg	\$175.00
021351	DIHYDROMYRICETIN [27200-12-0] (3,5,7,3',4',5'-Hexahydroxyflavanone, Ampelopsin) C ₁₅ H ₁₂ O ₈ MW: 320.26	20 mg	\$145.00
021037	DIHYDROROBINETIN [70460-55-8] (3,3',4',5',7-Pentahydroxyflavanone) C ₁₅ H ₁₂ O ₇ MW: 304.27 MP: ~260°C	10 mg	\$175.00
021110S	ERIODICTRIN with HPLC [13463-28-0] (Eriodictyol-7-O-rutinoside) C ₂₇ H ₃₂ O ₁₅ MW: 596.56 MP: 161-190°C	5 mg	\$145.00
020056	ERIODICTYOL [552-58-9] (2-[3,4-Dihydroxyphenyl]2,3-dihydro-5,7-dihydroxy-4H-1benzopyran-4-one)) C ₁₅ H ₁₂ O ₆ MW: 288.26 MP: 270°C (d)	10 mg	\$30.00
021111S	ERIODICTYOL with HPLC [552-58-9] (5,7,3',4'-Tetrahydroxyflavanone with HPLC) C ₁₅ H ₁₂ O ₆ MW: 288.26 MP: 270°C	20 mg	\$195.00
021112S	ERIODICTYOL-7-O-GLUCOSIDE with HPLC [38965-51-4] (Pyracanthoside) C ₂₁ H ₂₂ O ₁₁ MW: 450.39 MP: 171-176°C	20 mg	\$245.00



FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

020058S	FLAVANOMAREIN with HPLC [577-38-8] (Isokanin-7-O-glucoside; 3',4',7,8-Tetrahydroxyflavanone-7-O-glucoside) C ₂₁ H ₂₂ O ₁₁ MW: 450.39 MP: 243-246°C	20 mg	\$399.00
D-001	FLAVANONE [487-26-3] (2,3-Dihydroflavone) C ₁₅ H ₁₂ O ₂ MW: 224.26 MP: 76-78°C	25 gm	\$70.00
16-003	FLAVANONE AZINE C ₃₀ H ₂₄ N ₂ O ₂ MW: 444.55	-	INQUIRE
021208	FLAVANONE DIACETYL HYDRAZONE C ₁₉ H ₁₈ N ₂ O ₃ MW: 322.35 MP: 149-151°C	50 mg	\$120.00
H-103	HESPERETIN [520-33-2] (5,7,3'-Trihydroxy-4'-methoxyflavanone) C ₁₆ H ₁₄ O ₆ MW: 302.29 MP: 229-231°C	20 mg	\$110.00
06-017	HESPERIDIN [520-26-3] (Hesperetin-7-O-rutinoside) C ₂₈ H ₃₄ O ₁₅ MW: 610.57 MP: 246-248.5°C	5 gm	\$91.00
021116S	HESPERIDIN with HPLC [520-26-3] (Hesperetin-7-O-rutinoside) C ₂₈ H ₃₄ O ₁₅ MW: 610.57 MP: 257-261°C	10 mg	\$125.00
020091	HOMOERIODICTYOL [69097-98-9] (4',5,7-Trihydroxy-3'-methoxyflavanone) C ₁₆ H ₁₄ O ₆ MW: 302.29 MP: 223-225°C	50 mg	\$549.00
021118S	HOMOERIODICTYOL with HPLC [69097-98-9] (4',5,7-Trihydroxy-3'-methoxyflavanone) C ₁₆ H ₁₄ O ₆ MW: 302.29 MP: 225-227°C	10 mg	\$285.00
021439S	HOMOHESPERETIN [89294-54-2] (5,7-Dihydroxy-3',4'-dimethoxyflavanone;Hesperetin-3'-methylester) C ₁₇ H ₁₆ O ₆ MW: 316.31	5 mg	\$436.00
021122S	ISOSAKURANETIN with HPLC [480-43-3] (5,7-Dihydroxy-4'-methoxyflavanone) C ₁₆ H ₁₄ O ₅ MW: 286.29 MP: 196-197°C	10 mg	\$195.00
N-101	NARINGENIN [480-41-1] (5,7,4'-Trihydroxyflavanone; 2,3-dihydro-5,7-dihydroxy-2-(4-hydroxyphenyl)-4H-1-benzopyran-4-one) C ₁₅ H ₁₂ O ₅ MW: 272.26 MP: 244-245°C	5 gm	\$25.00
021128S	NARINGENIN with HPLC [480-41-1] (5,7,4'-Trihydroxyflavanone) C ₁₅ H ₁₂ O ₅ MW: 272.26 MP: 254-256°C	10 mg	\$105.00
021160S	NARINGENIN-7-O-GLUCOSIDE with HPLC [529-55-5] (Prunin with HPLC) C ₂₁ H ₂₂ O ₁₀ MW: 434.39 MP: 222-224°C	10 mg	\$265.00
06-020	NARINGIN [10236-47-2] (Naringenin-7-O-neohesperidoside) C ₂₇ H ₃₂ O ₁₄ MW: 580.54 MP: 250°C	100 gm	\$95.00
021129S	NARINGIN with HPLC [10236-47-2] (Naringenin-7-O-neohesperidoside) C ₂₇ H ₃₂ O ₁₄ MW: 580.54 MP: 171°C	10 mg	\$120.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

021130S	NARIRUTIN with HPLC [14259-46-2] (Naringenin-7-O-rutinoside; Isonaringin) C ₂₇ H ₃₂ O ₁₄ MW: 580.54 MP: 155-165°C	5 mg	\$175.00
021131S	NEOERIOCITRIN with HPLC [13241-32-2] (Eriodictyol-7-O-neohesperidoside) C ₂₇ H ₃₂ O ₁₅ MW: 596.54 MP: 227-234°C	10 mg	\$360.00
021132S	NEOHESPERIDIN with HPLC [13241-33-3] (Hesperetin-7-O-neohesperidoside) C ₂₈ H ₃₄ O ₁₅ MW: 610.57 MP: 244°C	20 mg	\$145.00
021391	PINOBANKSIN [548-82-3] ((2R,3R)-3,5,7-Trihydroxyflavanone) C ₁₅ H ₁₂ O ₅ MW: 272.26	5 mg	\$525.00
021133S	PONCIRIN with HPLC [14941-08-3] (Isosakuranetin-7-O-neohesperidoside) C ₂₈ H ₃₄ O ₁₄ MW: 594.57 MP: 177°C	10 mg	\$310.00
021040	SILYBIN [802918-57-6] (Silymarin, Silibinin) C ₂₅ H ₂₂ O ₁₀ MW: 482.44 MP: 164-174°C	1 gm	\$186.00
22-410	α-NAPHTHOFLAVANONE C ₁₉ H ₁₄ O ₂ MW: 274.32 MP: 127-127°C	100 mg	\$105.00
22-402	β-NAPHTHOFLAVANONE MW: 272.32 MP: 116-117°C	100 mg	\$96.00

Flavones

CAT #	Product	QTY	Price
021435S	(-)-DIHYDROMYRICETIN C ₁₅ H ₁₂ O ₈ MW: 320.26	5 mg	\$656.00
19-923	2',3',4'-TRIHIDROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 252-255°C	100 mg	\$70.00
D-406	2',3'-DIHYDROXYFLAVONE [2554-85-0] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 246-248°C	100 mg	\$25.00
22-219	2',3'-DIMETHOXY-3-HYDROXYFLAVONE C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 168-169°C	100 mg	\$36.00
D-603	2',3'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 81-85°C	250 mg	\$38.00
D-407	2',4'-DIHYDROXYFLAVONE [170310-00-6] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 285-286°C	100 mg	\$28.00
22-304	2',4'-DIMETHOXY-3-HYDROXY-6-METHYLFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 231-233°C	250 mg	\$58.00
22-211	2',4'-DIMETHOXY-3-HYDROXYFLAVONE [95382-87-9] C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 198-201°C	100 mg	\$36.00
D-420	2',4'-DIMETHOXYFLAVONE [63487-16-1] C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 128-130°C	100 mg	\$35.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-834	2',5'-DIMETHOXY-6-FLUOROFLAVONE C ₁₇ H ₁₃ FO ₄ MW: 300.29 MP: 160-161.7°C	100 mg	\$54.00
19-833	2',5'-DIMETHOXYFLAVONE [74670-10-3] C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 108.5-112°C	100 mg	\$65.00
19-203	2',6'-DICHLORO-7-METHYLFLAVONE C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 182.3-184.7°C	1 gm	\$99.00
19-386	2'-BROMO-6-CHLOROFLAVONE C ₁₅ H ₈ BrClO ₂ MW: 335.58 MP: 146-148°C	250 mg	\$60.00
26-2818	2'-CHLORO-6-FLUOROFLAVONE [213894-65-6] MW: 274.68	1 gm	\$185.00
19-211	2'-CHLORO-6-METHYLFLAVONE C ₁₆ H ₁₁ ClO ₂ MW: 270.72 MP: 98.8-99.9°C	1 gm	\$108.00
19-210	2'-CHLOROFLAVONE C ₁₅ H ₉ ClO ₂ MW: 256.69 MP: 119-120°C	1 gm	\$114.00
H-409	2'-HYDROXYFLAVONE C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 247-249°C	1 gm	\$45.00
H-510	2'-HYDROXY-α-NAPHTHOFLAVONE C ₁₉ H ₁₂ O ₃ MW: 288.29 MP: 299-300°C	250 mg	\$84.00
H-603	2'-HYDROXY-β-NAPHTHOFLAVONE C ₁₉ H ₁₂ O ₃ MW: 288.29 MP: 280-282°C	100 mg	\$35.00
22-361	2'-METHOXY-6-METHYLFLAVONE C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 111-113°C	100 mg	\$54.00
M-404	2'-METHOXY-a-NAPHTHOFLAVONE (2'-Methoxy-7,8-benzoflavone) C ₂₀ H ₁₄ O ₃ MW: 302.31 MP: 164-165°C	250 mg	\$49.00
M-405	2'-METHOXY-b-NAPHTHOFLAVONE C ₂₀ H ₁₄ O ₃ MW: 302.33 MP: 188-189°C	250 mg	\$32.00
M-012	2'-METHOXYFLAVONE [19725-47-4] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 100-105°C	1 gm	\$32.00
22-381	3,2',4',5',6-PENTAMETHOXYFLAVONE C ₂₀ H ₂₀ O ₇ MW: 372.38 MP: 139-141°C	50 mg	\$81.00
22-382	3,2',4',5'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 111-114°C	50 mg	\$87.00
D-252	3,2'-DIHYDROXYFLAVONE [6068-76-4] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 200-202°C	250 mg	\$78.00
D-421	3,2'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 145-147°C	100 mg	\$25.00
T-601	3,3',4'-TRIHYDROXYFLAVONE [6068-78-6] (3',4'-Dihydroxyflavonol) C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 294-297°C	100 mg	\$48.00
22-356	3,3',4'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 167-169°C	250 mg	\$90.00
22-399	3,3',7,8-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 121-123°C	50 mg	\$81.00
D-602	3,3'-DIHYDROXYFLAVONE [55977-09-8] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 229-233°C	250 mg	\$36.00
D-422	3,3'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 86-88°C	100 mg	\$28.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

021342	3',4',5,7-TETRAHYDROXY-3-METHOXYFLAVONE [1486-70-0] (Quercetin-3-methylether, 3-O-Methylquercetin) C ₁₆ H ₁₂ O ₇ MW: 316.27 MP: >300°C	5 mg	\$505.00
D-413	3',4'-DIHYDROXY-α-NAPHTHOFLAVONE C ₁₉ H ₁₂ O ₄ MW: 304.29 MP: 316-318°C	100 mg	\$30.00
D-258	3',4'-DIHYDROXYFLAVONE [4143-64-0] (4-Hydroxyflavonol) C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 250-252°C	100 mg	\$45.00
22-206	3,4'-DIHYDROXYFLAVONE [14919-49-4] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 275-276°C	100 mg	\$38.00
D-414	3',4'-DIHYDROXY-β-NAPHTHOFLAVONE C ₁₉ H ₁₂ O ₄ MW: 304.29 MP: 310-312°C	100 mg	\$30.00
22-317	3',4'-DIMETHOXY-3-HYDROXY-6-METHYLFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 200-201°C	250 mg	\$76.00
D-604	3',4'-DIMETHOXY-3-HYDROXYFLAVONE (3',4-Dimethoxyflavonol) C ₁₇ H ₁₄ O ₅ MW: 298.28 MP: 203-205.5°C	250 mg	\$30.00
T-110	3,4'-DIMETHOXY-5,7,3'-TRIHYDROXYFLAVONE [33429-83-3] (5,7,3'-Trihydroxyflavone-3,4'-dimethoxyflavone) C ₁₇ H ₁₄ O ₇ MW: 330.30 MP: 229-230°C	5 mg	\$96.00
D-432	3',4'-DIMETHOXY-α-NAPHTHOFLAVONE [14756-24-2] C ₂₁ H ₁₆ O ₄ MW: 332.36 MP: 191-193°C	100 mg	\$28.00
D-433	3',4'-DIMETHOXY-β-NAPHTHOFLAVONE C ₂₁ H ₁₆ O ₄ MW: 332.34 MP: 167-168°C	25 mg	\$54.00
D-204	3',4'-DIMETHOXYFLAVONE [4143-62-8] C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 153-155°C	100 mg	\$35.00
D-423	3,4'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 106-108°C	250 mg	\$26.00
M-116	3,5,7-TRIHYDROXY-3',4',5'-TRIMETHOXYFLAVONE [146132-95-8] (Myricetin trimethyl ether) C ₁₈ H ₁₆ O ₈ MW: 360.32 MP: >300°C (d)	10 mg	\$186.00
19-868	3',5'-DIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 253-256°C	100 mg	\$45.00
D-408	3,5-DIHYDROXYFLAVONE [6665-69-6] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 146-147°C	100 mg	\$65.00
021239S	3',5'-DIMETHOXY-3,5,7,4'-TETRAHYDROXYFLAVONE with HPLC [4423-37-4] (Syringetin) C ₁₇ H ₁₄ O ₈ MW: 346.29 MP: 287-289°C	10 mg	\$396.00
020077	3',5'-DIMETHOXY-4',5,7-TRIHYDROXYAURONE [1427795-52-5] C ₁₇ H ₁₄ O ₉ MW: 330.29	5 mg	\$596.00
D-424	3,5-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30	100 mg	\$40.00
22-318	3,6,2',3'-TETRAHYDROXYFLAVONE C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: 269-270°C	250 mg	\$56.00
22-319	3,6,2',3'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 132-133°C	250 mg	\$60.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

22-387	3,6,2',4',5'-PENTAHYDROXYFLAVONE () C ₁₅ H ₁₀ O ₇ MW: 302.24 MP: >300°C	100 mg	\$117.00
22-205	3,6,2',4'-TETRAHYDROXYFLAVONE C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: 284-285°C	100 mg	\$38.00
22-355	3,6,2'-TRIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 239.7-245.6°C	250 mg	\$68.00
22-352	3,6,2'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 113-115°C	250 mg	\$90.00
22-344	3,6,3',4'-TETRAHYDROXYFLAVONE C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: 335-336°C	250 mg	\$88.00
22-309	3,6,3',4'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 165-167°C	250 mg	\$52.00
22-334	3,6,3'-TRIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 300°C	250 mg	\$64.00
22-335	3,6,3'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 117-119°C	250 mg	\$60.00
T-405	3,6,4'-TRIHYDROXYFLAVONE [253195-19-6] C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 338-340°C	100 mg	\$45.00
D-256	3,6-DIHYDROXYFLAVONE [108238-41-1] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 233-238°C	100 mg	\$35.00
D-425	3,6-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 128-130°C	250 mg	\$26.00
22-388	3,7,2',4',5'-PENTAMETHOXYFLAVONE C ₂₀ H ₂₀ O ₇ MW: 372.38 MP: 171-173°C	100 mg	\$90.00
P-103	3,7,3',4',5'-PENTAHYDROXYFLAVONE [490-31-3] (Robinetin) C ₁₅ H ₁₀ O ₇ MW: 302.25 MP: 326-328°C	10 mg	\$78.00
021138S	3,7,3',4',5'-PENTAHYDROXYFLAVONE with HPLC [490-31-3] (Robinetin) C ₁₅ H ₁₀ O ₇ MW: 302.25 MP: 326-328°C (d)	10 mg	\$310.00
22-346	3,7,3',4',5'-PENTAMETHOXYFLAVONE C ₂₀ H ₂₀ O ₇ MW: 372.38 MP: 148-149°C	50 mg	\$110.00
22-327	3,7,3'-TRIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 298-300°C	250 mg	\$60.00
22-328	3,7,3'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 118-120°C	250 mg	\$68.00
T-251	3,7,4'-TRIHYDROXYFLAVONE [2034-65-3] (5-Deoxykaempferol, Resokaempferol) C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 310-311°C	50 mg	\$51.00
22-406	3,7,8,2',4'-PENTAMETHOXYFLAVONE C ₂₀ H ₂₀ O ₇ MW: 372.38 MP: 145-147°C	50 mg	\$80.00
22-392	3,7,8,2'-TETRAHYDROXYFLAVONE C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: >300°C	50 mg	\$55.00
22-394	3,7,8,2'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 93-95°C	50 mg	\$63.00
22-400	3,7,8,4'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 147-149°C	50 mg	\$64.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

D-124	3,7-DIHYDROXY-3',4',5'-TRIMETHOXYFLAVONE [132594-09-3] (Robinetin trimethylether) C ₁₈ H ₁₆ O ₇ MW: 344.33 MP: 208-210°C	5 mg	\$215.00
D-111	3,7-DIHYDROXY-3',4'-DIMETHOXYFLAVONE [93322-61-3] (Fisetin-3',4'-dimethyl ether) C ₁₇ H ₁₄ O ₆ MW: 314.29 MP: 225-226°C	50 mg	\$78.00
D-257	3,7-DIHYDROXYFLAVONE [492-00-2] (7-Hydroxyflavonol) C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 257-259°C	250 mg	\$40.00
D-426	3,7-DIMETHOXYFLAVONE [20950-52-1] C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 121-122°C	250 mg	\$32.00
B-105	3'-BENZYLOXY-5,6,7,4'-TETRAMETHOXYFLAVONE [21764-08-9] C ₂₆ H ₂₄ O ₇ MW: 448.47 MP: 96-98°C	-	INQUIRE
22-379	3'-HYDROXY-2',4',5',6'-TETRAMETHOXYFLAVONE () C ₁₉ H ₁₈ O ₇ MW: 358.35 MP: 198-200°C	50 mg	\$76.00
22-375	3-HYDROXY-2',4',5'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 181-183°C	250 mg	\$70.00
H-252	3-HYDROXY-2'-METHOXYFLAVONE [29219-03-2] C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 211-212°C	250 mg	\$30.00
22-308	3-HYDROXY-3',4',5'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 188-190°C	250 mg	\$56.00
H-415	3-HYDROXY-3'-METHOXYFLAVONE [76666-32-5] C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 128-134°C	100 mg	\$30.00
22-306	3-HYDROXY-4'-METHOXY-6-METHYLFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.28 MP: 192-193°C	250 mg	\$52.00
H-253	3-HYDROXY-4'-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 233-234.5°C	100 mg	\$35.00
H-114	3'-HYDROXY-5,6,7,4'-TETRAMETHOXYFLAVONE [21764-09-0] (Eupatorin-5-methylether) C ₁₉ H ₁₈ O ₇ MW: 358.35 MP: 174-176°C	50 mg	\$70.00
H-416	3-HYDROXY-5-METHOXYFLAVONE [6665-81-2] (5-Methoxyflavonol) C ₁₆ H ₁₂ O ₄ MW: 268.27	250 mg	\$56.00
22-215	3-HYDROXY-6,2',3'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 214-215°C	100 mg	\$32.00
22-204	3-HYDROXY-6,2',4'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 191-193°C	100 mg	\$38.00
22-404	3-HYDROXY-6,3',4',5'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₇ MW: 358.35 MP: 162-163°C	50 mg	\$80.00
22-222	3-HYDROXY-6,3',4'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 189-190°C	-	INQUIRE
H-417	3-HYDROXY-6-METHOXYFLAVONE [93176-00-2] (6-Methoxyflavonol) C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 203-204°C	500 mg	\$45.00
22-386	3-HYDROXY-6-METHYL-3',4'-METHYLENEDIOXYFLAVONE C ₁₇ H ₁₂ O ₅ MW: 296.28 MP: 196-198°C	50 mg	\$72.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

22-407	3'-HYDROXY-6-METHYL-4'-METHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 192-194°C	50 mg	\$80.00
22-363	3'-HYDROXY-6-METHYLFLAVONE [468060-75-5] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 199.5-201.5°C	250 mg	\$90.00
M-407	3-HYDROXY-6-METHYLFLAVONE (6-Methylflavonol) C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 201-203°C	1 gm	\$43.00
22-216	3-HYDROXY-7,2',3'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 156-157°C	100 mg	\$30.00
22-201	3-HYDROXY-7,2',4'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 204-205°C	100 mg	\$34.00
22-345	3-HYDROXY-7,3',4',5'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₇ MW: 358.35 MP: 194-195°C	100 mg	\$95.00
22-403	3-HYDROXY-7,8,2',3'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₇ MW: 358.35 MP: 165-166°C	100 mg	\$98.00
22-405	3-HYDROXY-7,8,2',4'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₇ MW: 358.35 MP: 209-211°C	50 mg	\$75.00
22-390	3-HYDROXY-7,8,2'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 217-218°C	50 mg	\$68.00
22-391	3-HYDROXY-7,8,3'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 187-189°C	50 mg	\$57.00
22-398	3-HYDROXY-7,8,4'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₆ MW: 328.33 MP: 198-200°C	50 mg	\$81.00
H-418	3-HYDROXY-7-METHOXYFLAVONE [7478-60-6] (7-Methoxyflavonol) C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 177-180°C	500 mg	\$45.00
H-410	3'-HYDROXYFLAVONE [70460-18-3] C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 206-208°C	100 mg	\$35.00
F-004	3-HYDROXYFLAVONE [577-85-5] (Flavonol) C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 170-172°C	25 gm	\$98.00
22-331	3'-HYDROXY-α-NAPHTHOFLAVONE C ₁₉ H ₁₂ O ₃ MW: 288.29 MP: 257-261°C	250 mg	\$84.00
22-332	3'-HYDROXY-β-NAPHTHOFLAVONE C ₁₉ H ₁₂ O ₃ MW: 288.29 MP: 288-290°C	250 mg	\$80.00
22-359	3'-METHOXY-6-METHYLFLAVONE [88952-78-7] C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 133-135°C	100 mg	\$58.00
22-360	3'-METHOXY-8-METHYLFLAVONE C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 146-147°C	100 mg	\$54.00
22-409	3'-METHOXY-α-NAPHTHOFLAVONE C ₂₀ H ₁₄ O ₃ MW: 302.33 MP: 187-188°C	250 mg	\$30.00
M-601	3'-METHOXYFLAVONE [53906-83-5] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 132-134°C	250 mg	\$45.00
021188	3-METHOXYFLAVONE [7245-02-5] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 113-114°C	100 mg	\$96.00
19-887	4'-BENZYLOXY-5,7-DIMETHOXYFLAVONE C ₂₄ H ₂₀ O ₅ MW: 388.42 MP: 180-182°C	50 mg	\$81.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-316	4'-BROMO-6-CHLORO-7-METHYLFLAVONE C ₁₆ H ₁₀ BrClO ₂ MW: 349.61 MP: 239-240.5°C	250 mg	\$64.00
19-315	4'-BROMO-6-CHLOROFLAVONE C ₁₅ H ₈ BrClO ₂ MW: 335.58 MP: 250-251.7°C	250 mg	\$60.00
19-318	4'-BROMO-6-METHYLFLAVONE C ₁₆ H ₁₁ BrO ₂ MW: 315.17 MP: 212-214°C	250 mg	\$64.00
17-041	4'-CHLORO-6,8-DIBROMOFLAVONE C ₁₅ H ₇ Br ₂ ClO ₂ MW: 414.48 MP: 248-253°C	1 gm	\$75.00
26-2819	4'-CHLORO-6-FLUOROFLAVONE [288400-97-5] MW: 274.68	1 gm	\$195.00
17-044	4'-CHLORO-6-METHYLFLAVONE C ₁₆ H ₁₁ ClO ₂ MW: 270.72 MP: 202-205°C	1 gm	\$72.00
17-042	4'-CHLOROFLAVONE C ₁₅ H ₉ ClO ₂ MW: 256.69 MP: 168-170°C	1 gm	\$63.00
H-419	4'-HYDROXY-3'-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 192-194°C	100 mg	\$35.00
M-401	4'-HYDROXY-5-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 256-258°C	100 mg	\$84.00
M-402	4'-HYDROXY-6-METHOXYFLAVONE [4002-52-2] C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 229-231°C	100 mg	\$30.00
22-364	4'-HYDROXY-6-METHYLFLAVONE [288401-04-7] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 240.5-242.5°C	250 mg	\$84.00
M-403	4'-HYDROXY-7-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 257-260°C	100 mg	\$30.00
H-411	4'-HYDROXYFLAVONE [4143-63-9] C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 268-270°C	100 mg	\$30.00
H-432	4'-HYDROXY-α-NAPHTHOFLAVONE C ₁₉ H ₁₂ O ₃ MW: 288.29 MP: 316-318°C	100 mg	\$30.00
H-433	4'-HYDROXY-β-NAPHTHOFLAVONE C ₁₉ H ₁₂ O ₃ MW: 288.29 MP: 303-305°C	250 mg	\$30.00
M-409	4'-METHOXY-6-METHYLFLAVONE C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 170-171°C	100 mg	\$28.00
M-410	4'-METHOXY-8-METHYLFLAVONE C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 151-154°C	100 mg	\$28.00
M-251	4'-METHOXY-α-NAPHTHOFLAVONE C ₂₀ H ₁₄ O ₃ MW: 302.31 MP: 180-181°C	250 mg	\$28.00
M-252	4'-METHOXY-β-NAPHTHOFLAVONE C ₂₀ H ₁₄ O ₃ MW: 302.31 MP: 164-165°C	250 mg	\$40.00
M-013	4'-METHOXYFLAVONE [4143-74-2] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 157-158°C	250 mg	\$60.00
M-408	4'-METHOXYFLAVONOL [6889-78-7] C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 233-234°C	100 mg	\$32.00
19-311	4'-METHYLFLAVONE C ₁₆ H ₁₂ O ₂ MW: 236.27 MP: 114-115.3°C	250 mg	\$40.00
D-253	5,2'-DIHYDROXYFLAVONE [6674-39-1] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 268-269°C	10 mg	\$55.00
T-406	5,3',4'-TRIHYDROXYFLAVONE [19852-25-6] C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 310-312°C	100 mg	\$45.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

D-123	5,3'-DIHYDROXY-6,7,4'-TRIMETHOXYFLAVONE [855-96-9] (Eupatorin) C ₁₈ H ₁₆ O ₇ MW: 344.32 MP: 188.3-192.3°C	10 mg	\$255.00
D-409	5,3'-DIHYDROXYFLAVONE [6665-68-5] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 250-252°C	250 mg	\$60.00
D-427	5,3'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 124-127°C	100 mg	\$54.00
D-263	5,3'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 179-180°C	250 mg	\$30.00
D-115	5,4'-DIHYDROXY-7-METHOXYFLAVONE [437-64-9] (Genkwanin, 7-Methoxyapigenin) C ₁₆ H ₁₂ O ₅ MW: 284.27 MP: 288-290°C	50 mg	\$78.00
D-251	5,4'-DIHYDROXYFLAVONE [6665-67-4] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 247-250°C	250 mg	\$92.00
D-260	5,4'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 161-163°C	250 mg	\$30.00
H-205	5,6,7,3',4',5'-HEXAMETHOXYFLAVONE [29043-07-0] C ₂₁ H ₂₂ O ₈ MW: 402.40 MP: 163-164°C	10 mg	\$62.00
P-201	5,6,7,3',4'-PENTAMETHOXYFLAVONE [2306-27-6] (Sinensetin) C ₂₀ H ₂₀ O ₇ MW: 372.38 MP: 174-176°C	10 mg	\$265.00
021326S	5,6,7,3',4'-PENTAMETHOXYFLAVONE with HPLC [2306-27-6] (Sinensetin with HPLC) C ₂₀ H ₂₀ O ₇ MW: 372.38	10 mg	\$175.00
B-002	5,6-BENZOFLAVONE [6051-87-2] (b-Naphthoflavone) C ₁₉ H ₁₂ O ₂ MW: 272.30 MP: 164-165°C	10 gm	\$75.00
D-116	5,6-DIHYDROXY-7-METHOXYFLAVONE [29550-13-8] (Baicalein-7-methylether) C ₁₆ H ₁₂ O ₅ MW: 284.27 MP: 216-222°C	50 mg	\$45.00
22-357	5,6-DIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 189-190°C	100 mg	\$58.00
T-407	5,7,2'-TRIHYDROXYFLAVONE [73046-40-9] C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: >270°C	100 mg	\$40.00
22-362	5,7,2'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 178-189°C	100 mg	\$69.00
22-340	5,7,3',4',5'-PENTAHYDROXYFLAVONE [520-31-0] C ₁₅ H ₁₀ O ₇ MW: 302.25 MP: 356-360°C	250 mg	\$80.00
021335S	5,7,3',4',5'-PENTAHYDROXYFLAVONE with HPLC [520-31-0] (Tricetin with HPLC) C ₁₅ H ₁₀ O ₇ MW: 302.24	5 mg	\$336.00
P-202	5,7,3',4',5'-PENTAMETHOXYFLAVONE [53350-26-8] C ₂₀ H ₂₀ O ₇ MW: 372.38 MP: 190-192°C	10 mg	\$85.00
L-102	5,7,3',4'-TETRAMETHOXYFLAVONE [855-97-0] (Luteolin tetramethylether) C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 190-195°C	10 mg	\$39.00
22-358	5,7,3'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 147-150°C	100 mg	\$65.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

A-106	5,7,4'-TRIMETHOXYFLAVONE [5631-70-9] (Apigenin-4',5,7-trimethyl ether) $C_{18}H_{16}O_5$ MW: 312.33 MP: 157-160°C	500 mg	\$152.00
021225	5,7,8-TRIHYDROXYFLAVONE [4443-09-8] (Norwogonin) $C_{15}H_{10}O_5$ MW: 270.25	20 mg	\$405.00
021106S	5,7-DIHYDROXY-3',4',5'-TRIMETHOXYFLAVONE with HPLC [18103-42-9] (Tricetin trimethylether) $C_{18}H_{16}O_7$ MW: 344.33 MP: 266-276°C	5 mg	\$399.00
021304S	5,7-DIHYDROXY-8-METHOXYFLAVONE [632-85-9] (Wogonin) $C_{16}H_{12}O_5$ MW: 284.27	10 mg	\$125.00
C-005	5,7-DIHYDROXYFLAVONE [480-40-0] (Chrysin; 5,7,-dihydroxy-2-phenyl-4h-1-benzopyran-4-one) $C_{15}H_{10}O_4$ MW: 254.25 MP: 284-286°C	5 gm	\$80.00
22-385	5,7-DIMETHOXY-3-HYDROXYFLAVONE [15236-07-4] $C_{17}H_{14}O_5$ MW: 298.30 MP: 175-176°C	100 mg	\$87.00
021010	5,7-DIMETHOXYFLAVONE [21392-57-4] (Chrysin dimethylether, Methylated chrysin) $C_{17}H_{14}O_4$ MW: 282.30 MP: 153-155°C	100 mg	\$133.00
021260	5,8-DIHYDROXY-3,7,3',4'-TETRAMETHOXYFLAVONE [7380-44-1] (Gossypetin-3,7,3',4-Tetramethylether) $C_{19}H_{18}O_8$ MW: 374.33	5 mg	\$795.00
H-421	5-HYDROXY-3'-METHOXYFLAVONE $C_{16}H_{12}O_4$ MW: 268.27	100 mg	\$40.00
H-110	5-HYDROXY-7-METHOXYFLAVONE [520-28-5] (Methyl chrysin, Tectochrysin) $C_{16}H_{12}O_4$ MW: 268.27 MP: 166-168°C	50 mg	\$65.00
H-025	5-HYDROXYFLAVONE [491-78-1] (Primuletin) $C_{15}H_{10}O_3$ MW: 238.25 MP: 155-156°C	5 gm	\$148.00
M-014	5-METHOXYFLAVONE [42079-78-7] $C_{16}H_{12}O_3$ MW: 252.27 MP: 126-129°C	1 gm	\$19.00
22-324	6,2',3'-TRIHYDROXYFLAVONE $C_{15}H_{10}O_5$ MW: 270.25 MP: 278-280°C	250 mg	\$60.00
22-323	6,2',3'-TRIMETHOXYFLAVONE $C_{18}H_{16}O_5$ MW: 312.33 MP: 116-118°C	250 mg	\$60.00
22-322	6,2',4'-TRIMETHOXYFLAVONE [720675-90-1] $C_{18}H_{16}O_5$ MW: 312.33 MP: 189-191°C	250 mg	\$56.00
19-201	6,2'-DICHLOROFLAVONE $C_{15}H_8Cl_2O_2$ MW: 291.14 MP: 154.8-156°C	1 gm	\$90.00
D-254	6,2'-DIHYDROXYFLAVONE $C_{15}H_{10}O_4$ MW: 254.25 MP: 300-304°C	250 mg	\$80.00
22-349	6,2'-DIMETHOXY-3-HYDROXYFLAVONE $C_{17}H_{14}O_5$ MW: 298.30 MP: 186-188°C	250 mg	\$78.00
D-264	6,2'-DIMETHOXYFLAVONE $C_{17}H_{14}O_4$ MW: 282.30 MP: 145-146°C	250 mg	\$31.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-329	6,2'-DIMETHYLFLAVONE C ₁₇ H ₁₄ O ₂ MW: 250.30 MP: 129.2-130.3°C	250 mg	\$56.00
T-408	6,3',4'-TRIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 326-328°C	100 mg	\$40.00
D-410	6,3'-DIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: >270°C	100 mg	\$30.00
22-333	6,3'-DIMETHOXY-3-HYDROXYFLAVONE C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 144-145°C	250 mg	\$60.00
D-428	6,3'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 155-156°C	100 mg	\$30.00
19-330	6,3'-DIMETHYLFLAVONE C ₁₇ H ₁₄ O ₂ MW: 250.30 MP: 137-138.5°C	250 mg	\$60.00
19-327	6,4'-DIBROMOFLAVONE C ₁₅ H ₈ Br ₂ O ₂ MW: 380.04 MP: 249.5-251.1°C	250 mg	\$60.00
17-111	6,4'-DICHLORO-7-METHYLFLAVONE C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 222-224°C	1 gm	\$66.00
17-105	6,4'-DICHLOROFLAVONE C ₁₅ H ₈ Cl ₂ O ₂ MW: 291.14 MP: 235-237°C	1 gm	\$66.00
D-250	6,4'-DIHYDROXYFLAVONE [63046-09-3] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 340-345°C	250 mg	\$39.00
H-601	6,4'-DIMETHOXY-3-HYDROXYFLAVONE C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 181-185°C	250 mg	\$45.00
D-265	6,4'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 194-195°C	250 mg	\$32.00
22-393	6,7,3',4'-TETRAHYDROXYFLAVONE [92915-82-7] C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: >300°C	50 mg	\$65.00
22-395	6,7,3',4'-TETRAMETHOXYFLAVONE [76622-27-0] C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 218-219°C	50 mg	\$70.00
22-336	6,7,3'-TRIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 305-307°C	100 mg	\$45.00
D-429	6,7-DIMETHOXYFLAVONE [26964-27-2] C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 188-189°C	100 mg	\$35.00
19-208	6,8,2'-TRICHLOROFLAVONE C ₁₅ H ₇ Cl ₃ O ₂ MW: 325.59 MP: 192.8-193.9°C	1 gm	\$114.00
17-156	6,8,4'-TRICHLOROFLAVONE C ₁₅ H ₇ Cl ₃ O ₂ MW: 325.59 MP: 253-257°C	1 gm	\$78.00
17-092	6,8-DIBROMOFLAVONE [42079-81-2] C ₁₅ H ₈ Br ₂ O ₂ MW: 380.04 MP: 169-175°C	1 gm	\$72.00
19-328	6,8-DICHLORO-2'-METHYLFLAVONE C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 152.2-153.5°C	250 mg	\$64.00
19-308	6,8-DICHLORO-4'-METHYLFLAVONE C ₁₆ H ₁₀ Cl ₂ O ₂ MW: 305.17 MP: 173-174.6°C	250 mg	\$50.00
17-106	6,8-DICHLOROFLAVONE [100914-20-3] C ₁₅ H ₈ Cl ₂ O ₂ MW: 291.14 MP: 163-168°C	1 gm	\$72.00
19-180	6-BROMO-2'-CHLOROFLAVONE C ₁₅ H ₈ BrClO ₂ MW: 335.58 MP: 164.2-165.4°C	1 gm	\$114.00
19-319	6-BROMO-2'-METHYLFLAVONE C ₁₆ H ₁₁ BrO ₂ MW: 315.17 MP: 118.2-119.5°C	250 mg	\$60.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-320	6-BROMO-3'-METHYLFLAVONE C ₁₆ H ₁₁ BrO ₂ MW: 315.17 MP: 131-132°C	250 mg	\$56.00
17-018	6-BROMO-4'-CHLOROFLAVONE C ₁₅ H ₈ BrClO ₂ MW: 335.58 MP: 234-236°C	1 gm	\$120.00
19-298	6-BROMO-4'-METHYLFLAVONE C ₁₆ H ₁₁ BrO ₂ MW: 315.17 MP: 196.2-197.8°C	250 mg	\$40.00
17-024	6-BROMOFLAVONE [1218-80-0] C ₁₅ H ₉ BrO ₂ MW: 301.14 MP: 192-194°C	1 gm	\$66.00
19-831	6-CHLORO-2',5'-DIMETHOXY-7-METHYLFLAVONE C ₁₈ H ₁₅ ClO ₄ MW: 330.77 MP: 187-189.8°C	100 mg	\$58.00
19-322	6-CHLORO-2',7-DIMETHYLFLAVONE C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 157.5-159.5°C	250 mg	\$64.00
19-326	6-CHLORO-2'-METHYLFLAVONE C ₁₆ H ₁₁ ClO ₂ MW: 270.72 MP: 136-137.1°C	250 mg	\$64.00
19-323	6-CHLORO-3',7-DIMETHYLFLAVONE C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 143.8-144.8°C	250 mg	\$60.00
19-300	6-CHLORO-4',7-DIMETHYLFLAVONE C ₁₇ H ₁₃ ClO ₂ MW: 284.74 MP: 178.3-179.7°C	250 mg	\$50.00
19-301	6-CHLORO-4'-METHYLFLAVONE C ₁₆ H ₁₁ ClO ₂ MW: 270.72 MP: 187.3-189.3°C	250 mg	\$44.00
17-069	6-CHLORO-7-METHYLFLAVONE [147919-60-6] C ₁₆ H ₁₁ ClO ₂ MW: 270.71 MP: 174-176°C	1 gm	\$66.00
17-043	6-CHLOROFLAVONE [10420-73-2] C ₁₅ H ₉ ClO ₂ MW: 256.69 MP: 184-186°C	1 gm	\$60.00
H-423	6-HYDROXY-2'-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 229-231°C	100 mg	\$20.00
H-424	6-HYDROXY-3'-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 229-231°C	100 mg	\$25.00
H-500	6-HYDROXY-4'-METHOXYFLAVONE [35794-88-8] C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 250-252°C	100 mg	\$25.00
H-602	6-HYDROXY-7-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 203-204°C	250 mg	\$39.00
H-026	6-HYDROXYFLAVONE [6665-83-4] C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 231-232°C	25 gm	\$192.00
H-406	6-HYDROXYFLAVONE-b-D-GLUCOSIDE [20594-05-2] C ₂₁ H ₂₀ O ₈ MW: 400.38 MP: 238-240°C	20 mg	\$25.00
M-015	6-METHOXYFLAVONE [26964-24-9] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 162-164°C	1 gm	\$131.00
021084	6-METHOXYLUTEOLIN [520-11-6] (Eupafolin, Nepetin) C ₁₆ H ₁₂ O ₇ MW: 316.28 MP: 267°C	10 mg	\$436.00
M-022	6-METHYLFLAVONE [29976-75-8] C ₁₆ H ₁₂ O ₂ MW: 236.27 MP: 122-123°C	250 mg	\$87.00
22-329	7,2',3'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 107-108°C	250 mg	\$68.00
22-330	7,2',4'-TRIMETHOXYFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 136-138°C	250 mg	\$64.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

D-255	7,2'-DIHYDROXYFLAVONE [77298-66-9] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 318-320°C	250 mg	\$39.00
22-354	7,2'-DIMETHOXY-3-HYDROXYFLAVONE C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 205.3-206.8°C	250 mg	\$64.00
D-266	7,2'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 176-177°C	250 mg	\$31.00
22-341	7,3',4',5'-TETRAHYDROXYFLAVONE C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: 336-338°C	250 mg	\$92.00
22-320	7,3',4',5'-TETRAMETHOXYFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 190-191°C	250 mg	\$64.00
T-414	7,3',4'-TRIHYDROXYFLAVONE [2150-11-0] C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 330-332°C	100 mg	\$37.00
T-204	7,3',4'-TRIMETHOXYFLAVONE [22395-24-0] C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 179-181°C	250 mg	\$104.00
D-411	7,3'-DIHYDROXYFLAVONE [108238-40-0] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: >270°C	250 mg	\$32.00
22-326	7,3'-DIMETHOXY-3-HYDROXYFLAVONE C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 168-170°C	250 mg	\$64.00
D-430	7,3'-DIMETHOXYFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 152-153°C	250 mg	\$28.00
D-412	7,4'-DIHYDROXYFLAVONE [2196-14-7] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 324-325°C	250 mg	\$90.00
22-301	7,4'-DIMETHOXY-3-HYDROXYFLAVONE C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 196-197°C	250 mg	\$48.00
D-431	7,4'-DIMETHOXYFLAVONE [20979-50-4] C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 154-156°C	250 mg	\$31.00
T-410	7,8,2'-TRIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 298-299°C	100 mg	\$38.00
T-201	7,8,3',4'-TETRAHYDROXYFLAVONE [3440-24-2] C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: 309-310°C	250 mg	\$116.00
T-202	7,8,3',4'-TETRAMETHOXYFLAVONE [65548-55-2] C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 205-207°C	250 mg	\$112.00
T-411	7,8,3'-TRIHYDROXYFLAVONE [137502-84-2] C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 309-311°C	100 mg	\$38.00
T-412	7,8,4'-TRIHYDROXYFLAVONE C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 312-314°C	250 mg	\$34.00
B-003	7,8-BENZOFLAVONE [604-59-1] (a-Naphthoflavone) C ₁₉ H ₁₂ O ₂ MW: 272.30 MP: 156-158°C	10 gm	\$40.00
D-008	7,8-DIHYDROXYFLAVONE [38183-03-8] C ₁₅ H ₁₀ O ₄ MW: 254.25 MP: 245-247°C	1 gm	\$65.00
D-024	7,8-DIMETHOXYFLAVONE [65548-54-1] C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 151-152°C	1 gm	\$250.00
H-425	7-HYDROXY-2'-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 256-258°C	250 mg	\$40.00
H-426	7-HYDROXY-3'-METHOXYFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 281-283°C	-	INQUIRE



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

H-440	7-HYDROXY-3-METHYLFLAVONE [18651-15-5] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 278°C	100 mg	\$35.00
H-427	7-HYDROXY-4'-METHOXYFLAVONE [487-24-1] (Pratol) C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 263-264°C	1 gm	\$78.00
021134S	7-HYDROXY-4'-METHOXYFLAVONE with HPLC [487-24-1] (Pratol with HPLC) C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 263-264°C	10 mg	\$310.00
H-439	7-HYDROXY-5-METHYLFLAVONE [15235-99-1] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 302-304°C	100 mg	\$60.00
H-027	7-HYDROXYFLAVONE [6665-86-7] C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 241-242°C	25 gm	\$270.00
M-016	7-METHOXYFLAVONE [22395-22-8] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 110-111°C	5 gm	\$116.00
19-209	8-BROMO-2',6-DICHLOROFLAVONE C ₁₅ H ₇ BrCl ₂ O ₂ MW: 370.04 MP: 192.7-193.7°C	1 gm	\$108.00
19-829	8-BROMO-6-CHLORO-2',5'-DIMETHOXYFLAVONE C ₁₇ H ₁₂ BrClO ₄ MW: 395.64 MP: 189.8-190.2°C	100 mg	\$50.00
16-001	8-CARBOXY-3-METHYLFLAVONE [3468-01-7] (3-Methylflavone-8-carboxylic acid) C ₁₇ H ₁₂ O ₄ MW: 280.28 MP: 234-236°C	1 gm	\$25.00
H-428	8-HYDROXY-7-METHOXYFLAVONE [40316-76-5] C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 226-227°C	100 mg	\$28.00
M-406	8-METHYLFLAVONE [70794-01-3] C ₁₆ H ₁₂ O ₂ MW: 236.27 MP: 168-169.8°C	250 mg	\$29.00
021101S	ACACETIN with HPLC [480-44-4] (5,7-Dihydroxy-4'-methoxyflavone; Apigenin-4'-methylether, Linarigenin) C ₁₆ H ₁₂ O ₅ MW: 284.27	10 mg	\$115.00
020075S	AMARONOL A [226560-96-9] C ₁₅ H ₁₂ O ₈ MW: 320.26	5 mg	\$656.00
021057S	AMENTOFLAVONE with HPLC [1617-53-4] (4',4'',5,5'',7,7''-Hexahydroxy-3'',8-biflavone; 3',8''-Biapigenin) C ₃₀ H ₁₈ O ₁₀ MW: 538.46 MP: >300°C	20 mg	\$165.00
021021S	AMENTOFLAVONE-4',4'',7''-TRIMETHYLETHER with HPLC [521-34-6] (Sciadopitysin) C ₃₃ H ₂₄ O ₁₀ MW: 580.54 MP: 296-298°C	20 mg	\$315.00
A-002	APIGENIN [520-36-5] (5,7,4'-Trihydroxyflavone) C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 345-350°C	1 gm	\$80.00
021102S	APIGENIN with HPLC [520-36-5] (5,7,4'-Trihydroxyflavone) C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 355-358°C	10 mg	\$90.00
021004S	APIGENIN-7-O-GLUCOSIDE with HPLC [578-74-5] (Apigetrin, Cosmosiin) C ₂₁ H ₂₀ O ₁₀ MW: 432.38	20 mg	\$299.00
021003	APIIN [26544-34-3] (Apigenin-7-apioglucoside) C ₂₆ H ₂₈ O ₁₄ MW: 564.48 MP: 230-232°C	20 mg	\$325.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

B-101	BAICALEIN [491-67-8] (5,6,7-Trihydroxyflavone) C ₁₅ H ₁₀ O ₅ MW: 270.24 MP: 270-271°C	1 gm	\$120.00
B-251	BAICALEIN-5,6,7-TRIMETHYLETHER [973-67-1] (5,6,7-Trimethoxyflavone) C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 164-167°C	50 mg	\$49.00
06-012	BAICALIN [21967-41-9] (Scutellaria baicalensis; Baicalein 7-d-glucuronide; B-d-glucopyranosiduronic acid-5,6-dihydroxy-4-oxo-2-phenyl-4h-1-benzopyran-7-yl) C ₂₁ H ₁₈ O ₁₁ MW: 446.36 MP: 190°C (d)	5 gm	\$160.00
021280S	BAICALIN with HPLC [21967-41-9] (Baicalein-7-O-glucuronide) C ₂₁ H ₁₈ O ₁₁ MW: 446.36 MP: 225°C	20 mg	\$125.00
021449S	CANNAFLAVIN A [76735-57-4] (Cannaflavin A; 6-Geranylchrysoeriol) C ₂₆ H ₂₈ O ₆ MW: 436.51	10 mg	\$592.00
021104S	CHRYSOERIOL with HPLC [491-71-4] (4',5,7-Trihydroxy-3'-Methoxyflavone) C ₁₆ H ₁₂ O ₆ MW: 300.27 MP: >300°C	10 mg	\$360.00
021281S	CUPRESSUFLAVONE with HPLC [3952-18-9] (4',4'',5,5'',7,7''-Hexahydroxy-8,8''-biflavone) C ₃₀ H ₁₈ O ₁₀ MW: 538.46 MP: >400°C	10 mg	\$490.00
021141S	DATISCETIN with HPLC [480-15-9] (3,5,7,2'-Tetrahydroxyflavone) C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: 275-278°C	10 mg	\$295.00
020086	DATISCIN [16310-92-2] (Datiscetin-3-O-rutinoside) C ₂₇ H ₃₀ O ₁₅ MW: 594.53	5 mg	\$310.00
020082	DIOSMETIN [520-34-3] (5,7,3'-Trihydroxy-4'-methoxyflavone) C ₁₆ H ₁₂ O ₆ MW: 300.27 MP: 256-257°C	1 gm	\$180.00
021108S	DIOSMETIN with HPLC [520-34-3] (5,7,3'-Trihydroxy-4'-methoxyflavone) C ₁₆ H ₁₂ O ₆ MW: 300.27 MP: 256-258°C	10 mg	\$95.00
020081	DIOSMIN [520-27-4] (Barosmin, Diosmetin-7-O-rutinoside) C ₂₈ H ₃₂ O ₁₅ MW: 608.55 MP: 277-278°C	10 gm	\$105.00
021109S	DIOSMIN with HPLC [520-27-4] (Barosmin, Diosmetin-7-O-rutinoside) C ₂₈ H ₃₂ O ₁₅ MW: 608.55 MP: 277-278°C	20 mg	\$155.00
021395S	EUPATOLIN [29725-50-6] (Eupatolitin-3-O-rhamnoside) C ₂₃ H ₂₄ O ₁₂ MW: 492.44	10 mg	\$499.00
F-002	FISETIN [528-48-3] (3,7,3',4'-Tetrahydroxyflavone) C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: >290°C	1 gm	\$60.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

F-003	FLAVONE [525-82-6] (2-Phenylchromone) $C_{15}H_{10}O_2$ MW: 222.24 MP: 91-97°C	25 gm	\$96.00
021330S	FLAVONOLS AGLYCONES KIT (Includes 10 mg each of Galangin, Quercetin, Myricetin and Isorhamnetin and 20 mg of Kaempferol)	1 Kit	\$615.00
021389S	FORTUNELLIN with HPLC [20633-93-6] (Acacetin-7-O-neohesperidoside) $C_{28}H_{32}O_{14}$ MW: 592.56	5 mg	\$605.00
020067	GALANGIN [548-83-4] (3,5,7-Trihydroxyflavone, Norizalpinin) $C_{15}H_{10}O_5$ MW: 270.25 MP: 219-222°C	50 mg	\$125.00
021114S	GALANGIN with HPLC [548-83-4] (3,5,7-Trihydroxyflavone, Norizalpinin) $C_{15}H_{10}O_5$ MW: 270.25 MP: 216-220°C	10 mg	\$130.00
G-001	GARDENIN [21187-73-5] (5-Hydroxy-6,7,8,3',4',5'-hexamethoxyflavone) $C_{21}H_{22}O_9$ MW: 418.39 MP: 162-163°C	50 mg	\$95.00
021168S	GERALDOL with HPLC [21511-25-1] (3,7,4'-Trihydroxy-3'-methoxyflavone) $C_{16}H_{12}O_6$ MW: 300.27 MP: >300°C	5 mg	\$340.00
G-500	GOSSYPETIN [489-35-0] (3,5,7,8,3',4'-Hexahydroxyflavone) $C_{15}H_{10}O_8$ MW: 318.24 MP: 302-304°C	250 mg	\$56.00
021337S	GOSSYPETIN with HPLC [489-35-0] (3,5,7,8,3',4'-Hexahydroxyflavone) $C_{15}H_{10}O_8$ MW: 318.24	5 mg	\$175.00
G-002	GOSSYPIN [652-78-8] (3,3',4',5,7,8-Hexahydroxyflavone-8-glucoside) $C_{21}H_{20}O_{13}$ MW: 480.38 MP: 210-217°C (d)	500 mg	\$195.00
021343	HERBACETIN [527-95-7] (3,5,7,8,4'-Pentahydroxyflavone) $C_{15}H_{10}O_7$ MW: 302.24	10 mg	\$396.00
22-412	HIBIFOLIN [55366-56-8] (Gossypetin-8-glucuronide, 3,3',4',5,7,8-Hexahydroxyflavone-8-glucuronide) $C_{21}H_{18}O_{14}$ MW: 494.37	10 mg	\$60.00
021017	HINOKIFLAVONE [19202-36-9] (4',6"-Biapigenin) $C_{30}H_{18}O_{10}$ MW: 538.47 MP: 353-355°C	10 mg	\$355.00
021055S	HOMOORIENTIN with HPLC [4261-42-1] (Isoorientin, Luteolin-6-C-glucoside) $C_{21}H_{20}O_{11}$ MW: 448.38 MP: 245-246°C	20 mg	\$215.00
021027S	HYPEROSIDE with HPLC [482-36-0] (Hyperin, Quercetin-3-galactoside) $C_{21}H_{20}O_{12}$ MW: 464.38 MP: 220-222°C	10 mg	\$135.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

021328	IPRIFLAVONE [35212-22-7] (7-Isopropoxyisoflavone) $C_{18}H_{16}O_3$ MW: 280.33 MP: 115-117°C	500 mg	\$150.00
021120S	ISORHAMNETIN with HPLC [480-19-3] (3,5,7,4'-Tetrahydroxy-3'-methoxyflavone) $C_{16}H_{12}O_7$ MW: 316.27 MP: 312°C	100 mg	\$595.00
021228	ISORHAMNETIN-3-O-GLUCOSIDE with HPLC [5041-82-7] $C_{22}H_{22}O_{12}$ MW: 478.40 MP: 155-160°C	10 mg	\$305.00
021333S	ISORHAMNETIN-3-O-RUTINOSIDE with HPLC [604-80-8] (Narcissin, Narcissoside) $C_{28}H_{32}O_{16}$ MW: 624.54 MP: 173-174°C	20 mg	\$245.00
021121S	ISORHOIFOLIN with HPLC [552-57-8] (Apigenin-7-O-rutinoside) $C_{27}H_{30}O_{14}$ MW: 578.53 MP: 270-275°C	10 mg	\$488.00
021354	ISOSCHAFTOSIDE [52012-29-0] $C_{26}H_{28}O_{14}$ MW: 564.50	10 mg	\$355.00
021235S	ISOVITEXIN with HPLC [38953-85-4] (Homovitexin; Saponaretin; Apigenin-6-C-glucoside) $C_{21}H_{20}O_{10}$ MW: 432.38 MP: 238-240°C	20 mg	\$205.00
K-101	KAEMPFERIDE [491-54-3] (3,5,7-Trihydroxy-4'-methoxyflavone) $C_{16}H_{12}O_6$ MW: 300.27 MP: 228-230°C	50 mg	\$95.00
021123S	KAEMPFERIDE with HPLC [491-54-3] (3,5,7-Trihydroxy-4'-methoxyflavone) $C_{16}H_{12}O_6$ MW: 300.27 MP: 228°C	10 mg	\$184.00
K-102	KAEMPFEROL [520-18-3] (3,5,7,4'-Tetrahydroxyflavone; Robigenin) $C_{15}H_{10}O_6$ MW: 286.24 MP: 286-287°C	500 mg	\$140.00
021124S	KAEMPFEROL with HPLC [520-18-3] (3,5,7,4'-Tetrahydroxyflavone; Robigenin) $C_{15}H_{10}O_6$ MW: 286.24 MP: 275°C (d)	20 mg	\$155.00
021070	KAEMPFEROL-3,7,4'-TRIMETHYLETHER [15486-34-7] (5-Hydroxy-3,7,4'-trimethoxyflavone) $C_{18}H_{16}O_6$ MW: 328.33 MP: 157-158°C	10 mg	\$336.00
021243S	KAEMPFEROL-3-O-GLUCOSIDE with HPLC [480-10-4] (Astragalin) $C_{21}H_{20}O_{11}$ MW: 448.38 MP: 223-225°C	5 mg	\$95.00
021356S	KAEMPFEROL-3-O-GLUCURONIDE with HPLC [22688-78-4] $C_{21}H_{18}O_{12}$ MW: 462.37	5 mg	\$345.00
021053S	KAEMPFEROL-3-O-RUTINOSIDE with HPLC [17650-84-9] (Nicotiflorin) $C_{27}H_{30}O_{15}$ MW: 594.53 MP: 200°C (d)	20 mg	\$310.00
021338	KAEMPFEROL-7-O-GLUCOSIDE [16290-07-6] (Populnin) $C_{21}H_{20}O_{11}$ MW: 448.38	10 mg	\$596.00
021069	KAEMPFEROL-7-O-NEOHESPERIDOSIDE [17353-03-6] (Kaemperol-7-O- α -rhamnoside-D-glucoside) $C_{27}H_{30}O_{15}$ MW: 594.53 MP: 255-257°C	10 mg	\$310.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

K-001	KARANJIN [521-88-0] C ₁₈ H ₁₂ O ₄ MW: 292.28 MP: 156-158°C	100 mg	\$80.00
021169S	LINARIN with HPLC [480-36-4] (Acacetin-7-O-rutinoside, Acaciin) C ₂₈ H ₃₂ O ₁₄ MW: 592.55 MP: 258-260°C	20 mg	\$145.00
L-101	LUTEOLIN [491-70-3] (5,7,3',4'-Tetrahydroxyflavone) C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: >290°C	500 mg	\$75.00
021125S	LUTEOLIN with HPLC [491-70-3] (5,7,3',4'-Tetrahydroxyflavone) C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: >300°C	20 mg	\$145.00
021083	LUTEOLIN-4'-O-GLUCOSIDE [6920-38-3] C ₂₁ H ₂₀ O ₁₁ MW: 448.39 MP: 210°C	10 mg	\$420.00
020085S	LUTEOLIN-7,3'-DI-O-GLUCOSIDE with HPLC [52187-80-1] C ₂₇ H ₃₀ O ₁₆ MW: 610.53 MP: 220-250°C	10 mg	\$488.00
020053	LUTEOLIN-7-O-GLUCOSIDE [5373-11-5] (Luteoloside; Cynaroside) C ₂₁ H ₂₀ O ₁₁ MW: 448.38 MP: 241-249°C	100 mg	\$225.00
021126S	LUTEOLIN-7-O-GLUCOSIDE with HPLC [5373-11-5] (Luteoloside; Cynaroside) C ₂₁ H ₂₀ O ₁₁ MW: 448.38 MP: 247°C (d)	10 mg	\$150.00
020076S	MAESOPSIN [5989-16-2] C ₁₅ H ₁₂ O ₆ MW: 288.26	5 mg	\$656.00
020060S	MARITIMEIN with HPLC [490-54-0] (Maritimetin-6-O-glucoside) C ₂₁ H ₂₀ O ₁₁ MW: 448.38 MP: 205-211°C	5 mg	\$506.00
021344S	MORIN with HPLC [480-16-0] (3,5,7,2',4'-Pentahydroxyflavone) C ₁₅ H ₁₀ O ₇ MW: 302.24 MP: 290-292°C	20 mg	\$155.00
C-101	MYRICETIN [529-44-2] (3,5,7,3',4',5'-Hexahydroxyflavone, Cannabiscetin, Myricetol) C ₁₅ H ₁₀ O ₈ MW: 318.24 MP: >290°C	50 mg	\$55.00
021127S	MYRICETIN with HPLC [529-44-2] (3,5,7,3',4',5'-Hexahydroxyflavone, Cannabiscetin, Myricetol) C ₁₅ H ₁₀ O ₈ MW: 318.24 MP: 351°C	10 mg	\$175.00
021355S	MYRICETIN-3-O-GALACTOSIDE with HPLC [15648-86-9] C ₂₁ H ₂₀ O ₁₃ MW: 480.38	5 mg	\$399.00
021357S	MYRICETIN-3-O-GLUCOSIDE with HPLC [19833-12-6] C ₂₁ H ₂₀ O ₁₃ MW: 480.38	5 mg	\$596.00
19-919	MYRICITRIN [17912-87-7] (Myricetin-3-O-rhamnoside) C ₂₁ H ₂₀ O ₁₂ MW: 464.38	250 mg	\$88.00
021029S	MYRICITRIN with HPLC [17912-87-7] (Myricetin-3-O-rhamnoside) C ₂₁ H ₂₀ O ₁₂ MW: 464.38 MP: 190-200°C	10 mg	\$165.00
021249	NEODIOSMIN [38665-01-9] (Diosmetin-7-O-neohesperidoside) C ₂₈ H ₃₂ O ₁₅ MW: 608.54	20 mg	\$195.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

021054S	ORIENTIN with HPLC [28608-75-5] (Luteolin-8-C-glucoside) $C_{21}H_{20}O_{11}$ MW: 448.38 MP: 260-285°C	20 mg	\$198.00
021142S	PELTATOSIDE with HPLC [23284-18-6] (Quercetin-3-O-arabinoglucoside) $C_{26}H_{28}O_{16}$ MW: 596.50 MP: 217°C (d)	10 mg	\$396.00
021030	QUERCETAGETIN [90-18-6] (3,5,6,7,3',4'-Hexahydroxyflavone) $C_{15}H_{10}O_8$ MW: 318.25 MP: >300°C	5 mg	\$295.00
021341S	QUERCETAGETIN-7-O-GLUCOSIDE with HPLC [548-75-4] (Quercetagitrin) $C_{21}H_{20}O_{13}$ MW: 480.38	10 mg	\$325.00
P-102A	QUERCETIN anhydrous [117-39-5] (3,5,7,3',4'-Pentahydroxyflavone) $C_{15}H_{10}O_7$ MW: 302.24	1 gm	\$115.00
021332S	QUERCETIN DERIVATIVES KIT (Includes 10 mg each of Quercetin, Hyperoside, 20 mg of Quercetin-3-O-glucopyranoside and 50 mg of Rutin)	1 Kit	\$650.00
P-102	QUERCETIN dihydrate [6151-25-3] (3,5,7,3',4'-Pentahydroxyflavone) $C_{15}H_{10}O_7$ MW: 302.24 MP: 320°C	25 gm	\$70.00
021135S	QUERCETIN with HPLC [117-39-5] (3,5,7,3',4'-Pentahydroxyflavone) $C_{15}H_{10}O_7$ MW: 302.25 MP: 305-312°C	10 mg	\$125.00
021347S	QUERCETIN-3,4'-di-O-GLUCOSIDE with HPLC [29125-80-2] $C_{27}H_{30}O_{17}$ MW: 626.53	5 mg	\$436.00
021285	QUERCETIN-3,5,7,3',4'-PENTAMETHYLETHER [1247-97-8] (3,5,7,3',4'-Pentamethoxyflavone) $C_{20}H_{20}O_7$ MW: 372.36 MP: 152-156°C	10 mg	\$255.00
021074	QUERCETIN-3,7,3',4'-TETRAMETHYLETHER [1245-15-4] (Retusin) $C_{19}H_{18}O_7$ MW: 358.35	10 mg	\$255.00
021447S	QUERCETIN-3-O-(4''-METHYLETHER)GLUCOSIDE [ND] $C_{22}H_{22}O_{12}$ MW: 478.41	10 mg	\$516.00
021327S	QUERCETIN-3-O-GLUCOPYRANOSIDE with HPLC [482-35-9] (Isoquercetrin) $C_{21}H_{20}O_{12}$ MW: 464.38	20 mg	\$165.00
021099	QUERCETIN-3-O-GLUCOSE-6''-ACETATE [54542-51-7] $C_{23}H_{22}O_{13}$ MW: 506.41	10 mg	\$344.00
021315	QUERCETIN-3-O-GLUCURONIDE [22688-79-5] (Miquelianin) $C_{21}H_{18}O_{13}$ MW: 478.37	20 mg	\$265.00
06-067	QUERCITRIN [522-12-3] (Quercetin-3-O-rhamnoside) $C_{21}H_{20}O_{11}$ MW: 448.38 MP: 182-183°C	25 mg	\$90.00
021236S	QUERCITRIN with HPLC [522-12-3] (Quercetin-3-O-rhamnoside) $C_{21}H_{20}O_{11}$ MW: 448.38 MP: 174-183°C	20 mg	\$135.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

021136S	RHAMNETIN with HPLC [90-19-7] (3,5,3',4'-Tetrahydroxy-7-methoxyflavone with HPLC) C ₁₆ H ₁₂ O ₇ MW: 316.27 MP: 290-296°C	10 mg	\$280.00
021137S	RHOIFOLIN with HPLC [17306-46-6] (Apigenin-7-O-neohesperidoside) C ₂₇ H ₃₀ O ₁₄ MW: 578.53 MP: 198°C	20 mg	\$185.00
021032	ROBININ [301-19-9] (Kaempferol-3-O-robinoside-7-O-rhamnoside) C ₃₃ H ₄₀ O ₁₉ MW: 740.65 MP: 207°C	5 mg	\$273.00
020080	RUTIN TRIHYDRATE [250249-75-3] (Quercetin-3-rutinoside, Vitamin P) C ₂₇ H ₃₀ O ₁₆ · 3H ₂ O MW: 664.59 MP: 188-190°C	10 gm	\$81.00
021139S	RUTIN with HPLC [153-18-4] (Quercetin-3-O-rutinoside; Bioglavonoide; Melin) C ₂₇ H ₃₀ O ₁₆ MW: 610.52	50 mg	\$280.00
021238S	SAPONARIN with HPLC [20310-89-8] (Isovitexin-7-O-glucoside; Saponaretin-7-O-glucoside) C ₂₇ H ₃₀ O ₁₅ MW: 594.53 MP: 228°C	10 mg	\$488.00
021353S	SCHAFTOSIDE [51938-32-0] (Apigenin-6-C-beta-D-glucoside-8-C-alpha-L-arabinoside) C ₂₆ H ₂₈ O ₁₄ MW: 564.50	20 mg	\$295.00
021165	SCUTELLAREIN [529-53-3] (6-Hydroxyapigenin, 5,6,7,4'-Tetrahydroxyflavone) C ₁₅ H ₁₀ O ₆ MW: 286.25 MP: 330°C	10 mg	\$175.00
021278	SCUTELLAREIN TETRAMETHYLETHER [1168-42-9] (5,6,7,4'-Tetramethoxyflavone) C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 144-145°C	10 mg	\$399.00
021334S	SCUTELLAREIN with HPLC [529-53-3] (6-Hydroxyapigenin, 5,6,7,4'-Tetrahydroxyflavone) C ₁₅ H ₁₀ O ₆ MW: 286.25	20 mg	\$125.00
021201	SPIRAEOSIDE [20229-56-5] (Spiraein, Quercetin-4'-O-glucoside) C ₂₁ H ₂₀ O ₁₂ MW: 464.38 MP: 210-213°C	10 mg	\$375.00
020088S	SULFURETIN with HPLC [120-05-8] (6,3',4'-Trihydroxyaurone) C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: 295°C	5 mg	\$375.00
021246S	SYRINGETIN-3-O-GALACTOSIDE with HPLC [55025-56-4] C ₂₃ H ₂₄ O ₁₃ MW: 508.43 MP: 230-234°C	5 mg	\$464.00
021245S	SYRINGETIN-3-O-GLUCOSIDE with HPLC [40039-49-4] C ₂₃ H ₂₄ O ₁₃ MW: 508.43 MP: 250°C	5 mg	\$399.00
021140S	TAMARIXETIN with HPLC [603-61-2] (Quercetin-4'-methylether; 4'-Methoxy-3,5,7,3'-tetrahydroflavone) C ₁₆ H ₁₂ O ₇ MW: 316.28 MP: 264-269°C	10 mg	\$299.00
06-026	TANGERETIN, natural [481-53-8] (5,6,7,8,4'-Pentamethoxyflavone) C ₂₀ H ₂₀ O ₇ MW: 372.38	50 mg	\$245.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

021001S	TILIROSIDE with HPLC [20316-62-5] (Kaempferol-3-O-glucoside-6"-E-coumaroyl) C ₃₀ H ₂₆ O ₁₃ MW: 594.53 MP: 257-260°C	20 mg	\$195.00
021232S	VITEXIN with HPLC [3681-93-4] (Apigenin-8-C-glucoside) C ₂₁ H ₂₀ O ₁₀ MW: 432.38 MP: 256-257°C	20 mg	\$125.00
021006	VITEXIN-2"-O-RHAMNOSIDE [64820-99-1] (Apigenin-8-C-glucoside-2'-rhamnoside) C ₂₇ H ₃₀ O ₁₄ MW: 578.53 MP: 215°C	20 mg	\$265.00

Isoflavones

CAT #	Product	QTY	Price
021268	(+/-)-EQUOL [531-95-3] (7,4'-Isoflavandiol, 7,4'-Dihydroxyisoflavan) C ₁₅ H ₁₄ O ₃ MW: 242.28 MP: 157-159°C	5 mg	\$195.00
19-761	2',6-DICHLORO-7-METHOXYISOFLAVONE C ₁₆ H ₁₀ Cl ₂ O ₃ MW: 321.16 MP: 218.5-220.5°C	50 mg	\$95.00
19-607	2'-CHLORO-5,7-DIMETHOXYISOFLAVONE C ₁₇ H ₁₃ ClO ₄ MW: 316.74 MP: 172.3-174°C	50 mg	\$90.00
19-643	3',4',6-TRIMETHOXYISOFLAVONE-7-O-b-D-GLUCOPYRANOSIDE [59183-50-5] (Cladrastin-7-O-b-D-glucopyranoside) C ₂₄ H ₂₆ O ₁₁ MW: 490.47 MP: 231.5-233.3°C	25 mg	\$90.00
19-612	3',4'-DIMETHOXY-7-HYDROXYISOFLAVONE C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 260.5-263.5°C	50 mg	\$110.00
19-608	3'-CHLORO-5,7-DIMETHOXYISOFLAVONE C ₁₇ H ₁₃ ClO ₄ MW: 316.74 MP: 134.3-136.3°C	50 mg	\$90.00
19-640	4',6-DIMETHOXYISOFLAVONE-7-O-b-D-GLUCOPYRANOSIDE [19046-26-5] (Wistin) C ₂₃ H ₂₄ O ₁₀ MW: 460.44 MP: 218.5-222°C	25 mg	\$84.00
19-763	4',7-DIMETHOXY-8-METHYLISOFLAVONE C ₁₈ H ₁₆ O ₄ MW: 296.33 MP: 147.5-149.5°C	50 mg	\$95.00
19-659	4'-ACETOXY-7-HYDROXY-6-METHOXYISOFLAVONE C ₁₈ H ₁₄ O ₆ MW: 326.31 MP: 200.6-203°C	25 mg	\$60.00
19-604	4'-BROMO-5,7-DIMETHOXYISOFLAVONE C ₁₇ H ₁₃ BrO ₄ MW: 361.19 MP: 204.2-205.8°C	50 mg	\$90.00
19-586	4'-CHLORO-5,7-DIMETHOXYISOFLAVONE C ₁₇ H ₁₃ ClO ₄ MW: 316.74 MP: 189.2-191.8°C	25 mg	\$76.00
19-810	4'-CHLORO-7-HYDROXY-8-METHYLISOFLAVONE C ₁₆ H ₁₁ ClO ₃ MW: 286.72 MP: above 300°C	100 mg	\$90.00
19-811	4'-CHLORO-7-METHOXY-8-METHYLISOFLAVONE C ₁₇ H ₁₃ ClO ₃ MW: 300.74 MP: 180-182°C	100 mg	\$90.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

D-118	5,4'-DIHYDROXY-7-METHOXYISOFLAVONE [552-59-0] (Prunetin) C ₁₆ H ₁₂ O ₅ MW: 284.27 MP: 239-242°C	10 mg	\$65.00
19-616	5,7,3',4'-TETRAMETHOXYISOFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 165.8-167.7°C	50 mg	\$110.00
19-599	5,7,4'-TRIMETHOXYISOFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 162.6-164.6°C	25 mg	\$98.00
CP-001	5-METHYL-7-METHOXYISOFLAVONE [82517-12-2] C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 117-121°C	10 mg	\$95.00
19-626	6,4'-DIMETHOXY-7-HYDROXYISOFLAVONE [550-79-8] C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 232-234°C	25 mg	\$90.00
19-638	6,7,3',4'-TETRAMETHOXYISOFLAVONE C ₁₉ H ₁₈ O ₆ MW: 342.35 MP: 187.7-190°C	25 mg	\$70.00
T-116	6,7,4'-TRIHYDROXYISOFLAVONE [17817-31-1] (Demethyltaxasin) C ₁₅ H ₁₀ O ₅ MW: 270.24 MP: ~330°C	10 mg	\$195.00
T-124	6,7,4'-TRIMETHOXYISOFLAVONE [798-61-8] C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 180.3-182.3°C	25 mg	\$130.00
19-634	6,7-DIMETHOXYISOFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 169.5-171.8°C	25 mg	\$70.00
19-759	6-CHLORO-4',7-DIMETHOXYISOFLAVONE C ₁₇ H ₁₃ ClO ₄ MW: 316.74 MP: 216.2-218.2°C	50 mg	\$95.00
19-266	6-CHLORO-7-METHYLISOFLAVONE C ₁₆ H ₁₃ ClO ₂ MW: 272.73 MP: 185.8-188.2°C	100 mg	\$98.00
T-415	7,3',4'-TRIHYDROXYISOFLAVONE [485-63-2] (3'-Hydroxydaidzein) C ₁₅ H ₁₀ O ₅ MW: 270.24 MP: 278-281°C	500 mg	\$195.00
19-617	7,3',4'-TRIMETHOXYISOFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 160.5-162.5°C	50 mg	\$110.00
021298	7,4'-DIMETHOXY-5-HYDROXYISOFLAVONE [34086-51-6] (Genistein-7,4'-dimethylether) C ₁₇ H ₁₄ O ₅ MW: 298.30 MP: 145.5°C	10 mg	\$127.00
021299	7,4'-DIMETHOXYISOFLAVONE [1157-39-7] C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 161-163.7°C	10 mg	\$125.00
19-872	7,8,4'-TRIHYDROXYISOFLAVONE [75187-63-2] (7,8-Dihydroxy-3-(4-hydroxyphenyl)chromen-4-one) C ₁₅ H ₁₀ O ₅ MW: 270.24 MP: >300°C	10 mg	\$95.00
19-883	7,8,4'-TRIMETHOXYISOFLAVONE C ₁₈ H ₁₆ O ₅ MW: 312.33 MP: 152-154°C	10 mg	\$90.00
19-767	7-HYDROXY-4'-METHOXY-8-METHYLISOFLAVONE C ₁₇ H ₁₄ O ₄ MW: 282.30 MP: 274.6-277°C	250 mg	\$64.00
19-635	7-HYDROXY-6-METHOXYISOFLAVONE C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 236-239°C	25 mg	\$68.00
19-782	7-HYDROXY-8-METHYLISOFLAVONE C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 240-243°C	50 mg	\$70.00
19-593	7-HYDROXYISOFLAVONE [13057-72-2] C ₁₅ H ₁₀ O ₃ MW: 238.25 MP: 212.3-215.3°C	50 mg	\$86.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

19-783	7-METHOXY-8-METHYLISOFLAVONE C ₁₇ H ₁₄ O ₃ MW: 266.30 MP: 135-136.7°C	50 mg	\$70.00
19-596	7-METHOXYISOFLAVONE [1621-56-3] C ₁₆ H ₁₂ O ₃ MW: 252.27 MP: 156.6-158.8°C	25 mg	\$116.00
19-312	7-METHYL-2',4'-6-TRICHLOROISOFLAVONE C ₁₆ H ₉ Cl ₃ O ₂ MW: 339.61 MP: 223.3-224.5°C	250 mg	\$60.00
B-106	BIOCHANIN A [491-80-5] (5,7-Dihydroxy-4'-methoxyisoflavone) C ₁₆ H ₁₂ O ₅ MW: 284.27 MP: 210-213°C	250 mg	\$108.00
021349S	BIOCHANIN A with HPLC [491-80-5] (5,7-Dihydroxy-4'-methoxyisoflavone) C ₁₆ H ₁₂ O ₅ MW: 284.27	20 mg	\$165.00
D-101	DAIDZEIN [486-66-8] (7,4'-Dihydroxyisoflavone; 7-hydroxy-3-(4-hydroxyphenyl)-4h-1-benzopyran-4-one) C ₁₅ H ₁₀ O ₄ MW: 254.24 MP: 330-331°C	500 mg	\$120.00
D-101N	DAIDZEIN, natural [486-66-8] (7,4'-Dihydroxyisoflavone; 7-hydroxy-3-(4-hydroxyphenyl)-4h-1-benzopyran-4-one) C ₁₅ H ₁₀ O ₄ MW: 254.24 MP: >290°C	250 mg	\$40.00
021319	DAIDZEIN-7-O-GLUCURONIDE [38482-80-3] C ₂₁ H ₁₈ O ₁₀ MW: 430.37	5 mg	\$560.00
021096	DAIDZIN [552-66-9] (Daidzein-7-O-glucoside, 7-Glucosyl-4'-hydroxyisoflavone) C ₂₁ H ₂₀ O ₉ MW: 416.37 MP: 230-238°C	5 mg	\$98.00
F-103	FORMONONETIN [485-72-3] (7-Hydroxy-4'-methoxyisoflavone, Biochanin B) C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 257-259°C	100 mg	\$95.00
F-103N	FORMONONETIN, natural [485-72-3] (7-Hydroxy-4'-methoxyisoflavone, Biochanin B) C ₁₆ H ₁₂ O ₄ MW: 268.27 MP: 257-259°C	25 mg	\$75.00
G-103	GENISTEIN [446-72-0] (5,7,4'-Trihydroxyisoflavone) C ₁₅ H ₁₀ O ₅ MW: 270.25 MP: ~306-308°C	500 mg	\$154.00
021350	GENISTEIN-7-O-GLUCURONIDE [38482-81-4] C ₂₁ H ₁₈ O ₁₁ MW: 446.37	5 mg	\$560.00
021050N	GENISTIN [529-59-9] (Glucosyl-7-genistein, 7-O-b-D-glucopyranosyl genistein) C ₂₁ H ₂₀ O ₁₀ MW: 432.38 MP: 256-257°C	5 mg	\$126.00
021325S	GENISTIN with HPLC [529-59-9] (Genistein-7-O-glucoside) C ₂₁ H ₂₀ O ₁₀ MW: 432.38 MP: 254°C	20 mg	\$120.00
021352	GLABRIDIN [59870-68-7] C ₂₀ H ₂₀ O ₄ MW: 324.38	20 mg	\$155.00
GL-001	GLYCITEIN [40957-83-3] (7,4'-Dihydroxy-6-methoxyisoflavone) C ₁₆ H ₁₂ O ₅ MW: 284.27 MP: >330°C	10 mg	\$100.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179

FLAVONOIDS & COUMARINS

PLEASE INQUIRE FOR CUSTOM SYNTHESIS AND BULK QUANTITIES

GL-001N	GLYCITEIN [40957-83-3] (7,4'-Dihydroxy-6-methoxyisoflavone) C ₁₆ H ₁₂ O ₅ MW: 284.27 MP: >330°C	10 mg	\$180.00
GL-002	GLYCITIN [40246-10-4] (7,4'-Dihydroxy-6-methoxyisoflavone-7-D-glucoside) C ₂₂ H ₂₂ O ₁₀ MW: 446.41 MP: 216-218°C	10 mg	\$125.00
GL-002N	GLYCITIN [40246-10-4] (7,4'-Dihydroxy-6-methoxyisoflavone-7-D-glucoside) C ₂₂ H ₂₂ O ₁₀ MW: 446.41 MP: 207-209°C	10 mg	\$145.00
19-637	ISOFLAVONE [574-12-9] C ₁₅ H ₁₀ O ₂ MW: 222.25 MP: 132.5-133.5°C	500 mg	\$70.00
19-641	ISOFLAVONE-7-O-b-D-GLUCOPYRANOSIDE () C ₂₁ H ₂₀ O ₈ MW: 400.39 MP: 236-238°C	25 mg	\$88.00
19-642	ONONIN [486-62-4] (4'-Methoxyisoflavone-7-O-b-D-glucopyranoside; Formononetin-7-O-b-D-glucopyranoside) C ₂₂ H ₂₂ O ₉ MW: 430.40 MP: 216.3-218.8°C	25 mg	\$86.00
021241S	ONONIN with HPLC [486-62-4] (Formononetin-7-O-glucoside; 4',7'-Dihydroxy-7-O-glucosylisoflavone) C ₂₂ H ₂₂ O ₉ MW: 430.40 MP: 217-219°C	5 mg	\$165.00
06-001	PUERARIN [3681-99-0] (Daidzein-8-C-glucoside; 7,4'-Dihydroxy-8-C-glucosylisoflavone) C ₂₁ H ₂₀ O ₉ MW: 416.38 MP: 207-209.5°C	250 mg	\$90.00
021233S	PUERARIN with HPLC [3681-99-0] (Daidzein-8-C-glucoside; 7,4'-Dihydroxy-8-C-glucosylisoflavone) C ₂₁ H ₂₀ O ₉ MW: 416.38 MP: 191-193°C dec	10 mg	\$75.00
021244S	SISSOTRIN with HPLC [5928-26-7] (Biochanin A-7-O-glucoside) C ₂₂ H ₂₂ O ₁₀ MW: 446.40 MP: 218-221°C	5 mg	\$399.00



INDOFINE Chemical Company, Inc.
Phone: (908) 359-677 - Fax: (908) 359-1179